



HONEYWELL PART NUMBER
STANDARD HEATERS

REV	DOCUMENT	CHANGED BY	DATE
A	ECO-0034526	WJC	12OCT07



NOTES:
(ONLY IF 'A' IS
AT THE END OF
PART NUMBER)
HEATER SIDE VIEW
(EXPLODED)

- 1. HEATER VOLTAGE. SEE TABLE.
- 2. HEATER WATTAGE. SEE TABLE.
- 3. HEATER RESISTANCE. SEE TABLE.
- 4. HEATER CONSTRUCTION TO BE FIBERGLASS
REINFORCED SILICONE RUBBER OR POLYIMIDE
ENCASING AN ETCHED FOIL ELEMENT
- 5. LEAD WIRES TO BE 22 AWG, UL 1180, COLOR, WHI
- 6. HEATER TO WITHSTAND HYPOT OF 1000V FOR 1 SEC
- 7. MARKING ON LABEL AS SHOWN

HONEYWELL
REDI TEMP.
---V ---WSI
DATE

DESIGN UNITS: **		DRAWN		MFD	7/10/07	Honeywell TITLE STANDARD HEATERS REV		
TOLERANCES UNLESS NOTED:		CHECK		JC	7/10/07			
NO PLACE X ± ** ONE PLACE .X ± 0 ** TWO PLACE .XX ±.03 0. ** THREE PLACE .XXX ±.030 0. *** FOUR PLACE .XXXX ± 0. **** ANGLES X ± **		THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE PERMISSION OF HONEYWELL.						
THIRD ANGLE PROJECTION		INTERPRET PER ***** OTHER HONEYWELL ENGINEERING STANDARDS MAY APPLY				SIZE TYPE DRAWING NAME REV		
		AUTOCAD				B B STANDARD HEATERS B		
		SCALE				SHEET 1 OF 4		



HONEYWELL PART NUMBER										8							
PART NUMBER										8							
VOLTAGE										7							
WATT DENSITY (W/INCH ²)										6							
TOTAL WATTAGE										5							
LENGTH (INCH)										4							
WIDTH (INCH)										3							
ARTWORK										2							
RESISTANCE (IN OHMS)										1							
STEEL RULE DIE										0							
C3200-6095										28	5	10	2	1	6095-901	70.56 – 86.24	6091-501
C3200-6095A																	
C3400-6095																	
C3400-6095A																	
C3200-6136										12	2.5	15	3	2	6136-901	8.64 – 10.56	6136-501
C3200-6136A																	
C3400-6136																	
C3400-6136A																	
C3200-6138										12	10	60	3	2	6138-901	2.16 – 2.64	6136-501
C3200-6138A																	
C3400-6138																	
C3400-6138A																	
C3200-6142										110	2.5	15	3	2	6142-901	726.00 – 887.33	6136-501
C3200-6142A																	
C3400-6142																	
C3400-6142A																	
C3200-6144										110	10	60	3	2	6144-901	181.50 – 221.83	6136-501
C3200-6144A																	
C3400-6144																	
C3400-6144A																	
C3200-6145										12	2.5	20	4	2	6145-901	6.48 – 7.92	6145-501
C3200-6145A																	
C3400-6145																	
C3400-6145A																	
C3200-6153										110	10	80	4	2	6153-901	136.13 – 166.38	6145-501
C3200-6153A																	
C3400-6153																	
C3400-6153A																	
C3200-6154										12	2.5	30	6	2	6154-901	4.32 – 5.28	6154-501
C3200-6154A																	
C3400-6154																	
C3400-6154A																	
C3200-6158										28	5	60	6	2	6158-901	11.76 – 14.37	6154-501
C3200-6158A																	
C3400-6158																	
C3400-6158A																	
C3200-6159										28	10	120	6	2	6159-901	5.88 – 7.19	6154-501
C3200-6159A																	
C3400-6159																	
C3400-6159A																	
C3200-6160										110	2.5	30	6	2	6160-901	363.00 – 443.67	6154-501
C3200-6160A																	
C3400-6160																	
C3400-6160A																	
C3200-6162										110	10	120	6	2	6162-901	90.75 – 110.92	6154-501
C3200-6162A																	
C3400-6162																	
C3400-6162A																	
C3200-6190										12	2.5	22.5	3	3	6190-901	5.76 – 7.04	6190-501
C3200-6190A																	
C3400-6190																	
C3400-6190A																	

HONEYWELL PART NUMBER									
PART NUMBER	VOLTAGE	WATT DENSITY (W/INCH ²)	TOTAL WATTAGE	LENGTH (INCH)	WIDTH (INCH)	ARTWORK	RESISTANCE (IN OHMS)	STEEL RULE DIE	
C3200-6199	12	2.5	30	4	3	6199-901	4.32 – 5.28	6199-501	
C3200-6199A									
C3400-6199									
C3400-6199A									
C3200-6208	12	2.5	37.5	5	3	6208-901	3.46 – 4.22	6208-501	
C3200-6208A									
C3400-6208									
C3400-6208A									
C3200-6209	12	5	75	5	3	6209-901	1.73 – 2.11	6208-501	
C3200-6209A									
C3400-6209									
C3400-6209A									
C3200-6210	12	10	150	5	3	6210-901	0.86 – 1.06	6208-501	
C3200-6210A									
C3400-6210									
C3400-6210A									
C3200-6211	28	2.5	37.5	5	3	6211-901	18.82 – 23.00	6208-501	
C3200-6211A									
C3400-6211									
C3400-6211A									
C3200-6215	110	5	75	5	3	6215-901	145.20 – 177.47	6208-501	
C3200-6215A									
C3400-6215									
C3400-6215A									
C3200-6216	110	10	150	5	3	6216-901	72.60 – 88.73	6208-501	
C3200-6216A									
C3400-6216									
C3400-6216A									
C3200-6238	28	2.5	40	4	4	6238-901	17.64 – 21.56	6235-501	
C3200-6238A									
C3400-6238									
C3400-6238A									
C3200-6239	28	5	80	4	4	6239-901	8.82 – 10.78	6235-501	
C3200-6239A									
C3400-6239									
C3400-6239A									
C3200-6242	110	5	80	4	4	6242-901	136.13 – 166.38	6235-501	
C3200-6242A									
C3400-6242									
C3400-6242A									
C3200-6243	110	10	160	4	4	6243-901	68.06 – 83.19	6235-501	
C3200-6243A									
C3400-6243									
C3400-6243A									
C3200-6250	110	2.5	60	6	4	6250-901	181.50 – 221.83	6244-501	
C3200-6250A									
C3400-6250									
C3400-6250A									
C3200-6251	110	5	120	6	4	6251-901	90.75 – 110.92	6244-501	
C3200-6251A									
C3400-6251									
C3400-6251A									
Honeywell									
STANDARD HEATERS									
TITLE									
DRAWN MFD 7/10/07									
CHECK JC 7/10/07									
THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE PERMISSION OF HONEYWELL.									
INTERPRET PER ***** OTHER HONEYWELL ENGINEERING STANDARDS MAY APPLY									
AUTOCAD									
SCALE 1=1									
SHEET 3 OF 4									
REV B									

HONEYWELL PART NUMBER									
PART NUMBER									
VOLTAGE									
WATT DENSITY (W/INCH ²)									
TOTAL WATTAGE									
LENGTH (INCH)									
WIDTH (INCH)									
ARTWORK									
RESISTANCE (IN OHMS)									
STEEL RULE DIE									
C3200-6257									
C3200-6257A									
C3400-6257									
C3400-6257A									
C3200-6258									
C3200-6258A									
C3400-6258									
C3400-6258A									
C3200-6260									
C3200-6260A									
C3400-6260									
C3400-6260A									
C3200-6261									
C3200-6261A									
C3400-6261									
C3400-6261A									
C3200-6270									
C3200-6270A									
C3400-6270									
C3400-6270A									
C3200-6271									
C3200-6271A									
C3400-6271									
C3400-6271A									
C3200-6279									
C3200-6279A									
C3400-6279									
C3400-6279A									
C3200-6287									
C3200-6287A									
C3400-6287									
C3400-6287A									
C3200-6568									
C3200-6568A									
C3400-6568									
C3400-6568A									
C3200-6571									
C3200-6571A									
C3400-6571									
C3400-6571A									
Honeywell									
STANDARD HEATERS									
DRAWING NAME									
STANDARD HEATERS									
REV									
B									
SHEET 3 OF 4									
SCALE 1 = 1									
AUTOCAD									
INTERPRET PER ***** OTHER HONEYWELL ENGINEERING STANDARDS MAY APPLY									
THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE PERMISSION OF HONEYWELL.									
CHECK JC 7/10/07									
DRAWN MFD 7/10/07									
HONEYWELL PART NUMBER									



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331