





DESCRIPTION: 988 SERIES BACK SHELL KIT



0.580 [14.72]




STRAIN
RELIEF
CLAMP



STRAIN
RELIEF
SCREW



BACK
SHELL
SCREW



SPRING
CLIP

No. OF PINS	DIMENSIONS				
	A	B	C	D	E
50	1.988 [50.50]	1.594 [40.50]	0.417 [10.60]	0.492 [12.50]	0.354 [9.00] - 0.433 [11.00]
68	2.413 [61.29]	2.017 [51.22]	0.423 [10.74]	0.496 [12.59]	0.433 [11.00] - 0.551 [14.00]
ALL TOLERANCES = 0.012 [0.30]					

MATERIAL:

BACK SHELL: ZINC PLATED NICKEL OVER COPPER
JACKSCREWS: STEEL, NICKEL PLATED OVER COPPER
SCREWS: STEEL, NICKEL PLATED OVER COPPER
CLAMP: STEEL, NICKEL PLATED


KIT INCLUDES:

- 2-BACK SHELL HALVES
- 1-STRAIN RELIEF CLAMP
- 1-CONNECTOR (SOLDER LATCH)
- 2-STRAIN RELIEF SCREWS
(FLAT HEAD M2.6)
- 2-BACK SHELL SCREWS
(FLAT HEAD M2.6)
- 2-SPRING CLIPS

BACK SHELL KIT
PART NUMBER
988-YYY-130L121

SERIES _____
POSITIONS _____
050 _____
068 _____
CONTACTS _____
SOLDER _____
MATERIAL _____
30 = DIE CAST (NICKEL)
RoHS COMPLIANT _____
L = LOW TEMP. PROCESS _____
COLOR _____
12 = METAL(IZED)
PUT-UP _____
1 = KIT

DO NOT SCALE FROM DRAWING

	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWN: C. SMITH		DATE: 04-18-08		
		CHECKED:		DATE:		
	SCALE: 1 : 1		SHEET 1		OF 3	REV 2
	DWG NO. 988-YYY-130L121					

RoHS COMPLIANT

DESCRIPTION: CONNECTOR FOR 988 SERIES BACK SHELL KIT



No. OF PINS	DIMENSIONS		
	A	B	C
50	1.545 [39.30]	1.372 [34.85]	0.366 [9.30]
68	1.989 [50.60]	1.825 [46.35]	0.366 [9.30]

MATERIAL:

- HOUSING: THREMOPLASTIC, BLACK, P.B.T. UL94V-0
- CONTACTS: PHOSPHOR BRONZE, GOLD SELECTIVE PLATED
- FRONT SHELL: STEEL, NICKEL PLATED OVER COPPER

ELECTRICAL:




- CURRENT RATING: 1 AMPS
- INSULATOR RESISTANCE: 500 MEGOHMS Min.
- DIELECTRIC WITHSTANDING: 500VAC
- CONTACT RESISTANCE: 35MilliOhms Max.
- OPERATING TEMPERATURE: -55° ~ +105° C






DO NOT SCALE FROM DRAWING

	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWN: C. SMITH		DATE: 04-18-08	
		CHECKED:		DATE:	
NorComp	SCALE: 2 : 1		SHEET 2 OF 3		REV 2
	DWG NO. 988-YYY-130L121				

50 POSITION



68 POSITION



DO NOT SCALE FROM DRAWING



THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

DRAWN:
C. SMITH

DATE:
04-18-08

CHECKED:

DATE:

SCALE:
2 : 1

SHEET
3 OF
3

REV
2

DWG NO.
988-YYY-130L121

RoHS COMPLIANT

NorComp



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331