




D



2106091-1
SHOWN





DIM P
CENTER OF
GRAVITY



0.10
TYP ALL SMT FEET

C

B




MINI-CT
INTERFACE


A

1. MATERIALS AND FINISH:
-HOUSING: LCP, COLOR: NATURAL
-CONTACTS: COPPER ALLOY, FINISH: Sn OVER Ni
-HOLD DOWNS: BRASS, FINISH: Sn OVER Ni

2. MUST COMPLY WITH DIRECTIVE 2002/95/EC (ROHS)
3. NOTE DELETED.
4. PACKAGED IN TAPE AND REEL PER EIA-481 SPECIFICATIONS.
DIAMETER OF REEL TO BE 330.0mm



2106091-2 2106091-3 2106091-4 2106091-5



SCALE 4:1

2.99	7.10	12.00	15.11	11.50	6	2106091-5
2.97	6.35	10.50	13.61	10.00	5	2106091-4
2.94	5.60	9.00	12.11	8.50	4	2106091-3
2.90	4.85	7.50	10.61	7.00	3	2106091-2
2.79	4.10	6.00	9.11	5.50	2	2106091-1
DIM P	DIM N	DIM M	DIM F	DIM E	POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±0.2
1 PLC ±0.13
2 PLC ±0.13
3 PLC ±0.13
4 PLC ±0.13
ANGLES ±3°
FINISH

MATERIAL

DWN
C. DAILY 14MAR2008

CHK
M. MOSTOLLER 14MAR2008

APVD
-

PRODUCT SPEC
108-2376

APPLICATION SPEC
114-13245

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
ASSEMBLY, THRU BOARD INVERTED
SMT CONNECTOR

SIZE
A2

CAGE CODE
00779

DRAWING NO
C-2106091

RESTRICTED TO
-


SCALE
10:1

SHEET
1

OF
3


REV
B

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-		-	SEE SHEET 1	-	-	-



RECOMMENDED PCB LAYOUT
EVEN NUMBER POSITIONS SHOWN
SCALE 10:1

* DIMENSION SHOWN IS RECOMMENDED SOLDER MASK OPENING.
** DIMENSION SHOWN IS RECOMMENDED COPPER PAD SIZE.




RECOMMENDED PCB LAYOUT
ODD NUMBER POSITIONS SHOWN
SCALE 10:1


* DIMENSION SHOWN IS RECOMMENDED SOLDER MASK OPENING.
** DIMENSION SHOWN IS RECOMMENDED COPPER PAD SIZE.

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
-	-	SEE SHEET 1	-	-	-	

D




C



B

SECTION Z-Z
SCALE 4:1



D

C

B

2106091-1 SHOWN IN POCKET TAPE

A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. DAILY 14MAR2008	 TE Connectivity			
		CHK M. MOSTOLLER 14MAR2008				
DIMENSIONS: mm		APVD -	NAME ASSEMBLY, THRU BOARD INVERTED SMT CONNECTOR -			
		PRODUCT SPEC 108-2376				
		APPLICATION SPEC 114-13245	SIZE A2	CAGE CODE 00779	DRAWING NO C-2106091	RESTRICTED TO -
MATERIAL -		WEIGHT -				
		CUSTOMER DRAWING	SCALE 10:1		SHEET 3 OF 3	REV B
TOLERANCES UNLESS OTHERWISE SPECIFIED:						
0 PLC ±-						
1 PLC ±0.2						
2 PLC ±0.13						
3 PLC ±-						
4 PLC ±-						
ANGLES ±3°						
FINISH						

A



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331