







Copyright FCI.





spec ref				dr	wcadmin	2006/02/20	projection 	MM 	size	A4	scale	1:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Roger Ng	2012/11/29			ecn no	ELX-S-13530-1		
ASME Y14.5				chr	-	-			rel level	Released		
				appr	Chen-Hong Tan	2012/12/05	product family		-			
surface 	linear	0.X	±----		title S-ATA COMB RECEPTACLE R/A SMT TYPE ASSY			dwg no	10029364			rev R
		0.XX	±0.20									
		0.XXX	±----									
	angular	0°	±°	www.fci.com	cat. no.		-		Product - Customer Drw			sheet 1 of 3

PrintE File - REV C - 2009-06-09



10029364-00XLF/TRLF





10029364-01XLF/TRLF





10029364-10XLF/TRLF



10029364-11XLF/TRLF



10029364-11XCLF/C-TRLF



spec ref				dr	w wcadmin	2006/02/20	projection 	MM 	size	A4	scale	1:1	
tolerance std				eng	Roger Ng	2012/11/29			ecn no				ELX-S-13530-1
ASME Y14.5				chr	-	-			rel level				Released
TOLERANCES UNLESS OTHERWISE SPECIFIED				appr	Chen-Hong Tan	2012/12/05			product family				-
surface - 	linear	0.X	±----		title S-ATA COMB RECEPTACLE R/A SMT TYPE ASSY				dwg no	10029364		rev R	
		0.XX	±0.20										
		0.XXX	±----										
	angular	0°	±°										www.fci.com



Copyright FCI.

A

B

C

D

PRODUCT NO.	RECOMMENDED P.C.B. THICKNESS	HOLD DOWN	DIM 'A'	HOUSING WITH STAND-OFF RIBS	PACKAGING
10029364-001LF	1.60	METAL CLIP	2.40	NO	TRAY
10029364-001TRLF					TAPE & REEL
10029364-002LF	1.00		NO	TRAY	
10029364-002TRLF				TAPE & REEL	
10029364-102LF			YES	TRAY	
10029364-102TRLF				TAPE & REEL	
10029364-011LF	--	BLADE	2.60	NO	TRAY
10029364-011TRLF					TAPE & REEL
10029364-111LF			YES	TRAY	
10029364-111TRLF				TAPE & REEL	
10029364-111CLF				TRAY	
10029364-111C-TRLF				TAPE & REEL	

NOTES:-

1. MATERIAL:

- 1) HOUSING : HIGH TEMP. THERMOPLASTIC, UL 94V-0
COLOR : BLACK
- 2) TERMINAL : COPPER ALLOY
- 3) HOLD DOWN : COPPER ALLOY

2. FINISH:


- 1) TERMINAL : 30u" GOLD PLATING (CONTACT POINT)
OVER 50u" MIN NICKEL
- 2) SOLDER TAIL : 100u" MIN TIN OVER 50u" NICKEL
- 3) HOLD DOWN : 100u" MIN TIN OVER 50u" NICKEL
3. TRUE POSITION APPLY AT TERMINAL TIP
4. THE STANDARD PACKAGING IS IN TRAY.
5. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN

6 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008


7 PART NUMBERS ENDING IN "LF" ARE MEANT FOR LEAD-FREE IDENTIFICATION. P/N XXXXXXXX-XXXLF IS EQUIVALENT TO PREVIOUS P/N XXXXXXXX-XXX



8. A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

RECOMMENDED P.C.B. LAYOUT
TOLERANCE UNLESS OTHERWISE ± 0.10



ALTERNATIVE P.C.B. LAYOUT
REFER TO RECOMMENDED PCB LAYOUT FOR UNSPECIFIED DIMENSIONS
TOLERANCE UNLESS OTHERWISE ± 0.10



spec ref				dr	w wcadmin	2006/02/20	projection 	MM 	size	A4	scale	1:1
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Roger Ng	2012/11/29			ecn no	ELX-S-13530-1		
				chr	-	-			rel level			Released
				appr	Chen-Hong Tan	2012/12/05						
surface 	linear	0.X	±----		title	S-ATA COMB RECEPTACLE R/A SMT TYPE ASSY			dwg no	10029364		rev R
		0.XX	±0.20									
		0.XXX	±----									
		angular	0°	±°	www.fci.com	cat. no.	-	Product - Customer Drw			sheet 3 of 3	



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331