




REF : ORIENTATION OF PART IN TUBE.
(FOR THE REFERENCE OF PART/TUBE ASSEMBLY.)


REV	DESCRIPTION	DATE	BY	CHKD	APPD
1	REVISED	2012/02/29	DRW:SKANG	CHKD:ATSEE	APPD:MLONG
2	EC NO: S2012-0647	2012/04/30			
3		2012/05/03			
4					

QUALITY SYMBOLS
▽=0
◻=0

GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm
4 PLACES	± 0.20
3 PLACES	± 0.25
2 PLACES	± 0.30
1 PLACE	± 0.40
ANGULAR ± 3 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
ATSEE	2004/09/29
CHECKED BY	DATE
KCLING	2004/11/03
APPROVED BY	DATE
SKTOH	2004/11/05
MATERIAL NO.	
SEE TABLE	
SIZE	
A3	

SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
NTS	METRIC	
TITLE		
MGRID, SHROUDED HEADER W/SLOT, STANDOFF, SMT LOCATING PEG W/ VOID		
MOLEX INCORPORATED		
DOCUMENT NO.		
SD-87832-017		
SHEET NO.		
1 OF 2		



PART NO.	VOID PIN	PLATING OPTION	CKT SIZE	DIMENSION					
				A	B	C	D	E	P
87832-7000	36	1	40	38.00	40.85	42.65	41.00	34.00	36.00
87832-5121	13	2	26	24.00	26.85	28.65	27.00	20.00	22.00

- NOTES :
- MATERIAL:
HOUSING: 30% G.F., NYLON 46 UL94V-0, COLOR BLACK
PIN: 0.50MM SQ. PHOSPHOR BRONZE
 - PLATING:
1. 0.38uM/ 15uIN GOLD IN CONTACT AREA AND
1.88uM/ 75uIN MIN. TIN IN SOLDER TAIL AREA OVER
1.27uM/ 50uIN MIN. NICKEL OVERALL.

2. 0.76uM/ 30uIN GOLD IN CONTACT AREA AND
1.88uM/ 75uIN MIN. TIN IN SOLDER TAIL AREA OVER
1.27uM/ 50uIN MIN. NICKEL OVERALL.
 - PRODUCT SPECIFICATION PS-87831-027 APPLIES.
 - COPLANARITY IS TO BE MEASURED BY RESTING THE SOLDER TAIL ON A GAUGE SURFACE.
 - THIS HEADER MATES WITH MOLEX:
a) CRIMP RECEPTACLE HOUSING, 51110 SERIES WITH CRIMP TERMINAL, 50394 SERIES.
b) 2MM MILLIGRID DUAL ROW IDT, 87568 SERIES.

REVISED EC NO: S2012-0647 2012/02/29 DRWN:SKANG CH'KD:ATSEE 2012/04/30 APPR:MLONG 2012/05/03	DESCRIPTION REV	QUALITY SYMBOLS =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
					DRAWN BY	DATE	TITLE			
					CHECKED BY	DATE	MGRID, SHROUDED HEADER W/SLOT, STANDOFF, SMT LOCATING PEG W/ VOID			
					APPROVED BY	DATE				
			ANGULAR ± 3 °		SKTOH	2004/11/05	MOLEX INCORPORATED			
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
					SEE TABLE		SD-87832-017		2 OF 2	
					SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331