




REF : ORIENTATION OF PART IN TUBE.
(FOR THE REFERENCE OF PART/TUBE ASSEMBLY.)


REV	DESCRIPTION	DATE	BY	CHKD	APPD
1	REVISED	2012/02/29	DRW:SKANG	CHKD:ATSEE	APPD:MLONG
2	REVISED	2012/04/30	DRW:SKANG	CHKD:ATSEE	APPD:MLONG
3	REVISED	2012/05/03	DRW:SKANG	CHKD:ATSEE	APPD:MLONG
4	REVISED	2012/05/03	DRW:SKANG	CHKD:ATSEE	APPD:MLONG

QUALITY SYMBOLS
▽=0
◻=0

GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm
4 PLACES	± 0.20
3 PLACES	± 0.25
2 PLACES	± 0.30
1 PLACE	± 0.40
ANGULAR ± 3 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
ATSEE	2004/09/29
CHECKED BY	DATE
KCLING	2004/11/03
APPROVED BY	DATE
SKTOH	2004/11/05
MATERIAL NO.	
SEE TABLE	
SIZE	
A3	

SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
NTS	METRIC	
TITLE		
MGRID, SHROUDED HEADER W/SLOT, STANDOFF, SMT LOCATING PEG W/ VOID		
MOLEX INCORPORATED		
DOCUMENT NO.		
SD-87832-017		
SHEET NO.		
1 OF 2		



PART NO.	VOID PIN	PLATING OPTION	CKT SIZE	DIMENSION					
				A	B	C	D	E	P
87832-7000	36	1	40	38.00	40.85	42.65	41.00	34.00	36.00
87832-5121	13	2	26	24.00	26.85	28.65	27.00	20.00	22.00

- NOTES :
- MATERIAL:
HOUSING: 30% G.F., NYLON 46 UL94V-0, COLOR BLACK
PIN: 0.50MM SQ. PHOSPHOR BRONZE
 - PLATING:
1. 0.38uM/ 15uIN GOLD IN CONTACT AREA AND
1.88uM/ 75uIN MIN. TIN IN SOLDER TAIL AREA OVER
1.27uM/ 50uIN MIN. NICKEL OVERALL.

2. 0.76uM/ 30uIN GOLD IN CONTACT AREA AND
1.88uM/ 75uIN MIN. TIN IN SOLDER TAIL AREA OVER
1.27uM/ 50uIN MIN. NICKEL OVERALL.
 - PRODUCT SPECIFICATION PS-87831-027 APPLIES.
 - COPLANARITY IS TO BE MEASURED BY RESTING THE SOLDER TAIL ON A GAUGE SURFACE.
 - THIS HEADER MATES WITH MOLEX:
a) CRIMP RECEPTACLE HOUSING, 51110 SERIES WITH CRIMP TERMINAL, 50394 SERIES.
b) 2MM MILLIGRID DUAL ROW IDT, 87568 SERIES.

REVISED EC NO: S2012-0647 2012/02/29 DRWN:SKANG CHKD:ATSEE 2012/04/30 APPR:MLONG 2012/05/03	DESCRIPTION	QUALITY SYMBOLS ▽=0 C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY	DATE	TITLE MGRID, SHROUDED HEADER W/SLOT, STANDOFF, SMT LOCATING PEG W/ VOID				
			4 PLACES	± ---	± ---	ATSEE	2004/09/29					
			3 PLACES	± ---	± ---	CHECKED BY	DATE	MOLEX INCORPORATED				
			2 PLACES	± 0.20	± ---	KCLING	2004/11/03					
			1 PLACE	± ---	± ---	APPROVED BY	DATE	DOCUMENT NO. SD-87832-017				
ANGULAR ± 3 °			SKTOH	2004/11/05	SHEET NO. 2 OF 2							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO. SEE TABLE									
A4	REV				SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331