


Dipped Axial Multilayer Ceramic Capacitors for 50 - 100 Vdc

DIMENSIONS



RoHS
COMPLIANT

CAPACITOR DIMENSIONS AND WEIGHT

SIZE	Lb _{max} ⁽¹⁾	Ø D _{max} ⁽¹⁾	WEIGHT (g)
15	3.8 (0.150)	2.5 (0.100)	≈ 0.14
20	5.0 (0.200)	3.0 (0.120)	≈ 0.15

Note

1. Dimensions between the parentheses are in inches

QUICK REFERENCE DATA

DESCRIPTION	VALUE					
Capacitance range	10 to 5600 pF		100 pF to 1.0 µF		0.1 µF to 1.0 µF	
Rated DC voltage	50 V	100 V	50 V	100 V	50 V	100 V
Tolerance on capacitance	± 5 %, ± 10 %		± 10 %, ± 20 %		+ 80 /- 20 %	
Dielectric Code	C0G (NP0)		X7R		Y5V	

ORDERING INFORMATION

A	103	K	15	X7R	F	5	TAA
PRODUCT TYPE	CAPACITANCE CODE	CAP. TOLERANCE	SIZE CODE	TEMP. CHAR.	RATED VOLTAGE	LEAD DIA.	PACKAGING
A = Mono-Axial	Two significant digits followed by the number of zeros. For example: 473 = 47000 pF	J = ± 5 % K = ± 10 % M = ± 20 % Z = + 80 /- 20 %	15 = 3.8 (0.15") max. 20 = 5.0 (0.20") max.	C0G X7R Y5V	F = 50 V _{DC} H = 100 V _{DC}	5 = 0.5 mm (0.20")	TAA = T & R UAA = AMMO
Ordering Example: A-103-K-15-X7R-F-5-TAA							

**CAPACITANCE RANGE CHART
C0G (NP0) DIELECTRIC**

SIZE		15		20	
RATED VOLTAGE		50	100	50	100
VALUE	CODE				
10 pF	100				
12 pF	120				
15 pF	150				
18 pF	180				
22 pF	220				
27 pF	270				
33 pF	330				
39 pF	390				
47 pF	470				
56 pF	560				
68 pF	680				
82 pF	820				
100 pF	101				
120 pF	121				
150 pF	151				
180 pF	181				
220 pF	221				
270 pF	271				
330 pF	331				
390 pF	391				
470 pF	471				
560 pF	561				
680 pF	681				
820 pF	821				
1000 pF	102				
1200 pF	122				
1500 pF	152				
1800 pF	182				
2200 pF	222				
2700 pF	272				
3300 pF	332				
3900 pF	392				
4700 pF	472				
5600 pF	562				

Y5V DIELECTRIC

SIZE		15		20	
RATED VOLTAGE		50	100	50	100
VALUE	CODE				
0.01 μ F	103				
0.015 μ F	153				
0.022 μ F	223				
0.033 μ F	333				
0.047 μ F	473				
0.068 μ F	683				
0.10 μ F	104				
0.15 μ F	154				
0.22 μ F	224				
0.33 μ F	334				
0.47 μ F	474				
0.68 μ F	684				
1.0 μ F	105				

X7R DIELECTRIC

SIZE		15		20	
RATED VOLTAGE		50	100	50	100
VALUE	CODE				
100 pF	101				
120 pF	121				
150 pF	151				
180 pF	181				
220 pF	221				
270 pF	271				
330 pF	331				
390 pF	391				
470 pF	471				
560 pF	561				
680 pF	681				
820 pF	821				
1000 pF	102				
1200 pF	122				
1500 pF	152				
1800 pF	182				
2200 pF	222				
2700 pF	272				
3300 pF	332				
3900 pF	392				
4700 pF	472				
5600 pF	562				
6800 pF	682				
8200 pF	822				
0.01 μ F	103				
0.012 μ F	123				
0.015 μ F	153				
0.018 μ F	183				
0.022 μ F	223				
0.027 μ F	273				
0.033 μ F	333				
0.039 μ F	393				
0.047 μ F	473				
0.056 μ F	563				
0.068 μ F	683				
0.082 μ F	823				
0.10 μ F	104				
0.12 μ F	124				
0.15 μ F	154				
0.22 μ F	224				
0.33 μ F	334				
0.47 μ F	474				
0.68 μ F	684				
1.0 μ F	105				

PART NUMBER LISTING

MONO-AXIAL Y5V - 50 VDC CLEAR TEXT CODE			
CAP (pF)	RATED VOLTAGE (Vdc)	+ 80 /- 20 % TOLERANCE	PACKAGING
10000	50 Vdc	A103Z15Y5VF5TAA	REEL
10000		A103Z15Y5VF5UAA	AMMO
15000		A153Z15Y5VF5TAA	REEL
15000		A153Z15Y5VF5UAA	AMMO
22000		A223Z15Y5VF5TAA	REEL
22000		A223Z15Y5VF5UAA	AMMO
33000		A333Z15Y5VF5TAA	REEL
33000		A333Z15Y5VF5UAA	AMMO
47000		A473Z15Y5VF5TAA	REEL
47000		A473Z15Y5VF5UAA	AMMO
68000		A683Z15Y5VF5TAA	REEL
68000		A683Z15Y5VF5UAA	AMMO
100000		A104Z15Y5VF5TAA	REEL
100000		A104Z15Y5VF5UAA	AMMO
150000		A154Z15Y5VF5TAA	REEL
150000		A154Z15Y5VF5UAA	AMMO
220000		A224Z15Y5VF5TAA	REEL
220000		A224Z15Y5VF5UAA	AMMO
330000		A334Z15Y5VF5TAA	REEL
330000		A334Z15Y5VF5UAA	AMMO
470000		A474Z20Y5VF5TAA	REEL
470000		A474Z20Y5VF5UAA	AMMO
680000		A684Z20Y5VF5TAA	REEL
680000		A684Z20Y5VF5UAA	AMMO
1000000		A105Z20Y5VF5TAA	REEL
1000000		A105Z20Y5VF5UAA	AMMO

MONO-AXIAL X7R - 50 VDC CLEAR TEXT CODE				
CAP (pF)	RATED VOLTAGE (Vdc)	10 % TOLERANCE	20 % TOLERANCE	PACKAGING
100	50 Vdc	A101K15X7RF5TAA	A101M15X7RF5TAA	REEL
100		A101K15X7RF5UAA	A101M15X7RF5UAA	AMMO
120		A121K15X7RF5TAA	A121M15X7RF5TAA	REEL
120		A121K15X7RF5UAA	A121M15X7RF5UAA	AMMO
150		A151K15X7RF5TAA	A151M15X7RF5TAA	REEL
150		A151K15X7RF5UAA	A151M15X7RF5UAA	AMMO
180		A181K15X7RF5TAA	A181M15X7RF5TAA	REEL
180		A181K15X7RF5UAA	A181M15X7RF5UAA	AMMO
220		A221K15X7RF5TAA	A221M15X7RF5TAA	REEL
220		A221K15X7RF5UAA	A221M15X7RF5UAA	AMMO
270		A271K15X7RF5TAA	A271M15X7RF5TAA	REEL
270		A271K15X7RF5UAA	A271M15X7RF5UAA	AMMO
330		A331K15X7RF5TAA	A331M15X7RF5TAA	REEL
330		A331K15X7RF5UAA	A331M15X7RF5UAA	AMMO
390		A391K15X7RF5TAA	A391M15X7RF5TAA	REEL
390		A391K15X7RF5UAA	A391M15X7RF5UAA	AMMO
470		A471K15X7RF5TAA	A471M15X7RF5TAA	REEL
470		A471K15X7RF5UAA	A471M15X7RF5UAA	AMMO
560		A561K15X7RF5TAA	A561M15X7RF5TAA	REEL
560		A561K15X7RF5UAA	A561M15X7RF5UAA	AMMO
680		A681K15X7RF5TAA	A681M15X7RF5TAA	REEL
680		A681K15X7RF5UAA	A681M15X7RF5UAA	AMMO

Dipped Axial Multilayer Ceramic Capacitors
for 50 - 100 Vdc

Vishay

MONO-AXIAL X7R - 50 VDC CLEAR TEXT CODE				
CAP (pF)	RATED VOLTAGE (Vdc)	10 % TOLERANCE	20 % TOLERANCE	PACKAGING
820	50 Vdc	A821K15X7RF5TAA	A821M15X7RF5TAA	REEL
820		A821K15X7RF5UAA	A821M15X7RF5UAA	AMMO
1000		A102K15X7RF5TAA	A102M15X7RF5TAA	REEL
1000		A102K15X7RF5UAA	A102M15X7RF5UAA	AMMO
1200		A122K15X7RF5TAA	A122M15X7RF5TAA	REEL
1200		A122K15X7RF5UAA	A122M15X7RF5UAA	AMMO
1500		A152K15X7RF5TAA	A152M15X7RF5TAA	REEL
1500		A152K15X7RF5UAA	A152M15X7RF5UAA	AMMO
1800		A182K15X7RF5TAA	A182M15X7RF5TAA	REEL
1800		A182K15X7RF5UAA	A182M15X7RF5UAA	AMMO
2200		A222K15X7RF5TAA	A222M15X7RF5TAA	REEL
2200		A222K15X7RF5UAA	A222M15X7RF5UAA	AMMO
2700		A272K15X7RF5TAA	A272M15X7RF5TAA	REEL
2700		A272K15X7RF5UAA	A272M15X7RF5UAA	AMMO
3300		A332K15X7RF5TAA	A332M15X7RF5TAA	REEL
3300		A332K15X7RF5UAA	A332M15X7RF5UAA	AMMO
3900		A392K15X7RF5TAA	A392M15X7RF5TAA	REEL
3900		A392K15X7RF5UAA	A392M15X7RF5UAA	AMMO
4700		A472K15X7RF5TAA	A472M15X7RF5TAA	REEL
4700		A472K15X7RF5UAA	A472M15X7RF5UAA	AMMO
5600		A562K15X7RF5TAA	A562M15X7RF5TAA	REEL
5600		A562K15X7RF5UAA	A562M15X7RF5UAA	AMMO
6800		A682K15X7RF5TAA	A682M15X7RF5TAA	REEL
6800		A682K15X7RF5UAA	A682M15X7RF5UAA	AMMO
8200		A822K15X7RF5TAA	A822M15X7RF5TAA	REEL
8200		A822K15X7RF5UAA	A822M15X7RF5UAA	AMMO
10000		A103K15X7RF5TAA	A103M15X7RF5TAA	REEL
10000		A103K15X7RF5UAA	A103M15X7RF5UAA	AMMO
12000		A123K15X7RF5TAA	A123M15X7RF5TAA	REEL
12000		A123K15X7RF5UAA	A123M15X7RF5UAA	AMMO
15000		A153K15X7RF5TAA	A153M15X7RF5TAA	REEL
15000		A153K15X7RF5UAA	A153M15X7RF5UAA	AMMO
18000		A183K15X7RF5TAA	A183M15X7RF5TAA	REEL
18000		A183K15X7RF5UAA	A183M15X7RF5UAA	AMMO
22000		A223K15X7RF5TAA	A223M15X7RF5TAA	REEL
22000		A223K15X7RF5UAA	A223M15X7RF5UAA	AMMO
27000		A273K15X7RF5TAA	A273M15X7RF5TAA	REEL
27000		A273K15X7RF5UAA	A273M15X7RF5UAA	AMMO
33000		A333K15X7RF5TAA	A333M15X7RF5TAA	REEL
33000		A333K15X7RF5UAA	A333M15X7RF5UAA	AMMO
39000		A393K15X7RF5TAA	A393M15X7RF5TAA	REEL
39000		A393K15X7RF5UAA	A393M15X7RF5UAA	AMMO
47000		A473K15X7RF5TAA	A473M15X7RF5TAA	REEL
47000		A473K15X7RF5UAA	A473M15X7RF5UAA	AMMO
56000		A563K15X7RF5TAA	A563M15X7RF5TAA	REEL
56000		A563K15X7RF5UAA	A563M15X7RF5UAA	AMMO
68000		A683K15X7RF5TAA	A683M15X7RF5TAA	REEL
68000		A683K15X7RF5UAA	A683M15X7RF5UAA	AMMO
82000		A823K15X7RF5TAA	A823M15X7RF5TAA	REEL
82000		A823K15X7RF5UAA	A823M15X7RF5UAA	AMMO
100000		A104K15X7RF5TAA	A104M15X7RF5TAA	REEL
100000		A104K15X7RF5UAA	A104M15X7RF5UAA	AMMO
120000		A124K20X7RF5TAA	A124M20X7RF5TAA	REEL

MONO-AXIAL X7R - 50 VDC CLEAR TEXT CODE

CAP (pF)	RATED VOLTAGE (Vdc)	10 % TOLERANCE	20 % TOLERANCE	PACKAGING
120000	50 Vdc	A124K20X7RF5UAA	A124M20X7RF5UAA	AMMO
150000		A154K20X7RF5TAA	A154M20X7RF5TAA	REEL
150000		A154K20X7RF5UAA	A154M20X7RF5UAA	AMMO
220000		A224K20X7RF5TAA	A224M20X7RF5TAA	REEL
220000		A224K20X7RF5UAA	A224M20X7RF5UAA	AMMO
330000		A334K20X7RF5TAA	A334M20X7RF5TAA	REEL
330000		A334K20X7RF5UAA	A334M20X7RF5UAA	AMMO
470000		A474K20X7RF5TAA	A474M20X7RF5TAA	REEL
470000		A474K20X7RF5UAA	A474M20X7RF5UAA	AMMO
680000		A684K20X7RF5TAA	A684M20X7RF5TAA	REEL
680000		A684K20X7RF5UAA	A684M20X7RF5UAA	AMMO
1000000		A105K20X7RF5TAA	A105M20X7RF5TAA	REEL
1000000		A105K20X7RF5UAA	A105M20X7RF5UAA	AMMO

MONO-AXIAL C0G - 50 VDC CLEAR TEXT CODE

CAP (pF)	RATED VOLTAGE (VDC)	5 % TOLERANCE	10 % TOLERANCE	PACKAGING
10	50 Vdc	A100J15C0GF5TAA	A100K15C0GF5TAA	REEL
10		A100J15C0GF5UAA	A100K15C0GF5UAA	AMMO
12		A120J15C0GF5TAA	A120K15C0GF5TAA	REEL
12		A120J15C0GF5UAA	A120K15C0GF5UAA	AMMO
15		A150J15C0GF5TAA	A150K15C0GF5TAA	REEL
15		A150J15C0GF5UAA	A150K15C0GF5UAA	AMMO
18		A180J15C0GF5TAA	A180K15C0GF5TAA	REEL
18		A180J15C0GF5UAA	A180K15C0GF5UAA	AMMO
22		A220J15C0GF5TAA	A220K15C0GF5TAA	REEL
22		A220J15C0GF5UAA	A220K15C0GF5UAA	AMMO
27		A270J15C0GF5TAA	A270K15C0GF5TAA	REEL
27		A270J15C0GF5UAA	A270K15C0GF5UAA	AMMO
33		A330J15C0GF5TAA	A330K15C0GF5TAA	REEL
33		A330J15C0GF5UAA	A330K15C0GF5UAA	AMMO
39		A390J15C0GF5TAA	A390K15C0GF5TAA	REEL
39		A390J15C0GF5UAA	A390K15C0GF5UAA	AMMO
47		A470J15C0GF5TAA	A470K15C0GF5TAA	REEL
47		A470J15C0GF5UAA	A470K15C0GF5UAA	AMMO
56		A560J15C0GF5TAA	A560K15C0GF5TAA	REEL
56		A560J15C0GF5UAA	A560K15C0GF5UAA	AMMO
68		A680J15C0GF5TAA	A680K15C0GF5TAA	REEL
68		A680J15C0GF5UAA	A680K15C0GF5UAA	AMMO
82		A820J15C0GF5TAA	A820K15C0GF5TAA	REEL
82		A820J15C0GF5UAA	A820K15C0GF5UAA	AMMO
100		A101J15C0GF5TAA	A101K15C0GF5TAA	REEL
100		A101J15C0GF5UAA	A101K15C0GF5UAA	AMMO
120		A121J15C0GF5TAA	A121K15C0GF5TAA	REEL
120		A121J15C0GF5UAA	A121K15C0GF5UAA	AMMO
150		A151J15C0GF5TAA	A151K15C0GF5TAA	REEL
150		A151J15C0GF5UAA	A151K15C0GF5UAA	AMMO
180		A181J15C0GF5TAA	A181K15C0GF5TAA	REEL
180		A181J15C0GF5UAA	A181K15C0GF5UAA	AMMO
220		A221J15C0GF5TAA	A221K15C0GF5TAA	REEL
220		A221J15C0GF5UAA	A221K15C0GF5UAA	AMMO
270		A271J15C0GF5TAA	A271K15C0GF5TAA	REEL
270		A271J15C0GF5UAA	A271K15C0GF5UAA	AMMO
330		A331J15C0GF5TAA	A331K15C0GF5TAA	REEL

Dipped Axial Multilayer Ceramic Capacitors
for 50 - 100 Vdc

Vishay

MONO-AXIAL COG - 50 VDC CLEAR TEXT CODE				
CAP (pF)	RATED VOLTAGE (Vdc)	5 % TOLERANCE	10 % TOLERANCE	PACKAGING
330	50 Vdc	A331J15C0GF5UAA	A331K15C0GF5UAA	AMMO
390		A391J15C0GF5TAA	A391K15C0GF5TAA	REEL
390		A391J15C0GF5UAA	A391K15C0GF5UAA	AMMO
470		A471J15C0GF5TAA	A471K15C0GF5TAA	REEL
470		A471J15C0GF5UAA	A471K15C0GF5UAA	AMMO
560		A561J15C0GF5TAA	A561K15C0GF5TAA	REEL
560		A561J15C0GF5UAA	A561K15C0GF5UAA	AMMO
680		A681J15C0GF5TAA	A681K15C0GF5TAA	REEL
680		A681J15C0GF5UAA	A681K15C0GF5UAA	AMMO
820		A821J15C0GF5TAA	A821K15C0GF5TAA	REEL
820		A821J15C0GF5UAA	A821K15C0GF5UAA	AMMO
1000		A102J15C0GF5TAA	A102K15C0GF5TAA	REEL
1000		A102J15C0GF5UAA	A102K15C0GF5UAA	AMMO
1200		A122J15C0GF5TAA	A122K15C0GF5TAA	REEL
1200		A122J15C0GF5UAA	A122K15C0GF5UAA	AMMO
1500		A152J15C0GF5TAA	A152K15C0GF5TAA	REEL
1500		A152J15C0GF5UAA	A152K15C0GF5UAA	AMMO
1800		A182J15C0GF5TAA	A182K15C0GF5TAA	REEL
1800		A182J15C0GF5UAA	A182K15C0GF5UAA	AMMO
2200		A222J15C0GF5TAA	A222K15C0GF5TAA	REEL
2200		A222J15C0GF5UAA	A222K15C0GF5UAA	AMMO
2700		A272J20C0GF5TAA	A272K20C0GF5TAA	REEL
2700		A272J20C0GF5UAA	A272K20C0GF5UAA	AMMO
3300		A332J20C0GF5TAA	A332K20C0GF5TAA	REEL
3300		A332J20C0GF5UAA	A332K20C0GF5UAA	AMMO
3900		A392J20C0GF5TAA	A392K20C0GF5TAA	REEL
3900		A392J20C0GF5UAA	A392K20C0GF5UAA	AMMO
4700		A472J20C0GF5TAA	A472K20C0GF5TAA	REEL
4700		A472J20C0GF5UAA	A472K20C0GF5UAA	AMMO
5600		A562J20C0GF5TAA	A562K20C0GF5TAA	REEL
5600		A562J20C0GF5UAA	A562K20C0GF5UAA	AMMO

MONO-AXIAL Y5V - 100 VDC CLEAR TEXT CODE			
CAP (pF)	RATED VOLTAGE (Vdc)	+ 80 /- 20 % TOLERANCE	PACKAGING
10000	100 Vdc	A103Z15Y5VH5TAA	REEL
10000		A103Z15Y5VH5UAA	AMMO
15000		A153Z15Y5VH5TAA	REEL
15000		A153Z15Y5VH5UAA	AMMO
22000		A223Z15Y5VH5TAA	REEL
22000		A223Z15Y5VH5UAA	AMMO
33000		A333Z15Y5VH5TAA	REEL
33000		A333Z15Y5VH5UAA	AMMO
47000		A473Z15Y5VH5TAA	REEL
47000		A473Z15Y5VH5UAA	AMMO
68000		A683Z15Y5VH5TAA	REEL
68000		A683Z15Y5VH5UAA	AMMO
100000		A104Z15Y5VH5TAA	REEL
100000		A104Z15Y5VH5UAA	AMMO
150000		A154Z20Y5VH5TAA	REEL
150000		A154Z20Y5VH5UAA	AMMO
220000		A224Z20Y5VH5TAA	REEL
220000		A224Z20Y5VH5UAA	AMMO

MONO-AXIAL X7R - 100 VDC CLEAR TEXT CODE

CAP (pF)	RATED VOLTAGE (Vdc)	10 % TOLERANCE	20 % TOLERANCE	PACKAGING
100	100 Vdc	A101K15X7RH5TAA	A101M15X7RH5TAA	REEL
100		A101K15X7RH5UAA	A101M15X7RH5UAA	AMMO
120		A121K15X7RH5TAA	A121M15X7RH5TAA	REEL
120		A121K15X7RH5UAA	A121M15X7RH5UAA	AMMO
150		A151K15X7RH5TAA	A151M15X7RH5TAA	REEL
150		A151K15X7RH5UAA	A151M15X7RH5UAA	AMMO
180		A181K15X7RH5TAA	A181M15X7RH5TAA	REEL
180		A181K15X7RH5UAA	A181M15X7RH5UAA	AMMO
220		A221K15X7RH5TAA	A221M15X7RH5TAA	REEL
220		A221K15X7RH5UAA	A221M15X7RH5UAA	AMMO
270		A271K15X7RH5TAA	A271M15X7RH5TAA	REEL
270		A271K15X7RH5UAA	A271M15X7RH5UAA	AMMO
330		A331K15X7RH5TAA	A331M15X7RH5TAA	REEL
330		A331K15X7RH5UAA	A331M15X7RH5UAA	AMMO
390		A391K15X7RH5TAA	A391M15X7RH5TAA	REEL
390		A391K15X7RH5UAA	A391M15X7RH5UAA	AMMO
470		A471K15X7RH5TAA	A471M15X7RH5TAA	REEL
470		A471K15X7RH5UAA	A471M15X7RH5UAA	AMMO
560		A561K15X7RH5TAA	A561M15X7RH5TAA	REEL
560		A561K15X7RH5UAA	A561M15X7RH5UAA	AMMO
680		A681K15X7RH5TAA	A681M15X7RH5TAA	REEL
680		A681K15X7RH5UAA	A681M15X7RH5UAA	AMMO
820		A821K15X7RH5TAA	A821M15X7RH5TAA	REEL
820		A821K15X7RH5UAA	A821M15X7RH5UAA	AMMO
1000		A102K15X7RH5TAA	A102M15X7RH5TAA	REEL
1000		A102K15X7RH5UAA	A102M15X7RH5UAA	AMMO
1200		A122K15X7RH5TAA	A122M15X7RH5TAA	REEL
1200		A122K15X7RH5UAA	A122M15X7RH5UAA	AMMO
1500		A152K15X7RH5TAA	A152M15X7RH5TAA	REEL
1500		A152K15X7RH5UAA	A152M15X7RH5UAA	AMMO
1800		A182K15X7RH5TAA	A182M15X7RH5TAA	REEL
1800		A182K15X7RH5UAA	A182M15X7RH5UAA	AMMO
2200		A222K15X7RH5TAA	A222M15X7RH5TAA	REEL
2200		A222K15X7RH5UAA	A222M15X7RH5UAA	AMMO
2700		A272K15X7RH5TAA	A272M15X7RH5TAA	REEL
2700		A272K15X7RH5UAA	A272M15X7RH5UAA	AMMO
3300		A332K15X7RH5TAA	A332M15X7RH5TAA	REEL
3300		A332K15X7RH5UAA	A332M15X7RH5UAA	AMMO
3900		A392K15X7RH5TAA	A392M15X7RH5TAA	REEL
3900		A392K15X7RH5UAA	A392M15X7RH5UAA	AMMO
4700		A472K15X7RH5TAA	A472M15X7RH5TAA	REEL
4700		A472K15X7RH5UAA	A472M15X7RH5UAA	AMMO
5600		A562K15X7RH5TAA	A562M15X7RH5TAA	REEL
5600		A562K15X7RH5UAA	A562M15X7RH5UAA	AMMO
6800		A682K15X7RH5TAA	A682M15X7RH5TAA	REEL
6800		A682K15X7RH5UAA	A682M15X7RH5UAA	AMMO
8200		A822K15X7RH5TAA	A822M15X7RH5TAA	REEL
8200		A822K15X7RH5UAA	A822M15X7RH5UAA	AMMO
10000		A103K15X7RH5TAA	A103M15X7RH5TAA	REEL
10000		A103K15X7RH5UAA	A103M15X7RH5UAA	AMMO
12000		A123K15X7RH5TAA	A123M15X7RH5TAA	REEL
12000		A123K15X7RH5UAA	A123M15X7RH5UAA	AMMO

Dipped Axial Multilayer Ceramic Capacitors
for 50 - 100 Vdc

Vishay

MONO-AXIAL X7R - 100 VDC CLEAR TEXT CODE				
CAP (pF)	RATED VOLTAGE (Vdc)	10 % TOLERANCE	20 % TOLERANCE	PACKAGING
15000	100 Vdc	A153K15X7RH5TAA	A153M15X7RH5TAA	REEL
15000		A153K15X7RH5UAA	A153M15X7RH5UAA	AMMO
18000		A183K15X7RH5TAA	A183M15X7RH5TAA	REEL
18000		A183K15X7RH5UAA	A183M15X7RH5UAA	AMMO
22000		A223K15X7RH5TAA	A223M15X7RH5TAA	REEL
22000		A223K15X7RH5UAA	A223M15X7RH5UAA	AMMO
27000		A273K20X7RH5TAA	A273M20X7RH5TAA	REEL
27000		A273K20X7RH5UAA	A273M20X7RH5UAA	AMMO
33000		A333K20X7RH5TAA	A333M20X7RH5TAA	REEL
33000		A333K20X7RH5UAA	A333M20X7RH5UAA	AMMO
39000		A393K20X7RH5TAA	A393M20X7RH5TAA	REEL
39000		A393K20X7RH5UAA	A393M20X7RH5UAA	AMMO
47000		A473K20X7RH5TAA	A473M20X7RH5TAA	REEL
47000		A473K20X7RH5UAA	A473M20X7RH5UAA	AMMO
56000		A563K20X7RH5TAA	A563M20X7RH5TAA	REEL
56000		A563K20X7RH5UAA	A563M20X7RH5UAA	AMMO
68000		A683K20X7RH5TAA	A683M20X7RH5TAA	REEL
68000		A683K20X7RH5UAA	A683M20X7RH5UAA	AMMO
82000		A823K20X7RH5TAA	A823M20X7RH5TAA	REEL
82000		A823K20X7RH5UAA	A823M20X7RH5UAA	AMMO
100000		A104K20X7RH5TAA	A104M20X7RH5TAA	REEL
100000		A104K20X7RH5UAA	A104M20X7RH5UAA	AMMO

MONO-AXIAL C0G - 100 VDC V CLEAR TEXT CODE				
CAP (pF)	RATED VOLTAGE (Vdc)	5 % TOLERANCE	10 % TOLERANCE	PACKAGING
10	100 Vdc	A100J15C0GH5TAA	A100K15C0GH5TAA	REEL
10		A100J15C0GH5UAA	A100K15C0GH5UAA	AMMO
12		A120J15C0GH5TAA	A120K15C0GH5TAA	REEL
12		A120J15C0GH5UAA	A120K15C0GH5UAA	AMMO
15		A150J15C0GH5TAA	A150K15C0GH5TAA	REEL
15		A150J15C0GH5UAA	A150K15C0GH5UAA	AMMO
18		A180J15C0GH5TAA	A180K15C0GH5TAA	REEL
18		A180J15C0GH5UAA	A180K15C0GH5UAA	AMMO
22		A220J15C0GH5TAA	A220K15C0GH5TAA	REEL
22		A220J15C0GH5UAA	A220K15C0GH5UAA	AMMO
27		A270J15C0GH5TAA	A270K15C0GH5TAA	REEL
27		A270J15C0GH5UAA	A270K15C0GH5UAA	AMMO
33		A330J15C0GH5TAA	A330K15C0GH5TAA	REEL
33		A330J15C0GH5UAA	A330K15C0GH5UAA	AMMO
39		A390J15C0GH5TAA	A390K15C0GH5TAA	REEL
39		A390J15C0GH5UAA	A390K15C0GH5UAA	AMMO
47		A470J15C0GH5TAA	A470K15C0GH5TAA	REEL
47		A470J15C0GH5UAA	A470K15C0GH5UAA	AMMO
56		A560J15C0GH5TAA	A560K15C0GH5TAA	REEL
56		A560J15C0GH5UAA	A560K15C0GH5UAA	AMMO
68		A680J15C0GH5TAA	A680K15C0GH5TAA	REEL
68		A680J15C0GH5UAA	A680K15C0GH5UAA	AMMO
82		A820J15C0GH5TAA	A820K15C0GH5TAA	REEL
82		A820J15C0GH5UAA	A820K15C0GH5UAA	AMMO
100		A101J15C0GH5TAA	A101K15C0GH5TAA	REEL
100		A101J15C0GH5UAA	A101K15C0GH5UAA	AMMO
120		A121J15C0GH5TAA	A121K15C0GH5TAA	REEL

MONO-AXIAL COG - 100 VDC V CLEAR TEXT CODE				
CAP (pF)	RATED VOLTAGE (Vdc)	5 % TOLERANCE	10 % TOLERANCE	PACKAGING
120	100 Vdc	A121J15C0GH5UAA	A121K15C0GH5UAA	AMMO
150		A151J15C0GH5TAA	A151K15C0GH5TAA	REEL
150		A151J15C0GH5UAA	A151K15C0GH5UAA	AMMO
180		A181J15C0GH5TAA	A181K15C0GH5TAA	REEL
180		A181J15C0GH5UAA	A181K15C0GH5UAA	AMMO
220		A221J15C0GH5TAA	A221K15C0GH5TAA	REEL
220		A221J15C0GH5UAA	A221K15C0GH5UAA	AMMO
270		A271J15C0GH5TAA	A271K15C0GH5TAA	REEL
270		A271J15C0GH5UAA	A271K15C0GH5UAA	AMMO
330		A331J15C0GH5TAA	A331K15C0GH5TAA	REEL
330		A331J15C0GH5UAA	A331K15C0GH5UAA	AMMO
390		A391J15C0GH5TAA	A391K15C0GH5TAA	REEL
390		A391J15C0GH5UAA	A391K15C0GH5UAA	AMMO
470		A471J15C0GH5TAA	A471K15C0GH5TAA	REEL
470		A471J15C0GH5UAA	A471K15C0GH5UAA	AMMO
560		A561J15C0GH5TAA	A561K15C0GH5TAA	REEL
560		A561J15C0GH5UAA	A561K15C0GH5UAA	AMMO
680		A681J15C0GH5TAA	A681K15C0GH5TAA	REEL
680		A681J15C0GH5UAA	A681K15C0GH5UAA	AMMO
820		A821J15C0GH5TAA	A821K15C0GH5TAA	REEL
820		A821J15C0GH5UAA	A821K15C0GH5UAA	AMMO
1000		A102J20C0GH5TAA	A102K20C0GH5TAA	REEL
1000		A102J20C0GH5UAA	A102K20C0GH5UAA	AMMO
1200		A122J20C0GH5TAA	A122K20C0GH5TAA	REEL
1200		A122J20C0GH5UAA	A122K20C0GH5UAA	AMMO
1500		A152J20C0GH5TAA	A152K20C0GH5TAA	REEL
1500		A152J20C0GH5UAA	A152K20C0GH5UAA	AMMO
1800		A182J20C0GH5TAA	A182K20C0GH5TAA	REEL
1800		A182J20C0GH5UAA	A182K20C0GH5UAA	AMMO
2200		A222J20C0GH5TAA	A222K20C0GH5TAA	REEL
2200		A222J20C0GH5UAA	A222K20C0GH5UAA	AMMO
2700		A272J20C0GH5TAA	A272K20C0GH5TAA	REEL
2700		A272J20C0GH5UAA	A272K20C0GH5UAA	AMMO
3300		A332J20C0GH5TAA	A332K20C0GH5TAA	REEL
3300		A332J20C0GH5UAA	A332K20C0GH5UAA	AMMO
3900		A392J20C0GH5TAA	A392K20C0GH5TAA	REEL
3900		A392J20C0GH5UAA	A392K20C0GH5UAA	AMMO
4700		A472J20C0GH5TAA	A472K20C0GH5TAA	REEL
4700		A472J20C0GH5UAA	A472K20C0GH5UAA	AMMO
5600		A562J20C0GH5TAA	A562K20C0GH5TAA	REEL
5600		A562J20C0GH5UAA	A562K20C0GH5UAA	AMMO



Disclaimer

All product specifications and data are subject to change without notice.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331