



- Polyamide / PVC hand held enclosure for MCR and automation engineering
- Large fitting space
- Variable length using profile technology

Included in delivery

Enclosure system consisting of polyamide internal enclosure with end covers, two side PVC cover profiles, Alucobond composite front plate, rear wall, 2 external end covers, with M 25 x 1,5 threaded hole for cable gland

Technical data

Material:

Polyamide / PVC

Ingress protection:

IP 65 to EN 60529

Impact resistance:

5 Joule to EN 60079-0

Flammability:

End covers: UL 94 HB

Colour:

End covers: RAL 1021, rape yellow

PVC-profile: RAL 9005, jet black

Temperature range:

-20°C to +70°C

Pilot 50

Product range

External enclosure dimensions W x L x H (mm)	Order No. Standard complete	Standard enclosure body without front plate/ without rear wall	Standard rear wall separate	Standard front plate separate	Standard rear wall recessed
280 x 191 x 76	29.11 10 00	29.11 00 00	29.11 00 01	29.11 00 02	-
330 x 191 x 76	29.12 10 00	29.12 00 00	29.12 00 01	29.12 00 02	-
440 x 191 x 76	29.13 10 00	29.13 00 00	29.13 00 01	29.13 00 02	29.13 00 03
Sonderlänge	29.19 10 00	29.19 00 00	29.19 00 01	29.19 00 02	-

Accessories

Cable gland with bending protection M 25 x 1,5	08.10 01 25
Cable gland reduction M 25 / M 12	08.01 25 12
Cable gland reduction M 25 / M 16	08.01 25 16
Cable gland reduction M 25 / M 20	08.01 25 20
Spring nut set of M4 for internal mounting, set of 4 pcs	29.00 00 50
PCB fixings, set of 4 pcs incl. spring nuts	29.00 00 60
Wall holder (set single)	29.00 00 70
Magnetic wall holder, 1 pc	29.00 00 80
Wall holder incl. enclosure modification	29.00 10 00
Push button and switches see page 53 - 58	




Electromechanical components

On request, we can supply equipment fitted with electro-mechanical components such as emergency stop button, acknowledge keys, hand wheel, switches, display


Dimensions



Standard	Dimensions	Weight (g)
29.11 10 00	280 x 191 x 76	1660
29.12 10 00	330 x 191 x 76	1900
29.13 10 00	440 x 191 x 76	2200
29.19 10 00	Special length	



Type	A	B	C	D	G
29.11 10 00	274	-	92	240	105/127
29.12 10 00	324	162	81	290	105/127
29.13 10 00	434	217	109	400	105/127
Special size, A ≤ 300 mm	Enclosure length - 6	-	A/3	A - 34	105/127
Special size, A ≥ 300 mm	Enclosure length - 6	A/2	A/4	A - 34	105/127



Pilot 50

Zubehör



PCB fixing set
Set = 4 pcs with spring nuts
Order No. **29.00 00 60**



Set of spring nuts
Spring nuts (M4) for internal mounting;
set = 4 pcs
Order No. **29.00 00 50**



Wall holder set
Order No. **29.00 00 70**



Pilot with small control device



Inner T-slots offer mounting facilities on all sides



EMC version



Variable fittings



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331