








REMOVE EARS EC NO: UCP2015-1601 2014/10/23 DRWN: JDFOX 2014/10/23 CHKD: MKIPPER 2014/11/13 APPR: FSMITH	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
				mm	INCH	DRAWN BY JDFOX	DATE 2014/10/23	TITLE .093/(2.36) HOUSING PLUG AND RECEPTACLE 3 CIRCUIT molex				
			4 PLACES	± ---	± ---	CHECKED BY RW	DATE					
			3 PLACES	± ---	± .010							
			2 PLACES	± 0.25	± .014	APPROVED BY FSMITH		DATE 2014/11/13				
			1 PLACE	± 0.36	± ---	MATERIAL NO.		DOCUMENT NO.	SHEET NO.			
			0 PLACE	± ---	± ---	SEE CHART		SD-42191-3*	1 OF 3			
			ANGULAR ±1/2°									
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
			REV									



SEE SHEET 1 EC NO: UCP2015-1601 DRWN: JDOX 2014/10/23 CHKD: HKIPPER 2014/10/23 APPR: FSMITH 2014/11/13	REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION							
						DRAWN BY JDOX	DATE 2014/10/23	CHECKED BY RW	DATE 2014/11/13								
								ANGULAR $\pm 1/2^\circ$			MATERIAL NO.		DOCUMENT NO.		SHEET NO. 2 OF 3		
								DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE CHART		SD-42191-3*				
											SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
				4 PLACES $\pm .---$		$\pm .---$							TITLE .093/(2.36) HOUSING PLUG AND RECEPTACLE 3 CIRCUIT molex				
				3 PLACES $\pm .---$		$\pm .010$											
				2 PLACES $\pm .025$		$\pm .014$											
1 PLACE $\pm .036$		$\pm .---$															
0 PLACE $\pm .---$		$\pm .---$															

13	12	11	10	9	8	7	6	5	4	3	2	1	
PLUG													
J	PART NO.	ENG. NO.											
	03-09-2171	42191-3P1											
I													
H	RECEPTACLE												
	PART NO.	ENG. NO.											
	03-09-1171	42191-3R1											
	03-09-1173	42191-3R3											
G													
F													
E	NOTES:												
	1. MATERIAL CODES:												
	A = NYLON TYPE 6/6, 94V-2												
	2. FINISH: NONE												
	3. PRODUCT SPECIFICATION: NONE												
D	4. PACKAGING INFORMATION: NONE												
	5. ALL THREE CIRCUITS ACCEPT DOUBLE WIRE CRIMPS OF 18 AWG MAXIMUM.												
	CIRCUIT NO'S. 1 AND 3 WILL EACH ALLOW ONE OF THE WIRES TO HAVE AN												
	OVERSIZE INSULATION THICKNESS OF .062/(1.57). CIRCUIT NO. 2 REQUIRES												
	THAT BOTH WIRES NOT EXCEED AN INSULATION THICKNESS OF .031/(0.79).												
C	6. LOCK RAMP STYLE IS OPTIONAL ON THIS SIDE OF PART. CHOICE OF EITHER												
	A POSITIVE LOCK RAMP OR A PASSIVE LOCK RAMP IS AVAILABLE.												
	7. PARTS CONFORM TO CLASS 'B' REQUIREMENTS OF COSMETIC												
	SPECIFICATION PS-45499-002.												
B													
A													

LEGEND: PLUG

42191-3P***

CIRCUIT SIZE

P = PLUG

I = WITHOUT EARS

BLANK = NATURAL COLOR

BLANK = MATERIAL CODE A

LEGEND: RECEPTACLE

42191-3R***

CIRCUIT SIZE

R = RECEPTACLE

I = WITHOUT EARS, POSITIVE LOCK

3 = WITHOUT EARS, PASSIVE LOCK

BLANK = NATURAL COLOR

BLANK = MATERIAL CODE A

SEE SHEET 1	EC NO: UCP2015-1601	2014/10/23	G	DRWN:JDOFX	2014/10/23	CHKD:MKIPPER	2014/11/13	APPR:FSMITH	REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		
												mm		INCH		IN/MM		1:1	INCH		
												4 PLACES ± ---		± ---		DRAWN BY JDOFX		DATE 2014/10/23		TITLE .093/(2.36) HOUSING PLUG AND RECEPTACLE 3 CIRCUIT	
												3 PLACES ± ---		± .010		CHECKED BY RW		DATE			
												2 PLACES ± 0.25		± .014		APPROVED BY FSMITH		DATE 2014/11/13		DOCUMENT NO. SD-42191-3*	
1 PLACE ± 0.36		± ---		MATERIAL NO.		SHEET NO.															
0 PLACE ± ---		± ---		ANGULAR ±1/2°		SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																					

1b_frame_C_P_AM_T

Rev. G 2012/01/11

12	11	10	9	8	7	6	5	4	3	2	1
----	----	----	---	---	---	---	---	---	---	---	---



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331