

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0736561001](#)
Status: **Active**
Overview: [hdm](#)
Description: 2.00mm (.079") Pitch HDM® Board-to-Board Backplane Power Module, Vertical, SMC, Power Receptacle, 3 Circuits, Gold (Au) 0.76µm (30µ")


Documents:
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Product Specification PS-73670-9999 \(PDF\)](#)

General

Product Family	Backplane Connectors
Series	73656
Application	Backplane
Comments	Backplane Power Module
Component Type	Power Header
Overview	hdm
Product Name	HDM®
Style	N/A

Physical

Circuits (Loaded)	3
Circuits (maximum)	3
Color - Resin	Black
Durability (mating cycles max)	250
First Mate / Last Break	No
Guide to Mating Part	No
Keying to Mating Part	None
Material - Metal	Beryllium Copper
Material - Plating Mating	Gold
Material - Plating Termination	Tin-Lead
Material - Resin	High Temperature Thermoplastic
Number of Columns	1
Number of Pairs	Open Pin Field
Number of Rows	3
Orientation	Vertical
PC Tail Length (in)	0.138 In
PC Tail Length (mm)	3.50 mm
PCB Locator	No
PCB Retention	None
PCB Thickness Recommended (in)	0.138 In
PCB Thickness Recommended (mm)	3.50 mm
Packaging Type	Tube
Pitch - Mating Interface (in)	0.079 In
Pitch - Mating Interface (mm)	2.00 mm
Pitch - Term. Interface (in)	0.079 In
Pitch - Term. Interface (mm)	2.00 mm
Plating min: Mating (µin)	30
Plating min: Mating (µm)	0.75
Plating min: Termination (µin)	35.2
Plating min: Termination (µm)	0.88
Polarized to PCB	No
Stackable	No
Surface Mount Compatible (SMC)	Yes
Temperature Range - Operating	-55°C to +105°C
Termination Interface: Style	Through Hole - Compliant Pin



Series

image - Reference only

EU RoHS
RoHS Compliant by Exemption
REACH SVHC
Contains SVHC: No
Halogen-Free
Status
Not Reviewed

China RoHS

Pb

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[73656Series](#)

Mates With
[73651](#) HDM® Board-to-Board Daughterboard Power Module

Electrical

Current - Maximum per Contact	15A
Data Rate	1.0 Gbps
Real Signals (per 25mm)	75
Shielded	No
Voltage - Maximum	500V AC

Material Info


Reference - Drawing Numbers

Application Specification	AS-73656-1998
Packaging Specification	PK-70873-0819
Product Specification	PS-73670-9999
Sales Drawing	SDA-73656-*00*

HDM and High Density Metric are trademarks of Amphenol Corporation

This document was generated on 05/14/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



F

E

D

C

B

A

F

E


D

C


B

A

DATE CODE AND
PART NUMBER ON
THIS SURFACE OR
SURFACE OPPOSITE.



73656-100*




73656-200*


MIDPLANE OPTION

ASSEMBLY NUMBER	FINISH (SEE SHT 1)
73656-1000	SEE NOTE 2. (GOLD TAILS)
73656-2000	
73656-1001	SEE NOTE 3. (TIN/LEAD TAILS)
73656-2001	


USE BACKPLANE MODULE
HOLE REFERENCE PATTERN
FROM SHEET 1




BACK-TO-BACK
MOUNTING APPLICATION






SECTION X-X
SECTION Z-Z
ROTATED 90° CW




73656-200*



73656-100*



SECTION: Y-Y
(4.00)



SECTION: W-W
(4.00)

SEE SHEET 1 EC NO: UCP2009-1813 DRWN:SDANIELLEY 2009/07/17 CHKD:BSMART 2009/07/24 APPR:SMILLER 2009/07/24	REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
			 =0  =0		mm	INCH	DRAWN BY	DATE	TITLE SALES ASSY , HDM BACKPLANE POWER MODULE (PRESSFIT)	
				4 PLACES	± ---	± ---	ELO	1998/05/21		
				3 PLACES	± ---	± ---	CHECKED BY	DATE		
				2 PLACES	± ---	± ---	SMR	1998/05/21		
				1 PLACE	± ---	± ---	APPROVED BY	DATE		
			ANGULAR ±1/2°		CAB	1998/05/21	molex MOLEX INCORPORATED			
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
					SEE TABLE		SDA-73656-*00*		2 OF 4	
					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

ASSEMBLY NUMBER


FINISH (SHT I)

73656-5000


SEE NOTE 2.

73656-5001

SEE NOTE 3.



DATE CODE AND
PART NUMBER ON
THIS SURFACE OR
SURFACE OPPOSITE.




(8.00)

11.30


3.5±0.10

(6.00)


SECTION: Y-Y



SECTION: Z-Z
ROTATED 90° CW



2.36 MIN



Ø 0.838 DRILLED HOLE
Ø 0.80/0.65 PLATED
THRU HOLE
Ø 1.20 COPPER PAD

⌀ Ø0.15(M) Y Z

BACKPLANE MODULE
HOLE PATTERN
REFERENCE

GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		mm	INCH	DRAWN BY	DATE	TITLE	
4 PLACES	± ---	± ---	± ---	ELO	1998/05/21	SALES ASSY, HDM BACKPLANE POWER MODULE (PRESSFIT)	
3 PLACES	± ---	± ---	± ---	CHECKED BY	DATE		
2 PLACES	± ---	± ---	± ---	SMR	1998/05/21		
1 PLACE	± ---	± ---	± ---	APPROVED BY	DATE		
ANGULAR ±1/2°				CAB	1998/05/21	MOLEX INCORPORATED	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		SEE TABLE		DOCUMENT NO.	SHEET NO.
		SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SDA-73656-*00*	3 OF 4

ASSEMBLY NUMBER

FINISH




73656-0180

SEE NOTE 2.


73656-0181

SEE NOTE 3.


DATE CODE AND
PART NUMBER ON
THIS SURFACE OR
SURFACE OPPOSITE.



SECTION: Z-Z
ROTATED 90° CW




SECTION: Y-Y




PCB LAYOUT: COMPONENT SIDE
RECOMMENDED PCB THICKNESS: 2.50 MIN

SEE SHEET 1 EC NO: UCP2009-1813 DRWN:SDANNELLEY 2009/07/17 CHKD:SMART 2009/07/24 APPR:SMILLER 2009/07/24	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
			mm	INCH	DRAWN BY	DATE	TITLE SALES ASSY , HDM BACKPLANE POWER MODULE (PRESSFIT)					
			4 PLACES	± --- ± ---	ELO	1998/05/21						
			3 PLACES	± --- ± ---	CHECKED BY	DATE						
			2 PLACES	± --- ± ---	SMR	1998/05/21	MOLEX MOLEX INCORPORATED					
			1 PLACE	± --- ± ---	APPROVED BY	DATE						
			ANGULAR ±1/2°		CAB	1998/05/21	DOCUMENT NO.		SHEET NO.			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE TABLE		SDA-73656-*00*				4 OF 4				
SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										



73656-100*




73656-200*

DATE CODE AND
PART NUMBER ON
THIS SURFACE OR
SURFACE OPPOSITE.


MIDPLANE OPTION

ASSEMBLY NUMBER	FINISH (SEE SHT 1)
73656-1000	SEE NOTE 2. (GOLD TAILS)
73656-2000	
73656-1001	SEE NOTE 3. (TIN/LEAD TAILS)
73656-2001	




USE BACKPLANE MODULE
HOLE REFERENCE PATTERN
FROM SHEET 1




BACK-TO-BACK
MOUNTING APPLICATION




SECTION X-X
SECTION Z-Z
ROTATED 90° CW




73656-200*



73656-100*



SECTION: Y-Y



SECTION: W-W

DIMENSIONS SHOWN (METRIC) INCH

UNLESS OTHERWISE SPECIFIED
TOLERANCES: ANGULAR $\pm 1/2^\circ$

	INCH	METRIC
3 PLACE	$\pm$ N/A	---
2 PLACE	$\pm$ N/A	$\pm$ ---
1 PLACE	---	$\pm$ ---

DRAFT WHERE APPLICABLE MUST
REMAIN WITHIN DIMENSIONS

DRWG. BY	ELO	CHK'D. BY	SMR
APP'D. BY	CAB	SCALE	2 : 1

REVISE ONLY ON CAD SYSTEM

TITLE SALES ASSY, HDM BACKPLANE POWER MODULE (PRESS FIT)		SHEET NO. 2		DATE 98/05/21	
MOLEX INCORPORATED LISLE, ILL. 60532 U.S.A.		PART NO. SDA-73656-*00*		DIV. DA	
FILE NAME S73656X2 DGN		SEE CHART		SIZE B	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.					



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331