



PRODUCT NUMBER
SEE NOTE 1




FCI
FCIconnect.com

Copyright FCI


mat'l. code NOTE 3		surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection ⊕		product family HPC	
ltr	ecn	no	dr	date	tolerances unless otherwise specified		title		
E	V41077	GAH		7/6/94	angles	.xx±.01/.3	VERTICAL SHROUD-RETENTIVE		
F	V94440	JWS		12/29/99	linear	.xxx±.005/.13	4 ROW W/O GUIDE PINS		
G	V10135	LSS		01/11/01	0'±2'	.xxxx±.0020/.05	scale 1:1		
H	V10917	JRW		2/23/01	dr	D.SHEAFFER	8/7/91	dwg no	
J	V21712	DAI		12/04/02	engr	S.CLARK	10/23/91	sheet 1 of 4 size	
K	V05-0698	DAI		8/18/05	chr	S.CLARK	10/23/91	50431	
L	M06-0260	MHT		7/07/06	appd	S.CLARK	10/23/91	A3	
sheet	revision	L	L	L	L			type	
index	sheet	1	2	3	4			Product Customer Drawing	

form: A3

PRODUCT NUMBER
SEE NOTE 1



SECTION U-U



SECTION X-X

NOTES:

- ① PRODUCT NUMBERING CODE:
50431-X YYY X LF
- LEAD FREE (OPTIONAL)
 - ALWAYS "X"
 - NO. OF POSITIONS (SEE NOTE 2)
 - ALWAYS "X"
 - BASE NUMBER

SEE SHEET 3 FOR 50431-XX001 OR 50431-XX001LF.
SEE SHEET 4 FOR 50431-XX002 OR 50431-XX002LF.


- ② THIS PRODUCT IS CONFIGURED IN SIZES OF 6 THRU 80 COLUMNS IN INCREMENTS OF ONE.
i.e.: 6, 7, 8, 9,.....79, 80.
- ③ MATERIAL: GLASS AND MINERAL FILLED THERMOPLASTIC FLAME RETARDANT PER UL94 V-0. COLOR: BLACK
- ④ MANUFACTURE'S NAME, P/N, AND LOT CODE TO APPEAR ON THIS SURFACE.
5. THIS SHROUD WILL WITHSTAND EXPOSURE TO 260° C PEAK TEMPERATURE FOR 10-30 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
- ⑥ DIMENSION APPLIES TO HOLES AT END COLUMNS OF EACH PIN FIELD.
- ⑦ THIS PRODUCT (WITH "LF" SUFFIX) MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

⑧ LENGTH FORMULAS

- DIM A = .100/2.54 x NO. OF COLUMNS + .75/19.1
- DIM B = .100/2.54 x NO. OF COLUMNS + .450/11.43
- DIM C = .100/2.54 x NO. OF COLUMNS - .100/2.54
- DIM D = .100/2.54 x NO. OF COLUMNS + .050/1.27

mat'l. code		surface		tolerance		projection		product family	
NOTE 3		ISO 1302 ✓		ISO 406 ISO 1101		⊕		HPC	
ltr	ecn	no	dr	date	tolerances unless otherwise specified		title		
L					angles	.xx±.01/.3	INCH/MM		
					linear	.xxx±.005/.13	VERTICAL SHROUD-RETENTIVE		
					0'±2'	.xxx±.0020/.051	4 ROW W/O GUIDE PINS		
					dr	D.SHEAFFER 8/7/91	scale 1:1		
					enr	S.CLARK 10/23/91	dwg no		
					chr	S.CLARK 10/23/91	sheet 2 of 4 size		
					appd	S.CLARK 10/23/91	50431 A3		
sheet index		revision sheet				FCJ		type Product Customer Drawing	

PRODUCT NUMBER	DESCRIPTION	NOTES
50431-XX001	180 POSITION CUSTOM PLACED RETENTION COLUMNS	-
50431-XX001LF	SAME AS 50431-XX001	SEE NOTE 7





Copyright FCI

mat'l. code NOTE 3		surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection ⊕		product family HPC	
ltr		ecn no dr		date		tolerances unless otherwise specified		title	
L						.xx±.01/.3		INCH/MM	
				0'±2'		.xxx±.005/.13		VERTICAL SHROUD-RETENTIVE 4 ROW W/O GUIDE PINS	
						.xxxx±.0020/.051		scale 1:1	
		dr		D.SHEAFFER		8/7/91		dwg no	
		enr		S.CLARK		10/23/91		sheet 3 of 4 size	
		chr		S.CLARK		10/23/91		50431 A3	
		appd		S.CLARK		10/23/91		type Product Customer Drawing	
sheet index		revision sheet							



PRODUCT NUMBER	DESCRIPTION	NOTES
50431-XX002	200 POSITION CUSTOM PLACED RETENTION COLUMNS	-
50431-XX002LF	SAME AS 50431-XX002	SEE NOTE 7



mat'l. code NOTE 3		surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection INCH/MM	product family HPC
ltr ecn no dr date		tolerances unless otherwise specified		title	VERTICAL SHROUD-RETENTIVE 4 ROW W/O GUIDE PINS
L		angles	linear .XX±.01/.3 .xxx±.005/.13 .xxxx±.0020/.051	scale 1:1	
		dr	D.SHEAFFER 8/7/91		dwg no
		enr	S.CLARK 10/23/91		sheet 4 of 4 size
		chr	S.CLARK 10/23/91		50431 A3
		appd	S.CLARK 10/23/91		type Product Customer Drawing
sheet index	revision sheet				

FCJ
FCIconnect.com

Copyright FCJ



Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331