

THIS DRAWING IS UNPUBLISHED.
DIFFUSION RESTREINTERELEASED FOR PUBLICATION
LIBRE A LA DIFFUSION

20

© COPYRIGHT 20





BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.
TOUS DROITS RESERVES

LOC

DIST

REVISIONS

P	LTR REV	DESCRIPTION MODIFICATIONS	DATE	DWN DESS.	APVD APP.
	G	PRODUCT SPEC WAS 108-15384	11SEP2009	TC	YP
	H	CLARIFICATION	05JUN2012	JT	YP
	J	REMOVED REF OLIVE SHELL COLOR	12JAN2015	JT	YP
	K	CORRECTED MISTAKEN TITLE	28JAN2015	JT	YP




NOTES ON SHEET 2/2

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION.
CE PLAN EST UN DOCUMENT CONTROLE PAR TYCO ELECTRONICS. IL EST
SUSCEPTIBLE D'ETRE REVISE. CONTACTER LE SERVICE TECHNIQUE
DE TYCO ELECTRONICS POUR OBTENIR LA DERNIERE REVISION.

DIMENSIONS:

mm

MATERIAL /MATIERE
SEE TABLE
ON SHEET 2/2TOLERANCES UNLESS
OTHERWISE SPECIFIED:
TOLERANCES NON SPECIFIEES
(SUIV NB DE DECIMALES):
0 PLC/DEC: ±0.3
1 PLC/DEC: ±0.3
2 PLC/DEC: ±0.3
3 PLC/DEC: ±
4 PLC/DEC: ±
ANGLES ±1FINISH/FINITION
SEE TABLE
ON SHEET 2/2

DWN/DESSINE 16SEP2004

Thierry CORRIOU

CHK/VERIFIE 16SEP2004

Yves PETRONIN

APVD/APPROUVE 16SEP2004

Miguel FURIO

PRODUCT SPEC

SPEC. PRODUIT

108-15349

APPLICATION SPEC

SPEC. APPLICATION

114-15121

WEIGHT

MASSE APPROX. 18,6 g

Customer Drawing

NAME
TITRESHELL ASSY, PLUG, EN4165,
FLOAT, 1 CAVITYSIZE
FORMAT

A3

CAGE CODE

00779

DRAWING NO
No PLAN

C-1577134

UNIQUEMENT
POUR REFERENCESCALE
ECHELLE 1:1SHEET
FEUILLE 1OF
DE 2REV
K

D	1577134-4
C	1577134-3
B	1577134-2
A	1577134-1
CODING POSITION PER EN4165	PART NUMBER

Tyco
Electronics

TYCO ELECTRONICS France SAS

BP 30039, 95301 CERGY-PONTOISE Cedex

4



3

2

1

LOC	DIST	REVISIONS				
		P	LTR REV	DESCRIPTION MODIFICATIONS	DATE	DWN DESS.
F	00		-	SEE SHEET 1	-	-

PASSIVATED	STAINLESS STEEL	2	FLAT WASHER, LARGE	7
SILVER PLATE	STAINLESS STEEL	2	SELF LOCKING NUT 4/40	6
PASSIVATED	STAINLESS STEEL	2	COMPRESSION SPRING	5
PASSIVATED	STAINLESS STEEL	2	FLAT WASHER	4
SILVER PLATE	STAINLESS STEEL	2	SELF LOCKING NUT 4/40	3
PASSIVATED	STAINLESS STEEL	2	SPRING GUIDE	2
ANODIC OXIDATION HARD,	ALUMINUM ALLOY	1	SHELL	1
FINISH	MATERIAL	QTY	DESIGNATION	ITEM



1. MATES WITH SHELL PLUG 1577135-X SERIES
LOCKING SYSTEM TO BE PROVIDED BY THE CUSTOMER

2. NOMINAL PRELOAD FORCE: 51N
NOMINAL FULLY MATED FORCE: 97N

3. CONNECTOR FLOAT IN PANEL
- HORIZONTAL DIRECTION: ±1mm
- VERTICAL DIRECTION: ±1mm

4. ITEMS 6 & 7 ARE SUPPLIED UN-ASSEMBLED

5. MARKING PART NUMBER, DATE-CODE AND
MANUFACTURER LOGO AS SHOWN ON SHEET 1/2

6. RECOMMENDED TIGHTENING TORQUE FOR ITEM 6: 0,8mN

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION. CE PLAN EST UN DOCUMENT CONTROLE PAR TYCO ELECTRONICS. IL EST SUSCEPTIBLE D'ETRE REVISE. CONTACTER LE SERVICE TECHNIQUE DE TYCO ELECTRONICS POUR OBTENIR LA DERNIERE REVISION.		DWN/DESSINE 16SEP2004 Thierry CORRIOU	TYCO ELECTRONICS France SAS BP 30039, 95301 CERGY-PONTOISE Cedex		
		CHK/VERIFIE 16SEP2004 Yves PETRONIN			
DIMENSIONS: mm		APVD/APPROUVE 16SEP2004 Miguel FURIO	NAME TITRE SHELL ASSY, PLUG, EN4165, FLOAT, 1 CAVITY		
TOLERANCES UNLESS OTHERWISE SPECIFIED: TOLERANCES NON SPECIFIEES (SUIV NB DE DECIMALES): 0 PLC/DEC: ±0.3 1 PLC/DEC: ±0.3 2 PLC/DEC: ±0.3 3 PLC/DEC: ± 4 PLC/DEC: ±- ANGLES ±1		PRODUCT SPEC SPEC. PRODUIT 108-15349			
MATERIAL /MATIERE		APPLICATION SPEC SPEC. APPLICATION 114-15121	SIZE FORMAT A3	CAGE CODE 00779	DRAWING NO No PLAN C=1577134
FINISH /FINITION		WEIGHT MASSE APPROX. 18,6 g	RESTRICTED TO RESERVE A -		
Customer Drawing		/PLAN CLIENT	UNIQUEMENT POUR REFERENCE	SCALE ECHELLE 1:1	SHEET FEUILLE 2 OF DE 2
					REV K



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331