




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	M2	REVISED PER ECO-16-004800	10SEP2016	NK	MZ
	N	REVISED PER ECO-16-018356	23MAR2017	RS	MZ




- 1 HOUSING: NYLON, UL 94 V-0 RATED, COLOR: BLACK.
- 2 CONTACT:
BODY - BRASS, .000030 MIN GOLD FOR A LENGTH OF .200 MIN FROM MATING END, GOLD FLASH ON REMAINDER, BOTH OVER .000050 MIN NICKEL.
POST - BRASS, .000100 MIN TIN-LEAD OVER .000050 MIN NICKEL.
- 3 CONTACT:
BODY - BRASS, .000100 MIN TIN-LEAD OVER .000050 MIN NICKEL.
POST - BRASS, .000100 MIN TIN-LEAD OVER .000050 MIN NICKEL.
- 4 PERIPHERAL SEAL: ELASTOMER, COLOR: GRAY.
- 5 .009 MAXIMUM CONTACT LEAD-IN SEAM GAP PERMISSIBLE ON MATING FACE END.
- 6 CONTACT:
BODY - BRASS, .000030 MIN GOLD OVER .000030 MIN NICKEL.
POST - BRASS, .000100 MIN TIN-LEAD OVER .000050 MIN NICKEL.
- 7 CONTACT:
BODY - BRASS, .000100 MIN TIN OVER .000050 MIN NICKEL.
POST - BRASS, .000100 MIN TIN OVER .000050 MIN NICKEL.
- 8 CONTACT:
BODY - BRASS, .000030 MIN GOLD FOR A LENGTH OF .200 MIN FROM MATING END, GOLD FLASH ON REMAINDER, BOTH OVER .000050 MIN NICKEL.
POST - BRASS, .000100 MIN TIN OVER .000050 MIN NICKEL.
- 9 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI


	YES	.368	8	1-4,7,8,10-12,14-19	1-213781-0
OBSOLETE	NO	.557	8	ALL	-213781-9-
OBSOLETE	NO	.348	7	ALL	-213781-8-
9 OBSOLETE	YES	.368	7	1-4,7,8,10-12,16-19	-213781-7-
	YES	.368	6	1-4,7,8,10-12,16-19	-213781-6-
OBSOLETE	YES	.368	3	1-4,7,8,10-12,16-19	-213781-5-
OBSOLETE	YES	.368	3	1-4,7,8,10-12,16-19	-213781-4-
	YES	.368	3	1-4,7,8,10-12,16-19	213781-2
OBSOLETE	NO	.557	2	ALL	-213781-1-
	PERIPHERAL SEAL	L	CONTACT FINISH	SELECT LOADED IN POSITIONS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S.WELDON 21MAY2003	TE Connectivity		
DIMENSIONS: INCHES		CHK S.HEADER 21MAY2003			
		APVD S.HEADER 21MAY2003	NAME RECEPTACLE ASSEMBLY, POSTED, REVERSE SEX, SERIES 1, 23-19, CPC		
		PRODUCT SPEC 108-10024			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC 114-10038	SIZE 100779C=213781		
		WEIGHT			
MATERIAL		CUSTOMER DRAWING	RESTRICTED TO		
		SCALE 3:1	SHEET 1 OF 2		REV N

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-



RECOMMENDED PC BOARD LAYOUT



DETAIL V
SCALE 20:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON	ZIMAY2003	 TE Connectivity	
DIMENSIONS: INCHES		CHK S. HEADER	ZIMAY2003		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. HEADER	ZIMAY2003	NAME RECEPTACLE ASSEMBLY, POSTED, REVERSE SEX, SERIES 1, 23-19, CPC - SIZE CAGE CODE DRAWING NO A 00779 ©=213781
	0 PLC ±.0		PRODUCT SPEC		
	1 PLC ±0.0		108-10024		
	2 PLC ±0.00		APPLICATION SPEC		
	3 PLC ±0.000		114-10038		
	4 PLC ±0.0000		WEIGHT -		
ANGLES ±.0		CUSTOMER DRAWING		SCALE 3:1	
MATERIAL	FINISH			SHEET 2 OF 2	REV N
-	-				
-	-				
-	-				



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331