












ALIGNMENT TOLERANCES FOR .100 MAX. BOARD-TO-BOARD MISALIGNMENT
(NO CONNECTOR FLOAT)



SEE NOTE 13

SEE SHEET 1 EC NO: UCP2014-1462 DRWN: JAGUILAR CHKD: J.BELL APPR: FSMITH W5	DESCRIPTION 2010/11/18 2010/11/18 2010/11/22	REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
					mm	INCH	DRAWN BY RJF	DATE 1988/12/09	TITLE RECEPTACLE HEADER ASSY MINI-FIT SERIES BLIND MATE			
				4 PLACES	± ---	± ---	CHECKED BY	DATE				
				3 PLACES	± ---	± .010	JTR	1988/12/09				
				2 PLACES	± 0.25	± .015	APPROVED BY	DATE				
				1 PLACE	± 0.38	± ---	FSMITH	2010/11/22	MOLEX MOLEX INCORPORATED			
ANGULAR ± 5 °			MATERIAL NO.		DOCUMENT NO.		SHEET NO.					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE CHART			SDA-42385-*			2 OF 4		
				SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

A

B

C

D

E

F

G

H

I

J

SEE SHEET 1
EC NO: UCP2011-1462
2010/11/18
DRWN: J JAGUILAR
CHKD: J BELL
2010/11/18
APPR: F SMITH
2010/11/22

REV

DESCRIPTION

QUALITY SYMBOLS

W5

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± .---	± .---
3 PLACES	± .---	± .010
2 PLACES	± 0.25	± .015
1 PLACE	± 0.38	± .---

ANGULAR ± 5 °

DIMENSION STYLE
IN/MM

DRAWN BY	DATE
RJF	1988/12/09
CHECKED BY	DATE
JTR	1988/12/09
APPROVED BY	DATE
F SMITH	2010/11/22

MATERIAL NO.

SEE CHART

SIZE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE
1:1

DESIGN UNITS
METRIC

THIRD ANGLE PROJECTION

TITLE
RECEPTACLE HEADER ASSY
MINI-FIT SERIES
BLIND MATE

MOLEX INCORPORATED

DOCUMENT NO.
SDA-42385-*

SHEET NO.
3 OF 4

PART NUMBER	ENG. NUMBER	CKT. SIZE	HSG./TERM. MATERIAL	TERMINAL PLATING
NO E.D.P.	A-42385-02A I	2	94V-2/BRASS	BRIGHT TIN OVER 1ICKEL
I5-24-7040	↑ -04A I	4	↑	↑
I5-24-7060	-06A I	6		
NO E.D.P.	-08A I	8		
I5-24-7100	-10A I	10		
NO E.D.P.	-12A I	12		
I5-24-7140	-14A I	14		
I5-24-7160	-16A I	16		
I5-24-7180	-18A I	18		
NO E.D.P.	-20A I	20		
NO E.D.P.	↑ -22A I	22	↑	↑
I5-24-7240	A-42385-24A I	24	94V-2/BRASS	BRIGHT TIN OVER 1ICKEL
NO E.D.P.	A-42385-02A2	2	94V-2/BRASS	30 M.I. SEL. GOLD
I5-24-7042	↑ -04A2	4	↑	↑
I5-24-7062	-06A2	6		
NO E.D.P.	-08A2	8		
I5-24-7102	-10A2	10		
NO E.D.P.	-12A2	12		
I5-24-7142	-14A2	14		
I5-24-7162	-16A2	16		
I5-24-7182	-18A2	18		
NO E.D.P.	-20A2	20		
NO E.D.P.	↑ -22A2	22	↑	↑
I5-24-7242	A-42385-24A2	24	94V-2/BRASS	30 M.I. SEL. GOLD
NO E.D.P.	A-42385-02C I	2	94V-2/P.B.	BRIGHT TIN OVER 1ICKEL
I5-24-7044	↑ -04C I	4	↑	↑
I5-24-7064	-06C I	6		
NO E.D.P.	-08C I	8		
I5-24-7104	-10C I	10		
NO E.D.P.	-12C I	12		
I5-24-7144	-14C I	14		
NO E.D.P.	-16C I	16		
I5-24-7184	-18C I	18		
NO E.D.P.	-20C I	20		
NO E.D.P.	↑ -22C I	22	↑	↑
I5-24-7244	A-42385-24C I	24	94V-2/P.B.	BRIGHT TIN OVER 1ICKEL
NO E.D.P.	A-42385-02C2	2	94V-2/P.B.	30 M.I. SEL. GOLD
NO E.D.P.	↑ -04C2	4	↑	↑
NO E.D.P.	-06C2	6		
NO E.D.P.	-08C2	8		
NO E.D.P.	-10C2	10		
NO E.D.P.	-12C2	12		
NO E.D.P.	-14C2	14		
NO E.D.P.	-16C2	16		
NO E.D.P.	-18C2	18		
NO E.D.P.	-20C2	20		
NO E.D.P.	↑ -22C2	22	↑	↑
NO E.D.P.	A-42385-24C2	24	94V-2/P.B.	30 M.I. SEL. GOLD

PART NUMBER	ENG. NUMBER	CKT. SIZE	HSG./TERM. MATERIAL	TERMINAL PLATING
NO E.D.P.	A-42385-02B I	2	94V-0, BRASS	BRIGHT TIN OVER 1ICKEL
I5-24-7041	↑ -04B I	4	↑	↑
I5-24-7061	-06B I	6		
NO E.D.P.	-08B I	8		
I5-24-7101	-10B I	10		
NO E.D.P.	-12B I	12		
I5-24-7141	-14B I	14		
I5-24-7161	-16B I	16		
I5-24-7181	-18B I	18		
NO E.D.P.	-20B I	20		
NO E.D.P.	↑ -22B I	22	↑	↑
I5-24-7241	A-42385-24B I	24	94V-0, BRASS	BRIGHT TIN OVER 1ICKEL
NO E.D.P.	A-42385-02B2	2	94V-0, BRASS	30 M.I. SEL. GOLD
I5-24-7043	↑ -04B2	4	↑	↑
I5-24-7063	-06B2	6		
NO E.D.P.	-08B2	8		
I5-24-7103	-10B2	10		
NO E.D.P.	-12B2	12		
I5-24-7143	-14B2	14		
I5-24-7163	-16B2	16		
I5-24-7183	-18B2	18		
NO E.D.P.	-20B2	20		
NO E.D.P.	↑ -22B2	22	↑	↑
I5-24-7243	A-42385-24B2	24	94V-0, BRASS	30 M.I. SEL. GOLD
NO E.D.P.	A-42385-02D I	2	94V-0/P.B.	BRIGHT TIN OVER 1ICKEL
NO E.D.P.	↑ -04D I	4	↑	↑
NO E.D.P.	-06D I	6		
NO E.D.P.	-08D I	8		
I5-24-7105	-10D I	10		
NO E.D.P.	-12D I	12		
NO E.D.P.	-14D I	14		
NO E.D.P.	-16D I	16		
NO E.D.P.	-18D I	18		
NO E.D.P.	-20D I	20		
NO E.D.P.	↑ -22D I	22	↑	↑
NO E.D.P.	A-42385-24D I	24	94V-0/P.B.	BRIGHT TIN OVER 1ICKEL
NO E.D.P.	A-42385-02D2	2	94V-0/P.B.	30 M.I. SEL. GOLD
NO E.D.P.	↑ -04D2	4	↑	↑
I5-24-7067	-06D2	6		
NO E.D.P.	-08D2	8		
I5-24-7107	-10D2	10		
NO E.D.P.	-12D2	12		
NO E.D.P.	-14D2	14		
NO E.D.P.	-16D2	16		
I5-24-7187	-18D2	18		
NO E.D.P.	-20D2	20		
NO E.D.P.	↑ -22D2	22	↑	↑
I5-24-7247	A-42385-24D2	24	94V-0/P.B.	30 M.I. SEL. GOLD

A

B

C

D

E

F

G

H

I

J

SEE SHEET 1
EC NO: UCP2011-1462
DRWN: JAGUILAR
CHKD: JBELL
APPR: FSMITH

2010/11/18
2010/11/18
2010/11/22

REV

DESCRIPTION

QUALITY SYMBOLS

W5

GENERAL TOLERANCES (UNLESS SPECIFIED)

mm

INCH

4 PLACES

± ---

± ---

3 PLACES

± ---

± .010

2 PLACES

± 0.25

± .015

1 PLACE

± 0.38

± ---

ANGULAR ± 5 °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

SIZE

SEE CHART

DIMENSION STYLE

IN/MM

DRAWN BY

DATE

CHECKED BY

DATE

APPROVED BY

DATE

FSMITH2010/11/22

SCALE

DESIGN UNITS

METRIC

THIRD ANGLE PROJECTION

TITLE

RECEPTACLE HEADER ASSY
MINI-FIT SERIES
BLIND MATE

 MOLEX INCORPORATED

DOCUMENT NO.

SDA-42385--*

SHEET NO.
4 OF 4

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

PART	NUMBER	ENG. NUMBER	CKT. SIZE	HSG./TERM. MATERIAL	TERMINAL PLATING
NO	E.D.P.	A-42385-02A3	2	94V-2/BRASS	MATTE TIN OVER NICKEL
NO	E.D.P.	↗ -04A3	4	↗	↗
NO	E.D.P.	-06A3	6		
NO	E.D.P.	-08A3	8		
NO	E.D.P.	-10A3	10		
NO	E.D.P.	-12A3	12		
NO	E.D.P.	-14A3	14		
NO	E.D.P.	-16A3	16		
NO	E.D.P.	-18A3	18		
NO	E.D.P.	-20A3	20		
NO	E.D.P.	↘ -22A3	22	↘	↘
NO	E.D.P.	A-42385-24A3	24	94V-2/BRASS	MATTE TIN OVER NICKEL
NO	E.D.P.	A-42385-02A4	2	94V-2/BRASS	50 M.I. SEL. GOLD
I5-24-3048		↗ -04A4	4	↗	↗
NO	E.D.P.	-06A4	6		
NO	E.D.P.	-08A4	8		
NO	E.D.P.	-10A4	10		
NO	E.D.P.	-12A4	12		
NO	E.D.P.	-14A4	14		
NO	E.D.P.	-16A4	16		
NO	E.D.P.	-18A4	18		
NO	E.D.P.	-20A4	20		
NO	E.D.P.	↘ -22A4	22	↘	↘
NO	E.D.P.	A-42385-24A4	24	94V-2/BRASS	50 M.I. SEL. GOLD
NO	E.D.P.	A-42385-02B4	2	94V-0/BRASS	50 M.I. SEL. GOLD
NO	E.D.P.	↗ -04B4	4	↗	↗
NO	E.D.P.	-06B4	6		
NO	E.D.P.	-08B4	8		
NO	E.D.P.	-10B4	10		
NO	E.D.P.	-12B4	12		
NO	E.D.P.	-14B4	14		
NO	E.D.P.	-16B4	16		
NO	E.D.P.	-18B4	18		
NO	E.D.P.	-20B4	20		
NO	E.D.P.	↘ -22B4	22	↘	↘
NO	E.D.P.	A-42385-24B4	24	94V-0/BRASS	50 M.I. SEL. GOLD
NO	E.D.P.	A-42385-02C4	2	94V-2/P.B.	50 M.I. SEL. GOLD
NO	E.D.P.	↗ -04C4	4	↗	↗
NO	E.D.P.	-06C4	6		
NO	E.D.P.	-08C4	8		
NO	E.D.P.	-10C4	10		
NO	E.D.P.	-12C4	12		
NO	E.D.P.	-14C4	14		
NO	E.D.P.	-16C4	16		
NO	E.D.P.	-18C4	18		
NO	E.D.P.	-20C4	20		
NO	E.D.P.	↘ -22C4	22	↘	↘
NO	E.D.P.	A-42385-24C4	24	94V-2/P.B.	50 M.I. SEL. GOLD

PART	NUMBER	ENG. NUMBER	CKT. SIZE	HSG./TERM. MATERIAL	TERMINAL PLATING
NO	E.D.P.	A-42385-02D4	2	94V-0/P.B.	50 M.I. SEL. GOLD
NO	E.D.P.	↗ -04D4	4	↗	↗
NO	E.D.P.	-06D4	6		
NO	E.D.P.	-08D4	8		
NO	E.D.P.	-10D4	10		
NO	E.D.P.	-12D4	12		
NO	E.D.P.	-14D4	14		
NO	E.D.P.	-16D4	16		
NO	E.D.P.	-18D4	18		
NO	E.D.P.	-20D4	20		
NO	E.D.P.	↘ -22D4	22	↘	↘
NO	E.D.P.	A-42385-24D4	24	94V-0/P.B.	50 M.I. SEL. GOLD
NO	E.D.P.	A-42385-02B3	2	94V-0/BRASS	MATTE TIN OVER NICKEL
NO	E.D.P.	↗ -04B3	4	↗	↗
NO	E.D.P.	-06B3	6		
NO	E.D.P.	-08B3	8		
NO	E.D.P.	-10B3	10		
NO	E.D.P.	-12B3	12		
NO	E.D.P.	-14B3	14		
NO	E.D.P.	-16B3	16		
50-36-2487		-18B3	18		
NO	E.D.P.	-20B3	20		
NO	E.D.P.	↘ -22B3	22	↘	↘
NO	E.D.P.	A-42385-24B3	24	94V-0/BRASS	MATTE TIN OVER NICKEL



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331