












ALIGNMENT TOLERANCES FOR .100 MAX. BOARD-TO-BOARD MISALIGNMENT
(NO CONNECTOR FLOAT)



SEE NOTE 13

SEE SHEET 1 EC NO: UCP2014-1462 DRWN: JAGUILAR CHKD: J.BELL APPR: FSMITH W5	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	RECEPTACLE HEADER ASSY MINI-FIT SERIES BLIND MATE MOLEX INCORPORATED SDA-42385-*	SHEET NO. 2 OF 4		
						DRAWN BY R.J.F.		DATE 1988/12/09						
						CHECKED BY J.T.R.		DATE 1988/12/09						
						APPROVED BY FSMITH		DATE 2010/11/22						
						MATERIAL NO. SEE CHART		DOCUMENT NO. SDA-42385-*						
						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								
REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	RECEPTACLE HEADER ASSY MINI-FIT SERIES BLIND MATE MOLEX INCORPORATED SDA-42385-*	SHEET NO. 2 OF 4		
						DRAWN BY R.J.F.		DATE 1988/12/09						
						CHECKED BY J.T.R.		DATE 1988/12/09						
						APPROVED BY FSMITH		DATE 2010/11/22						
						MATERIAL NO. SEE CHART		DOCUMENT NO. SDA-42385-*						
						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								

SEE SHEET 1
EC NO: UCP2011-1462
2010/11/18
DRWN: J JAGUILAR
CHKD: J BELL
2010/11/18
APPR: F SMITH
2010/11/22

REVDESCRIPTION

QUALITY SYMBOLS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± .---	± .---
3 PLACES	± .---	± .010
2 PLACES	± 0.25	± .015
1 PLACE	± 0.38	± .---

ANGULAR ± 5 °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

SIZE

DIMENSION STYLE
IN/MM

DRAWN BY
R J F

DATE
1988/12/09

CHECKED BY
J T R

DATE
1988/12/09

APPROVED BY
F S M I T H

DATE
2010/11/22

MATERIAL NO.

SEE CHART

THIRD ANGLE PROJECTION

SCALE
1:1

DESIGN UNITS
METRIC

DOCUMENT NO.
SDA-42385-*

SHEET NO.
3 OF 4

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

RECEPTACLE HEADER ASSY
MINI-FIT SERIES
BLIND MATE

MOLEX INCORPORATED

PART NUMBER	ENG. NUMBER	CKT. SIZE	HSG./TERM. MATERIAL	TERMINAL PLATING
NO E.D.P.	A-42385-02A I	2	94V-2/BRASS	BRIGHT TIN OVER 1ICKEL
I5-24-7040	↑ -04A I	4	↑	↑
I5-24-7060	-06A I	6		
NO E.D.P.	-08A I	8		
I5-24-7100	-10A I	10		
NO E.D.P.	-12A I	12		
I5-24-7140	-14A I	14		
I5-24-7160	-16A I	16		
I5-24-7180	-18A I	18		
NO E.D.P.	-20A I	20		
NO E.D.P.	↑ -22A I	22	↑	↑
I5-24-7240	A-42385-24A I	24	94V-2/BRASS	BRIGHT TIN OVER 1ICKEL
NO E.D.P.	A-42385-02A2	2	94V-2/BRASS	30 M.I. SEL. GOLD
I5-24-7042	↑ -04A2	4	↑	↑
I5-24-7062	-06A2	6		
NO E.D.P.	-08A2	8		
I5-24-7102	-10A2	10		
NO E.D.P.	-12A2	12		
I5-24-7142	-14A2	14		
I5-24-7162	-16A2	16		
I5-24-7182	-18A2	18		
NO E.D.P.	-20A2	20		
NO E.D.P.	↑ -22A2	22	↑	↑
I5-24-7242	A-42385-24A2	24	94V-2/BRASS	30 M.I. SEL. GOLD
NO E.D.P.	A-42385-02C I	2	94V-2/P.B.	BRIGHT TIN OVER 1ICKEL
I5-24-7044	↑ -04C I	4	↑	↑
I5-24-7064	-06C I	6		
NO E.D.P.	-08C I	8		
I5-24-7104	-10C I	10		
NO E.D.P.	-12C I	12		
I5-24-7144	-14C I	14		
NO E.D.P.	-16C I	16		
I5-24-7184	-18C I	18		
NO E.D.P.	-20C I	20		
NO E.D.P.	↑ -22C I	22	↑	↑
I5-24-7244	A-42385-24C I	24	94V-2/P.B.	BRIGHT TIN OVER 1ICKEL
NO E.D.P.	A-42385-02C2	2	94V-2/P.B.	30 M.I. SEL. GOLD
NO E.D.P.	↑ -04C2	4	↑	↑
NO E.D.P.	-06C2	6		
NO E.D.P.	-08C2	8		
NO E.D.P.	-10C2	10		
NO E.D.P.	-12C2	12		
NO E.D.P.	-14C2	14		
NO E.D.P.	-16C2	16		
NO E.D.P.	-18C2	18		
NO E.D.P.	-20C2	20		
NO E.D.P.	↑ -22C2	22	↑	↑
NO E.D.P.	A-42385-24C2	24	94V-2/P.B.	30 M.I. SEL. GOLD

PART NUMBER	ENG. NUMBER	CKT. SIZE	HSG./TERM. MATERIAL	TERMINAL PLATING
NO E.D.P.	A-42385-02B I	2	94V-0, BRASS	BRIGHT TIN OVER 1ICKEL
I5-24-7041	↑ -04B I	4	↑	↑
I5-24-7061	-06B I	6		
NO E.D.P.	-08B I	8		
I5-24-7101	-10B I	10		
NO E.D.P.	-12B I	12		
I5-24-7141	-14B I	14		
I5-24-7161	-16B I	16		
I5-24-7181	-18B I	18		
NO E.D.P.	-20B I	20		
NO E.D.P.	↑ -22B I	22	↑	↑
I5-24-7241	A-42385-24B I	24	94V-0, BRASS	BRIGHT TIN OVER 1ICKEL
NO E.D.P.	A-42385-02B2	2	94V-0, BRASS	30 M.I. SEL. GOLD
I5-24-7043	↑ -04B2	4	↑	↑
I5-24-7063	-06B2	6		
NO E.D.P.	-08B2	8		
I5-24-7103	-10B2	10		
NO E.D.P.	-12B2	12		
I5-24-7143	-14B2	14		
I5-24-7163	-16B2	16		
I5-24-7183	-18B2	18		
NO E.D.P.	-20B2	20		
NO E.D.P.	↑ -22B2	22	↑	↑
I5-24-7243	A-42385-24B2	24	94V-0, BRASS	30 M.I. SEL. GOLD
NO E.D.P.	A-42385-02D I	2	94V-0/P.B.	BRIGHT TIN OVER 1ICKEL
NO E.D.P.	↑ -04D I	4	↑	↑
NO E.D.P.	-06D I	6		
NO E.D.P.	-08D I	8		
I5-24-7105	-10D I	10		
NO E.D.P.	-12D I	12		
NO E.D.P.	-14D I	14		
NO E.D.P.	-16D I	16		
NO E.D.P.	-18D I	18		
NO E.D.P.	-20D I	20		
NO E.D.P.	↑ -22D I	22	↑	↑
NO E.D.P.	A-42385-24D I	24	94V-0/P.B.	BRIGHT TIN OVER 1ICKEL
NO E.D.P.	A-42385-02D2	2	94V-0/P.B.	30 M.I. SEL. GOLD
NO E.D.P.	↑ -04D2	4	↑	↑
I5-24-7067	-06D2	6		
NO E.D.P.	-08D2	8		
I5-24-7107	-10D2	10		
NO E.D.P.	-12D2	12		
NO E.D.P.	-14D2	14		
NO E.D.P.	-16D2	16		
I5-24-7187	-18D2	18		
NO E.D.P.	-20D2	20		
NO E.D.P.	↑ -22D2	22	↑	↑
I5-24-7247	A-42385-24D2	24	94V-0/P.B.	30 M.I. SEL. GOLD

SEE SHEET 1
EC NO: UCP2011-1462
DRWN: JAGUILAR
CHKD: JBELL
APPR: FSMITH

2010/11/18
2010/11/18
2010/11/22

REV

DESCRIPTION

QUALITY SYMBOLS

W5

GENERAL TOLERANCES (UNLESS SPECIFIED)

mm

INCH

4 PLACES

± ---

± ---

3 PLACES

± ---

± .010

2 PLACES

± 0.25

± .015

1 PLACE

± 0.38

± ---

ANGULAR ± 5 °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

SIZE

SEE CHART

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION STYLE

IN/MM

DRAWN BY

DATE

CHECKED BY

DATE

APPROVED BY

DATE

FSMITH

2010/11/22

MATERIAL NO.

DOCUMENT NO.

SCALE

DESIGN UNITS

METRIC

THIRD ANGLE PROJECTION

TITLE

RECEPTACLE HEADER ASSY
MINI-FIT SERIES
BLIND MATE

MOLEX

MOLEX INCORPORATED

SDA-42385--*

SHEET NO.
4 OF 4

PART	NUMBER	ENG. NUMBER	CKT. SIZE	HSG./TERM. MATERIAL	TERMINAL PLATING
NO	E.D.P.	A-42385-02A3	2	94V-2/BRASS	MATTE TIN OVER NICKEL
NO	E.D.P.	↗ -04A3	4	↗	↗
NO	E.D.P.	-06A3	6		
NO	E.D.P.	-08A3	8		
NO	E.D.P.	-10A3	10		
NO	E.D.P.	-12A3	12		
NO	E.D.P.	-14A3	14		
NO	E.D.P.	-16A3	16		
NO	E.D.P.	-18A3	18		
NO	E.D.P.	-20A3	20		
NO	E.D.P.	↘ -22A3	22	↘	↘
NO	E.D.P.	A-42385-24A3	24	94V-2/BRASS	MATTE TIN OVER NICKEL
NO	E.D.P.	A-42385-02A4	2	94V-2/BRASS	50 M.I. SEL. GOLD
I5-24-3048		↗ -04A4	4	↗	↗
NO	E.D.P.	-06A4	6		
NO	E.D.P.	-08A4	8		
NO	E.D.P.	-10A4	10		
NO	E.D.P.	-12A4	12		
NO	E.D.P.	-14A4	14		
NO	E.D.P.	-16A4	16		
NO	E.D.P.	-18A4	18		
NO	E.D.P.	-20A4	20		
NO	E.D.P.	↘ -22A4	22	↘	↘
NO	E.D.P.	A-42385-24A4	24	94V-2/BRASS	50 M.I. SEL. GOLD
NO	E.D.P.	A-42385-02B4	2	94V-0/BRASS	50 M.I. SEL. GOLD
NO	E.D.P.	↗ -04B4	4	↗	↗
NO	E.D.P.	-06B4	6		
NO	E.D.P.	-08B4	8		
NO	E.D.P.	-10B4	10		
NO	E.D.P.	-12B4	12		
NO	E.D.P.	-14B4	14		
NO	E.D.P.	-16B4	16		
NO	E.D.P.	-18B4	18		
NO	E.D.P.	-20B4	20		
NO	E.D.P.	↘ -22B4	22	↘	↘
NO	E.D.P.	A-42385-24B4	24	94V-0/BRASS	50 M.I. SEL. GOLD
NO	E.D.P.	A-42385-02C4	2	94V-2/P.B.	50 M.I. SEL. GOLD
NO	E.D.P.	↗ -04C4	4	↗	↗
NO	E.D.P.	-06C4	6		
NO	E.D.P.	-08C4	8		
NO	E.D.P.	-10C4	10		
NO	E.D.P.	-12C4	12		
NO	E.D.P.	-14C4	14		
NO	E.D.P.	-16C4	16		
NO	E.D.P.	-18C4	18		
NO	E.D.P.	-20C4	20		
NO	E.D.P.	↘ -22C4	22	↘	↘
NO	E.D.P.	A-42385-24C4	24	94V-2/P.B.	50 M.I. SEL. GOLD

PART	NUMBER	ENG. NUMBER	CKT. SIZE	HSG./TERM. MATERIAL	TERMINAL PLATING
NO	E.D.P.	A-42385-02D4	2	94V-0/P.B.	50 M.I. SEL. GOLD
NO	E.D.P.	↗ -04D4	4	↗	↗
NO	E.D.P.	-06D4	6		
NO	E.D.P.	-08D4	8		
NO	E.D.P.	-10D4	10		
NO	E.D.P.	-12D4	12		
NO	E.D.P.	-14D4	14		
NO	E.D.P.	-16D4	16		
NO	E.D.P.	-18D4	18		
NO	E.D.P.	-20D4	20		
NO	E.D.P.	↘ -22D4	22	↘	↘
NO	E.D.P.	A-42385-24D4	24	94V-0/P.B.	50 M.I. SEL. GOLD
NO	E.D.P.	A-42385-02B3	2	94V-0/BRASS	MATTE TIN OVER NICKEL
NO	E.D.P.	↗ -04B3	4	↗	↗
NO	E.D.P.	-06B3	6		
NO	E.D.P.	-08B3	8		
NO	E.D.P.	-10B3	10		
NO	E.D.P.	-12B3	12		
NO	E.D.P.	-14B3	14		
NO	E.D.P.	-16B3	16		
50-36-2487		-18B3	18		
NO	E.D.P.	-20B3	20		
NO	E.D.P.	↘ -22B3	22	↘	↘
NO	E.D.P.	A-42385-24B3	24	94V-0/BRASS	MATTE TIN OVER NICKEL



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331