





887329302	USB 28#/22#	3340+0/-50	887808229	887800019
887329002	USB 28#/28#	820+0/-30	887808218	887800019
887329220	USB 28#/24#	2090+0/-40	887808234	887800043
887329120	USB 28#/24#	1320±25	887808243	887800043
887329020	USB 28#/24#	820±15	887808243	887800043
887329402	USB 28#/20#	5010+0/-80	887808230	887800019
887329202	USB 28#/24#	2090+0/-40	887808239	887800019
887329102	USB 28#/26#	1320+0/-30	887808228	887800019
887328102	USB 28#/24#	1800+0/-30	887808239	887800019
887328100	USB 28#/24#	1800+0/-30	887808238	887800043
887328000	USB 28#/26 #	1000+0/-30	887808204	887800043
887328002	USB 28#/26#	1000+0/-30	887808228	887800019
MOLEX P/N	DESCRIPTION	LENGTH	CABLE P/N	PVC P/N

ENTER DESCRIPTION EC NO: DG2006-0163 DRWN:PDAI CHKD: APPR:TKAN		2006/01/20 2006/01/20 2006/01/20	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
						mm	INCH	DRAWN BY XHLEI	DATE 2006/01/20	TITLE USB A-B CABLE ASSY						
					4 PLACES	± ---	± ---	CHECKED BY ZXDENG	DATE 2006/01/20							
					3 PLACES	± ---	± ---	APPROVED BY BORON		DATE 2006/01/20		molex MOLEX INCORPORATED				
					2 PLACES	± ---	± ---									
					1 PLACE	± ---	± ---	MATERIAL NO. SEE TABLE					DOCUMENT NO. SD-88732-002		SHEET NO. 1 OF 2	
					ANGULAR ± ---°											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											

NOTE:1

1.MOLDED WITH PVC RESIN P/N:SEE TABLE

2.ELECTRICAL PERFORMANCE:

2.1 DIELECTRIC STRENGTH

2.2 INSULATION RESISTANCE

2.3 CONDUCTIVE RESISTANCE

2.4 CABLE IMPEDANCE

2.5 ATTENUATION

2.6 PROPAGATION DELAY

2.7 SIGNAL PAIR SKEW

RETER TO ES-003 ELECTRICAL SPECIFICATION FOR DETAILS

3.THIS PRODUCT MUST MEET MX RoHS COMPLIANCE.

			J	COPPER FOIL 877801083		2
			H	TERMINAL		8
			G	HOUSING 887809085		1
SHELL	BRAID WIRE	SHELL	F	REAL SHELL 887809082		1
4	AWG26 BLACK	4	E	FRONT SHELL 887809081		1
3	AWG28 GREEN	3	D	USB CABLE SEE TABLE		
2	AWG28 WHITE	2	C	REAR SHELL 887809084		1
1	AWG26 RED	1	B	FRONT SHELL 887809083		1
P1	WIRE COLOR	P2	A	CRIMP HOUSING 887809086		1
PIN ASSIGNMENTS			ITEM	DESCRIPTION	L	QTY.

ENTER DESCRIPTION EC NO: DG2006-0163 DRWN:POAI CHKD: APPR:TKAN	2006/01/20 2006/01/20 2006/01/20	QUALITY SYMBOLS =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY XHLEI	DATE 2006/01/20	TITLE USB A-B CABLE ASSY				
			4 PLACES	± ---	± ---	CHECKED BY ZXDENG	DATE 2006/01/20					
			3 PLACES	± ---	± ---	APPROVED BY BORON	DATE 2006/01/20	MOLEX INCORPORATED				
			2 PLACES	± ---	± ---	MATERIAL NO. SEE TABLE						
1 PLACE	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
REV												



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331