







30 POSITION



60 POSITION



120 POSITION



240 POSITION

NOTES: UNLESS OTHERWISE SPECIFIED;

- 1 CONNECTOR MATERIALS:
HOUSING: GLASS FILLED THERMOPLASTIC,
UL94-V0 COMPLIANT.
TERMINAL: PHOSPHOR BRONZE ALLOY
- 2 PACKED IN TUBES.
- ③ FEATURE MAY OR MAY NOT BE PRESENT DEPENDING UPON THE MOLD TOOLING USED TO PRODUCE PRODUCT.
- 4 PRODUCT SPECIFICATION: GS-12-177.
- 5 APPLICATION SPECIFICATION: GS-20-015.
- 6 THE PRODUCTS WHERE THE PART NUMBER ENDS IN "LF" MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- 7 ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRARED OR VAPOR PHASE REFLOW OVEN.

SPECIAL DATAS:



- VISUAL INSPECTION: 100%
- MARKING FAILURES
- HOUSING MATERIAL FAILURES
- SPOILT HOUSING
- STAINED HOUSING
- BROKEN CONTACTS (Twisted or Loosen)

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	 www.fciconnect.com		
ltr	ecn no	dr	date	linear					
A	DG09-0078	Cenh	03/10/09	linear	.X ±.3[±.1] .XX ±.13[±.02] .XXX ±.051[±.005]	projection	 T SERIES STRAIGHT RECEPT ASSY 5 ROW, STB SPECIFY 400		
				angles	0° ±1°	MM			
				dr	Heaven Cen 03/10/09	 4:1	product family METRAL size dwg no A 10098727		code 213 sheet 1 of 2
				enr	Heaven Cen 03/10/09				
				chr	PM Zheng 03/10/09				
				appd	Joseph Hsia 03/10/09				
sheet index	revision sheet	A 1	A 2						

cage code
22526



A



RECOMMENDED PC BOARD LAYOUT,
COMPONENT SIDE
SEE PRINT 58351 FOR ADDITIONAL
PCB INFORMATION

CATALOG NUMBER	DESCRIPTION
HM1 S 5 - T - R 400 H 6 LF	
PRODUCT FAMILY HM1 = METRAL HM1	LF = LEAD FREE Sn PLATING ON TAILS
PRODUCT TYPE S = FEMALE SIGNAL STRAIGHT	PERFORMANCE LEVEL SEE TABLE 2
NUMBER OF ROWS 5 = 5 ROW	INSULATING MATERIAL H = HIGH TEMPERATURE MATERIAL
BODY LENGTH 1 = 12.00 2 = 24.00 3 = 48.00 4 = 96.00	VARIATIONS 400 = CUSTOMER SPECIAL
MATING CONTACT T = TWISTED FEMALE	BOARD ATTACHMENT R = STANDARD STRAIGHT
	PCB TERMINATION TYPE R = SOLDER TAIL, DIM D = 3.30±0.30 S = SOLDER TAIL, DIM D = 4.10±0.30

TABLE 2

CODE	CONTACT AREA	PERFORMANCE LEVEL
6	0.75um Au min over 1.3um Ni min or 0.68um PdNi min +0.08um Au min over 1.3um Ni min	TELCORDIA CO

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	FCI		
ltr	ecn no	dr	date	linear	NONE ±3[±.1] .X ±.5[±.02] .XX ±.13[±.005] angles 0° ±1°		www.fciconnect.com		
A						projection	title		
						MM	T SERIES STRAIGHT RECEPT ASSY		
						scale	5 ROW, STB SPECIFY 400		
				dr	Heaven Cen 03/10/09		product family METRAL		code
				enr	Heaven Cen 03/10/09		size dwg no		213
				chr	PM Zheng 03/10/09		A 10098727		sheet
				appd	Joseph Hsia 03/10/09				2 of 2
sheet index	revision sheet						cage code		
							22526		

A

B



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331