





ITEMS PROVIDED TO THIS SPECIFICATION TO BE PERMANENTLY IDENTIFIED PER THE FOLLOWING IDENTIFIER LABEL

		YEAR	WEEK
TYCO ELECTRONICS P/N	DATE CODE (e.g. 0106)		
XXXXXXX-X	XXXX		


5. MOUNTING FLANGE ACCEPTS M3 OR NO.4 SCREWS. (USER SUPPLIED)

6. CONNECTOR MATES WITH TYCO ELECTRONICS PART NUMBER 1926997-1



THIS DRAWING IS A CONTROLLED DOCUMENT FOR TICO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE TICO TECHNICAL ENGINEERING ORGANIZATION MAKING BE CONTACTED FOR THE LATEST REVISION		AS SHOWN		1926996-1	
		DESCRIPTION		PART NO.	
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC ±.1 1 PLC ±.5 2 PLC ±.25 3 PLC ±.1 4 PLC ±.1 ANGLES ±2		DWN 24SEP2008 C. ROHLER CHK 24SEP2008 P. DAMATO APVD M. PERCHERKE PRODUCT SPEC - APPLICATION SPEC -	
		NAME PIN CONNECTOR ASSEMBLY RIGHT ANGLE, SOLDER TAILS FLATPAQ		Tyco Electronics Harrisburg, PA 17105-3608	
MATERIAL -		SIZE A		CAGE CODE 00779	
FINISH -		DRAWING NO C=1926996		RESTRICTED TO -	
CUSTOMER DRAWING		SCALE 3:1		SHEET 1 OF 3	
				REV A	

LOC	DIST	REVISIONS					
-	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-



PRINTED CIRCUIT LAYOUT
COMPONENT SIDE
SCALE 6:1

CONNECTOR	CATALOG MODULE #	QTY	SIZE NO.	CONTACT QTY	MATING PIN	MAX. CURRENT (PER CONTACT)	CONTACT SPACING	VOLTAGE RATING
PIN	FP151	6	8	3	1.25 X 7.00 [.049 X .276]	35 amps	7.50 [.2953]	250 VOLTS
	FP512	2	SPACER, 250V					
	FP500	1	LEFT MOUNTING FLANGE					
	FP501	1	RIGHT MOUNTING FLANGE					
	FP506	2	RIGHT ANGLE GUIDE SOCKET					

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE HANDLED AS CONFIDENTIAL INFORMATION. IT IS TO BE KEPT IN THE CONFIDENTIALITY OF THE TYCO ELECTRONICS CORPORATION. IT IS TO BE KEPT IN THE CONFIDENTIALITY OF THE TYCO ELECTRONICS CORPORATION. IT IS TO BE KEPT IN THE CONFIDENTIALITY OF THE TYCO ELECTRONICS CORPORATION.

LOC

DIST

P

LTR

DESCRIPTION

DATE

DWN

APVD

DWN
C. ROHLER
24SEP2008

CHK
P. DAMATO
24SEP2008

APVD
M. PERCHER
24SEP2008

NAME
PIN CONNECTOR ASSEMBLY
RIGHT ANGLE, SOLDER TAILS
FLATPAQ

SIZE
A100779

CAGE CODE
C=1926996

DRAWING NO
-

RESTRICTED TO
-

DIMENSIONS:

mm

MATERIAL
-

FINISH
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

9 PLC ±.5

1 PLC ±.5

2 PLC ±.25

3 PLC ±.25

4 PLC ±.25

ANGLES ±.2

FINISH ±.2

WEIGHT
-

CUSTOMER DRAWING

SCALE
3:1


SHEET
2

OF
3


REV
A

Tyco Electronics
Harrisburg, PA 17105-3608

LOC	DIST	REVISIONS					
-	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



7. SOLDER TAIL DETAIL
SCALE 10:1



SOLDER TERMINATION AREA
SCALE 40:1
RECOMMENDED PRINTED CIRCUIT SOLDER HOLE
FINISHED HOLE: Ø1.02 [.040] ±.08 [.003]
DRILLED HOLE: Ø1.15 [.0453] ±.013 [.0005]
COPPER PLATE: .025 [.0010] MIN
TIN PLATE: .008 [.0003] MIN. (PER SURFACE)



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331