



ITEM	Q'TY	PART NUMBER	PART DESCRIPTION
1	1	PM3-5V	5V LED Holder, Panel Mount, Press Fit, (3mm)
2	1	3XX5V	T-1 (3mm) Non-Flange LED, See Page 2.
3	1	BWS24-1061-RD	24AWG Wire Lead U.L. 1061, Red
4	1	BWS24-1061-BK	24AWG Wire Lead U.L. 1061, Black
5	1	2665S020000	Leoco 2665 Series 2.54mm(.100") Crimp Type Socket
6	2	2653TPB0001	Leoco Terminal# 2653TPB0001(Reel), 2653TPB00A1(Bulk)

REV.	DESCRIPTION	DATE	APPROVED
A	Engineering Release	10/04/06	M. C.
B	Updated Holder	10/23/08	M. C.





EXAMPLE:
PM3RD5VW6.5*-CBK
 CC Connector/Housing Non-Assembled
 Wire Length "X"
 5 Volt LED
 LED Color & Lens Appearance.
 Series

* X.X = Wire Length "X"

NOTE: HOUSINGS SHIPPED NON-ASSEMBLED

ABSOLUTE MAXIMUM RATINGS (Ta = 25°C)



REVERSE VOLTAGE	5V
REVERSE CURRENT (VR=5V)	100µA
OPERATING TEMPERATURE RANGE	-25°C ~ 85°C
STORAGE TEMPERATURE	-30°C ~ 100°C
LEAD SOLDERING TEMPERATURE (1/16" FROM BODY)	260°C for 5 Seconds

STANDARD TOLERANCE (UNLESS OTHERWISE SPECIFIED)		 4 THOMAS, IRVINE, CA. 92618 TEL: (949) 951-8808 FAX: (949) 951-3974	
DECIMALS	ANGULAR		
.X ±.1	X° ± 1°		TITLE: T-1 (3mm) PANEL MOUNT ASSEMBLY
.XX ±.02			
.XXX ±.010			
DESIGNED: Dan Beckman	DATE: 10/04/06	PART NO: PM3XX5VWX.X-CBK	REVISION: B
CHECKED: T. Yin	DATE: 10/04/06	CAGE CODE : 32559	SHEET # 1 OF 2

CAD GENERATED DOCUMENT, DO NOT MEASURE DRAWING.

REV.	DESCRIPTION	DATE	APPROVED
	See Page 1		

LED Assembly Part No.	Peak Wave Length λ_p (nm)	Emitted Color	Lens Appearance	Absolute Maximum Ratings				Electro-Optical Data @ 10mA			Viewing Angle (Deg)	LED Part No.
				$\Delta\lambda$ (nm)	Pd (mW)	If (mA)	Peak If (mA)	Vf (V)		Iv (mcd)		
								Typ.	Max.	Typ.		
PM3GD5VWX.X-CBK	568	GREEN	DIFFUSED	-	-	8	12	-	5.0	25	40	3GD5V
PM3YD5VWX.X-CBK	590	YELLOW	DIFFUSED	-	-	8	12	-	5.0	20	40	3YD5V
PM3AD5VWX.X-CBK	605	AMBER	DIFFUSED	-	-	8	12	-	5.0	25	40	3AD5V
PM3HD5VWX.X-CBK	625	HE RED	DIFFUSED	-	-	8	12	-	5.0	30	40	3HD5V
PM3RD5VWX.X-CBK	700	RED	DIFFUSED	-	-	8	12	-	5.0	2	40	3RD5V

STANDARD TOLERANCE (UNLESS OTHERWISE SPECIFIED) <small>10% All Values</small>		ANGULAR		 BIVAR [®] 4 THOMAS, IRVINE, CA. 92618 TEL: (949) 951-8808 FAX: (949) 951-3974	
				TITLE: T-1 (3mm) Panel Mount Assembly, 5V	
DESIGNED:	DATE:	PART NO:		REVISION:	
Sonny Dam	09/15/06	PM3XX5VWX.X-CBK		B	
CHECKED:	DATE:	CAGE CODE : 32559		SHEET # 2 OF 2	
D. Beckman	09/15/06				
<small>CAD GENERATED DOCUMENT, DO NOT MEASURE DRAWING.</small>					



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331