







LOC		DIST		REVISONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
	D1	REVISED PER ECO-11-005027		10MAY2011	RK	HMR	


- 1 MATERIAL: COPPER ALLOY.
- 2 FINISH: TIN PLATING PER ASTM B 545, 1.25μm MINIMUM THICKNESS
ALL OVER NICKEL FLASH PER QQ-N-290. NONPLATED EDGES PERMISSIBLE.
- 3 PADS AND VIAS CHASSIS GROUND.
- 4 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 5 REFERENCE APPLICATION SPEC 114-13120, HOLE A, FOR RECOMMENDED
DRILL HOLE DIAMETER AND PLATING THICKNESSES.
- 6 COMPANY LOGO IN APPROXIMATE AREA SHOWN



1761014-1
1X2 CAGE ASSEMBLY
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN W. VAN SCYOC 15MAR2004				
DIMENSIONS:		CHK M.J. PHILLIPS 15MAR2004			NAME	
mm		APVD M.J. PHILLIPS 15MAR2004			PRODUCT SPEC	
					108-1950	
					APPLICATION SPEC	
					114-13120	
MATERIAL		FINISH	WEIGHT		A100779C=1761014	
			CUSTOMER DRAWING		RESTRICTED TO	
					SCALE 4:1 SHEET 1 OF 2 REV D1	



[illegible]

Technical drawing of a 13 PLATED THRU HOLES part. The drawing shows a top view and a side view. The top view is a square with a circle in the center, representing the hole. The side view shows the thickness of the part. Dimensions and feature control frames are provided for both views.

Top View Dimensions and Features:

- Overall width: $14x$
- Overall height: 2 ± 0.1
- Feature 1 (Top): $\triangle 3$ (Surface texture symbol)
- Feature 2 (Top): $\oplus 0.1$ (Circular runout symbol)
- Feature 3 (Top): $\textcircled{L}$ (Circular runout symbol)
- Feature 4 (Top): $\textcircled{S}$ (Surface texture symbol)

Side View Dimensions and Features:

- Overall width: $14x$
- Overall height: 2 ± 0.1
- Feature 1 (Top): $\triangle 3$ (Surface texture symbol)
- Feature 2 (Top): $\triangle 5$ (Surface texture symbol)
- Feature 3 (Top): $\oplus \varnothing 0.1 \textcircled{M}$ (Circular runout symbol)
- Feature 4 (Top): $\textcircled{S}$ (Surface texture symbol)

Text: 13 PLATED THRU HOLES

DETAIL D
SCALE 1/5" = 1'

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 15MAR2004 VAN SCOT CFW 15MAR2004 MJ PHILLIPS		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC ± 2 PLC ± 2 PLC ±0.10 2 PLC ± 2 PLC ± ANGLES ±° N°		NAME ASSEMBLY, CAGE, 1X2 PRESS FIT, SFP	
		PRODUCT SPEC 108-1950 APPLICATION SPEC 114-13120		SIZE CAGE CODE DRAWING NO A100779C1761014	
MATERIAL -		FINISH -		RESTRICTED TO -	
		CUSTOMER DRAWING		SCALE 4:1 SHEET 2 OF 2 REV D	



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331