



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	POWER				
	E2	P4	P3	P2	P1
51915-155-- NOTE 3		PC	PC	PC	PC



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PC	[2.34]	POWER

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
SEE NOTE 2				linear		COPY		www.fciconnect.com	
ltr	ecr no.	dr	date	0.X ± 0.3		projection		title	
A	DG08-0059	SH	03/13/08	0.XX ± 0.13				4ACP	
B	DG08-0095	SH	04/17/08	0.XXX ± 0.051				R/A SOLDER RECEPTACLE	
				angles		scale		product family	
				0° ± 2°		1:1		PwrBlade	
				dr	Sincere He	03/04/08	size		code
				enr	Sincere He	03/04/08	dwg no		213
				chr	Gary Hsieh	03/04/08	A		sheet
				appd	Joseph Hsia	03/04/08	51915-155		1 of 4
sheet index	revision	B	B	B	B				
	sheet	1	2	3	4				




cage code 22526

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51915-155-
NOTE 3



mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com			
litr	ecn no.	dr	date	linear	0.X ±0.3		COPY		title		
B					0.XX ±0.13		projection				
					0.XXX ±0.051						
				angles	0° ±2°				4ACP R/A SOLDER RECEPTACLE		
				dr	Sincere He	03/04/08					
				engr	Sincere He	03/04/08					
				chr	Gary Hsieh	03/04/08	MM		product family	PwrBlade	code
				appd	Joseph Hsia	03/04/08	scale		size	dwg no	213
							1:1		A	51915-155	sheet 2 of 4
sheet index		revision sheet									

cage code 22526

Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51915-155-
NOTE 3

1 | 2

3 |

4



RECOMMENDED PCB LAYOUT

mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
ltr	ecn no.	dr	date			linear	0.X ±0.3	COPY		title			4ACP
B							0.XX ±0.13	projection		R/A SOLDER RECEPTACLE			
						angles	0.XXX ±0.051			product family			PwrBlade
						dr	Sincere He 03/04/08			size			213
						enr	Sincere He 03/04/08			dwg no			3 of 4
						chr	Gary Hsieh 03/04/08			A			
						appd	Joseph Hsia 03/04/08			51915-155			
sheet index		revision sheet						scale	1:1				

1 | 2

Pro/E

3 |

cage code
22526

4

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER																																																																																																																																									
51915-155- NOTE 3																																																																																																																																									
NOTES:																																																																																																																																									
1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.																																																																																																																																									
CONNECTOR NOTES:																																																																																																																																									
(2.) HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC POWER CONTACT MATERIAL: COPPER ALLOY SIGNAL PIN MATERIAL: COPPER ALLOY																																																																																																																																									
3. PLATING: 51915-155, 51915-155LF PLATING SPEC. WAS SHOWN IN THE PRINT OF 10064183.																																																																																																																																									
(4.) MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.																																																																																																																																									
5. PRODUCT SPECIFICATION GS-12-149. APPLICATION SPECIFICATION BUS-20-067.																																																																																																																																									
6. PACKAGED IN TRAYS.																																																																																																																																									
PCB NOTES:																																																																																																																																									
7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.																																																																																																																																									
(8.) MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.																																																																																																																																									
(9.) $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH 0.008 MIN SnPb OR Sn OVER 0.03 TO 0.08 Cu PLATING TO ACHIEVE $\varnothing 1.02 \pm 0.07$ HOLE.																																																																																																																																									
(10.) "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.																																																																																																																																									
(11.) CONNECTOR KEEP-OUT ZONE.																																																																																																																																									
12: THE VOID CORING IN BETWEEN POERT MODULES, SIGNAL MODULES AND END MODULES ARE ORPIONAL AND THE SHAPE MAY BE DIFERENT FOR OPTIMIZE THE MOLDING PROCESS, THE VOID CORING WILL NO EFFECT TO PRODUCT FUNCTION.																																																																																																																																									
13: A  SYMBOL WILL BE NEXT TO ANY DIMENSIION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH CURRENT DRAWING REVISION.																																																																																																																																									
<table><tr><td colspan="4">mat'l code</td><td colspan="2">SEE NOTE 2</td><td colspan="2">tolerances unless otherwise specified</td><td colspan="2">CUSTOMER</td><td colspan="2"> www.fciconnect.com</td></tr><tr><td>ltr</td><td>ecn no.</td><td>dr</td><td>date</td><td rowspan="3">linear</td><td colspan="2">0.X ± 0.3</td><td colspan="2">COPY</td><td rowspan="3"></td><td colspan="2">title</td></tr><tr><td>B</td><td></td><td></td><td></td><td colspan="2">0.XX ± 0.13</td><td colspan="2">projection</td><td colspan="2">4ACP</td></tr><tr><td></td><td></td><td></td><td></td><td colspan="2">0.XXX ± 0.051</td><td colspan="2"></td><td colspan="2">R/A SOLDER RECEPTACLE</td></tr><tr><td></td><td></td><td></td><td></td><td>angles</td><td colspan="2">0° $\pm 2^\circ$</td><td colspan="2"></td><td rowspan="5"></td><td colspan="2">product family</td></tr><tr><td></td><td></td><td></td><td></td><td>dr</td><td>Sincere He</td><td>03/04/08</td><td colspan="2"></td><td colspan="2">PwrBlade</td></tr><tr><td></td><td></td><td></td><td></td><td>enrg</td><td>Sincere He</td><td>03/04/08</td><td colspan="2"></td><td colspan="2">code</td></tr><tr><td></td><td></td><td></td><td></td><td>chr</td><td>Gary Hsieh</td><td>03/04/08</td><td colspan="2"></td><td colspan="2">213</td></tr><tr><td></td><td></td><td></td><td></td><td>appd</td><td>Joseph Hsia</td><td>03/04/08</td><td colspan="2"></td><td colspan="2">sheet</td></tr><tr><td colspan="2">sheet index</td><td colspan="2">revision sheet</td><td colspan="2"></td><td colspan="2"></td><td colspan="2">scale</td><td colspan="2">A</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">1:1</td><td colspan="2">51915-155</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">4 of 4</td></tr></table>		mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com		ltr	ecn no.	dr	date	linear	0.X ± 0.3		COPY			title		B				0.XX ± 0.13		projection		4ACP						0.XXX ± 0.051				R/A SOLDER RECEPTACLE						angles	0° $\pm 2^\circ$					product family						dr	Sincere He	03/04/08			PwrBlade						enrg	Sincere He	03/04/08			code						chr	Gary Hsieh	03/04/08			213						appd	Joseph Hsia	03/04/08			sheet		sheet index		revision sheet						scale		A										1:1		51915-155												4 of 4	
mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com																																																																																																																															
ltr	ecn no.	dr	date	linear	0.X ± 0.3		COPY			title																																																																																																																															
B					0.XX ± 0.13		projection			4ACP																																																																																																																															
					0.XXX ± 0.051					R/A SOLDER RECEPTACLE																																																																																																																															
				angles	0° $\pm 2^\circ$					product family																																																																																																																															
				dr	Sincere He	03/04/08				PwrBlade																																																																																																																															
				enrg	Sincere He	03/04/08				code																																																																																																																															
				chr	Gary Hsieh	03/04/08				213																																																																																																																															
				appd	Joseph Hsia	03/04/08				sheet																																																																																																																															
sheet index		revision sheet						scale		A																																																																																																																															
								1:1		51915-155																																																																																																																															
										4 of 4																																																																																																																															
cage code		22526		4																																																																																																																																					



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331