



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	POWER				
	E2	P4	P3	P2	P1
51915-155-- NOTE 3		PC	PC	PC	PC



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PC	[2.34]	POWER

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecr no.	dr	date	linear	0.X ± 0.3	COPY		www.fciconnect.com	
A	DG08-0059	SH	03/13/08		0.XX ± 0.13	projection		title 4ACP	
B	DG08-0095	SH	04/17/08		0.XXX ± 0.051			R/A SOLDER RECEPTACLE	
				angles	0° ± 2°			product family PwrBlade	
				dr	Sincere He 03/04/08	scale		size	code 213
				enrg	Sincere He 03/04/08	1:1		dwg no	sheet 1 of 4
				chr	Gary Hsieh 03/04/08			51915-155	
				appd	Joseph Hsia 03/04/08				
sheet index	revision sheet	B 1	B 2	B 3	B 4			cage code	

Pro/E


cage code 22526

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51915-155-
NOTE 3



mat'l code				SEE NOTE 2				tolerances unless otherwise specified				CUSTOMER								www.fciconnect.com				
litr	ecn no.	dr	date	linear	0.X ± 0.3				COPY				title				4ACP R/A SOLDER RECEPTACLE							
B					0.XX ± 0.13				projection															
					0.XXX ± 0.051																			
				angles	0° $\pm 2^\circ$								product family				PwrBlade				code			
				dr	Sincere He		03/04/08						size		dwg no		213		sheet					
				enrg	Sincere He		03/04/08		scale				A		51915-155		2 of 4							
				chr	Gary Hsieh		03/04/08																	
				appd	Joseph Hsia		03/04/08																	
sheet index		revision sheet																						

Pro/E

cage code
22526

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.


PRODUCT NUMBER

51915-155-
NOTE 3

1 | 2

3 |

4



RECOMMENDED PCB LAYOUT

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date	linear	0.X ±0.3	COPY		www.fciconnect.com	
B				linear	0.XX ±0.13	projection		title 4ACP	
				angles	0.XXX ±0.051			R/A SOLDER RECEPTACLE	
				dr	0° ±2°			product family PwrBlade	
				enr	Sincere He 03/04/08			code 213	
				chr	Sincere He 03/04/08			size dwg no	
				appd	Gary Hsieh 03/04/08			A 51915-155	
					Joseph Hsia 03/04/08			sheet 3 of 4	
sheet index	revision sheet					scale 1:1			

1 | 2

Pro/E

3 |

cage code 22526

4

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER																																																																																																													
51915-155- NOTE 3																																																																																																													
NOTES:																																																																																																													
1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.																																																																																																													
CONNECTOR NOTES:																																																																																																													
(2.) HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC POWER CONTACT MATERIAL: COPPER ALLOY SIGNAL PIN MATERIAL: COPPER ALLOY																																																																																																													
3. PLATING: 51915-155, 51915-155LF PLATING SPEC. WAS SHOWN IN THE PRINT OF 10064183.																																																																																																													
(4.) MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.																																																																																																													
5. PRODUCT SPECIFICATION GS-12-149. APPLICATION SPECIFICATION BUS-20-067.																																																																																																													
6. PACKAGED IN TRAYS.																																																																																																													
PCB NOTES:																																																																																																													
7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.																																																																																																													
(8.) MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.																																																																																																													
(9.) $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH 0.008 MIN SnPb OR Sn OVER 0.03 TO 0.08 Cu PLATING TO ACHIEVE $\varnothing 1.02 \pm .07$ HOLE.																																																																																																													
(10.) "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.																																																																																																													
(11.) CONNECTOR KEEP-OUT ZONE.																																																																																																													
12: THE VOID CORING IN BETWEEN POERT MODULES, SIGNAL MODULES AND END MODULES ARE ORPIONAL AND THE SHAPE MAY BE DIFERENT FOR OPTIMIZE THE MOLDING PROCESS, THE VOID CORING WILL NO EFFECT TO PRODUCT FUNCTION.																																																																																																													
13: A  SYMBOL WILL BE NEXT TO ANY DIMENSIION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH CURRENT DRAWING REVISION.																																																																																																													
<table><tr><td colspan="4">mat'l code</td><td colspan="2">SEE NOTE 2</td><td colspan="2">tolerances unless otherwise specified</td><td colspan="2">CUSTOMER</td><td colspan="2"> www.fciconnect.com</td></tr><tr><td>ltr</td><td>ecn no.</td><td>dr</td><td>date</td><td rowspan="3">linear</td><td colspan="3">0.X ± 0.3</td><td colspan="2">COPY</td><td colspan="2" rowspan="3">title 4ACP R/A SOLDER RECEPTACLE</td></tr><tr><td>B</td><td></td><td></td><td></td><td colspan="3">0.XX ± 0.13</td><td colspan="2">projection</td></tr><tr><td></td><td></td><td></td><td></td><td colspan="3">0.XXX ± 0.051</td><td colspan="2"></td></tr><tr><td></td><td></td><td></td><td></td><td>angles</td><td colspan="3">0° $\pm 2^\circ$</td><td colspan="2" rowspan="3"></td><td colspan="2" rowspan="3">product family PwrBlade</td></tr><tr><td></td><td></td><td></td><td></td><td>dr</td><td>Sincere He</td><td>03/04/08</td><td colspan="2">scale</td></tr><tr><td></td><td></td><td></td><td></td><td>enrg</td><td>Sincere He</td><td>03/04/08</td><td colspan="2">1:1</td></tr><tr><td></td><td></td><td></td><td></td><td>chr</td><td>Gary Hsieh</td><td>03/04/08</td><td colspan="2"></td><td colspan="2" rowspan="2">size A</td><td colspan="2" rowspan="2">dwg no 51915-155</td></tr><tr><td></td><td></td><td></td><td></td><td>appd</td><td>Joseph Hsia</td><td>03/04/08</td><td colspan="2"></td><td colspan="2" rowspan="2">sheet 4 of 4</td></tr><tr><td colspan="2">sheet index</td><td colspan="2">revision sheet</td><td></td><td></td><td></td><td></td><td></td><td></td><td colspan="2"></td></tr></table>		mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com		ltr	ecn no.	dr	date	linear	0.X ± 0.3			COPY		title 4ACP R/A SOLDER RECEPTACLE		B				0.XX ± 0.13			projection						0.XXX ± 0.051									angles	0° $\pm 2^\circ$					product family PwrBlade						dr	Sincere He	03/04/08	scale						enrg	Sincere He	03/04/08	1:1						chr	Gary Hsieh	03/04/08			size A		dwg no 51915-155						appd	Joseph Hsia	03/04/08			sheet 4 of 4		sheet index		revision sheet									
mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com																																																																																																			
ltr	ecn no.	dr	date	linear	0.X ± 0.3			COPY		title 4ACP R/A SOLDER RECEPTACLE																																																																																																			
B					0.XX ± 0.13			projection																																																																																																					
					0.XXX ± 0.051																																																																																																								
				angles	0° $\pm 2^\circ$					product family PwrBlade																																																																																																			
				dr	Sincere He	03/04/08	scale																																																																																																						
				enrg	Sincere He	03/04/08	1:1																																																																																																						
				chr	Gary Hsieh	03/04/08			size A		dwg no 51915-155																																																																																																		
				appd	Joseph Hsia	03/04/08							sheet 4 of 4																																																																																																
sheet index		revision sheet																																																																																																											
cage code 22526																																																																																																													



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331