

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
1	-		-	SEE SHEET 1	-	-

PLARIZATION KEYS		
TYPE "A"	TYPE "B"	TYPE "C"
P/Ns: 0-293598-1, 1-293598-1, 2-293598-1	P/Ns: 0-293598-2, 1-293598-2, 2-293598-2	P/Ns: 0-293598-3, 1-293598-3, 2-293598-3
TYPE "D"	TYPE "E"	TYPE "F"
P/Ns: 0-293598-4, 1-293598-4, 2-293598-4	P/Ns: 0-293598-5, 1-293598-5, 2-293598-5	P/Ns: 0-293598-6, 1-293598-6, 2-293598-6

	67	F	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	2-293598-6
	67	E	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	2-293598-5
	67	D	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	2-293598-4
	67	C	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	2-293598-3
	67	B	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	2-293598-2
	67	A	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	2-293598-1
	40	F	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	1-293598-6
	40	E	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	1-293598-5
	40	D	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	1-293598-4
	40	C	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	F	1-293598-3
	40	B	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	F	1-293598-2
	40	A	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	F	1-293598-1
	40	F	NATURAL		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	0-293598-6
	40	E	NATURAL		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	0-293598-5
	40	D	NATURAL		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	0-293598-4
	40	C	NATURAL		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	F	0-293598-3
	40	B	NATURAL		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	F	0-293598-2
	40	A	NATURAL		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	F	0-293598-1
NOTE	IP DEGREE CODE	POL. KEYING	COLOUR	MATERIAL	DESCRIPTION	REV.	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±°
1 PLC ±0.3
2 PLC ±0.20
3 PLC ±°
4 PLC ±°
ANGLES ±3°
FINISH -

MATERIAL

SEE NOTES

DWN
M. ZUCCA
CHK
M. ZUCCA
APVD
G. TURCO

29OCT2009
29OCT2009
29OCT2009

PRODUCT SPEC
108-20304
APPLICATION SPEC
114-20452
WEIGHT
~6.2 g

Customer Drawing

TE Connectivity

NAME
PIN HOUSING
PANEL MOUNT VERSION
NECTOR* M-LINE

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-293598

RESTRICTED TO
-



SCALE
2:1

SHEET
2


OF
4

REV
F

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
	-		-	SEE SHEET 1	-	-



PANEL / WALL
SUGGESTED CUT OUT



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
SEE NOTES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±0.3

2 PLC ±0.20

3 PLC ±

4 PLC ±

ANGLES ±3°

FINISH -

DWN
M. ZUCCA 29OCT2009

CHK
M. ZUCCA 29OCT2009

APVD
G. TURCO 29OCT2009

PRODUCT SPEC
108-20304

APPLICATION SPEC
114-20452

WEIGHT
~6.2 g

Customer Drawing

TE Connectivity

NAME
PIN HOUSING
PANEL MOUNT VERSION
NECTOR* M-LINE

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-293598

RESTRICTED TO
-

SCALE
2:1

SHEET
3


OF
4

REV
F

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
1	-		-	SEE SHEET 1	-	-


PANEL / WALL
SUGGESTED CUT OUT FOR
MULTIPLE HOLES ON MULTIPLE ROWS


(PITCH CAN BE ADJUSTED TO CUSTOMER
NEED BUT IN ANY CASE MUST NOT BE LESS
THAN 30.00 mm)



PANEL / WALL
SUGGESTED CUT OUT FOR
MULTIPLE HOLES ON SINGLE ROW

(PITCH CAN BE ADJUSTED TO CUSTOMER
NEED BUT IN ANY CASE MUST NOT BE LESS
THAN 30.00 mm)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. ZUCCA	29OCT2009		TE Connectivity		
DIMENSIONS: mm		CHK M. ZUCCA	29OCT2009				
		APVD G. TURCO	29OCT2009				
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME PIN HOUSING PANEL MOUNT VERSION NECTOR* M-LINE			
		0 PLC ±°					
		1 PLC ±0.3					
		2 PLC ±0.20					
MATERIAL SEE NOTES		3 PLC ±°		SIZE CAGE CODE DRAWING NO RESTRICTED TO			
		4 PLC ±°					
		ANGLES ±3°					
		FINISH -					
		PRODUCT SPEC 108-20304		Customer Drawing			
		APPLICATION SPEC 114-20452					
		WEIGHT ~6.2 g		A300779C-293598			
				SCALE 2:1			
				SHEET 4 OF 4			
				REV F			



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331