




VERSION WITHOUT RIBS



NOTES :

1- MATERIAL:

-HOUSING: LCP FIBER GLASS FILLED 94-V-0 COLOR BLACK.

-TERMINAL: COPPER ALLOY PLATED WITH:

BASE FINISH: NICKEL

CONTACT SURFACE FINISH:

GOLD

OR

GOLD FLASH OVER PALLADIUM NICKEL

EXCEEDS PRODUCT REQUIREMENTS BASED ON PS-95522-002

2- PC BOARD THICKNESS : 1.57

3- JACK FOR MATING WITH IEC 60603-7 AND TIA-1096-A PLUGS
90075 MOLEX SERIES .

4- PRODUCT SPECIFICATION PS-95522-002.


5- APPLICATION SPECIFICATION AS-85513-001

6- PACKAGING SPECIFICATION PK-95022. (SHT.1 TRAY PACKAGING)
PK-95022. (SHT.2 TUBE PACKAGING)

7- FOR ILLUSTRATION PURPOSES A 4 CIRCUIT IS SHOWN.

8- MANUFACTURING I.D. CAN BE EITHER MG, MXF OR MXI.

LAST INSPECTION NUMBER: 19



CORRECTED PRODUCT SPEC		DESCRIPTION	REV
EC NO: IPG2013-0619	2012/10/25		
DRWN:DBYRNES	2012/11/13	CHYD:MAHER	2012/11/20
APPR:STGRIFFIN	2012/11/20		

QUALITY SYMBOLS

▽=0

▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.25	± .014
1 PLACE	± 0.35	± ---

ANGULAR ± 2 °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE

MM ONLY

DRAWN BY	DATE	TITLE
KNOLLER	04/08/27	HIGH PROFILE TOP ENTRY JACK
CHECKED BY	DATE	
FCARABET	04/08/30	
APPROVED BY	DATE	MOLEX INCORPORATED
KNOLLER	04/08/30	

MATERIAL NO.

SEE CHART SHT. 2

SIZE

A3

SCALE

1:1

DESIGN UNITS

METRIC

THIRD ANGLE PROJECTION




MOLEX INCORPORATED

DOCUMENT NO.


SD-95522-001


SHEET NO.

1 OF 2



MOUNTING HOLE PATTERNS
(SEE FROM COMPONENT SIDE)
ALL DIMENSIONS REF DIMENSIONS

PART NUMBERS FOR JACK WITH RIBS									
	TYPE	PACKA- GING	POS. 4	TOOLED	POS. 6	TOOLED	POS. 6	TOOLED	POS. 8
			4 CKTS.		4 CKTS.		6 CKTS.		8 CKTS.
			TRAY 95522-2447		X 95522-2647		X 95522-2667		X 95522-2887
		TUBE					95522-2617 SEE NOTE 8 SH.1		

PART NUMBERS FOR JACK WITHOUT RIBS									
	TYPE	PACKA- GING	POS. 4	TOOLED	POS. 6	TOOLED	POS. 6	TOOLED	POS. 8
			4 CKTS.		4 CKTS.		6 CKTS.		8 CKTS.
			TRAY 95522-2441		X 95522-2641		X 95522-2661		X 95522-2881
		TUBE					95522-2611	X	

DIM. \ TYPE	POS. 4	POS. 6		POS. 8
	4 CKTS.	4 CKTS.	6 CKTS.	8 CKTS.
A	11.18	13.21	13.21	15.24
B	7.62	10.16	10.16	11.43
C (WITH RIBS)	14.00	16.00	16.00	18.00
D	3.81	3.81	6.35	8.89
H	7.82	9.88	9.88	11.94
J	5.64	6.70	6.70	6.30
K	3.07	4.06	4.06	4.06

REMOVED PLATING OPTIONS EC NO: IPG2012-0698 DRWN:DBYRNES 2012/04/02 CHKD:MSHAHAN 2012/04/17 APPR:EFOLAN 2012/06/28	QUALITY SYMBOLS ▽=0 C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
				DRAWN BY KNOLLER	DATE 04/08/27	TITLE HIGH PROFILE TOP ENTRY JACK			
				CHECKED BY FCARABET	DATE 04/08/30	MOLEX INCORPORATED			
				APPROVED BY KNOLLER	DATE 04/08/30	DOCUMENT NO. SD-95522-001			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SIZE A3	ANGULAR ± 2 °		SEE CHART		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SHEET NO. 2 OF 2	



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331