



PRODUCT NO	DIM L	RECOMMENDED P.C. BOARD THICKNESS
10018182-001LF	2.70	1.57mm (0.062") / 2.36mm (0.093")
10018182-011LF	3.70	2.36mm (0.093")

A




B

C

D



SECTION Y - Y




SECTION X - X

spec ref		-		dr	GL LOO	2004-02-27	projection		MM		size	A3	scale	3:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	GL LOO	2004-02-27					ecn no	S10-0228		
				chr	GL LOO	2010-10-28								
ISO 406				appr	JOEY NG	2010-10-28	product family		-	rel level		-		
surface	-	linear	0.X	±-		title	SAS RECEPTACLE VERTICAL TH TYPE ASSY			dwg no	10018182		rev	E
			0.XX	±0.20										
			0.XXX	±-										
ISO 1302		angular	0°	±2°	www.fci.com	cat. no.	-	Product - Customer Drw			sheet 1 of 2			

NOTES:

1. MATERIAL :
 1) HOUSING : HIGH TEMP THERMOPLASTIC, UL 94V-0
 COLOR : BLACK
 2) TERMINAL : COPPER ALLOY
 3) HOLD DOWN : COPPER ALLOY
2. FINISH :
 1) TERMINAL : 30μ" Au PLATING (CONTACT POINT) OVER 50μ" NICKEL
 2) SOLDER TAIL : 50μ" MIN Sn OVER 50μ" NICKEL
 3) HOLD DOWN : 50μ" MIN Sn OVER 50μ" NICKEL
3. PER SFF REV 1.1 EXCEPT 0.8mm PITCH BUMP AREA.
4. THE STD PACKAGING IS IN TRAY.
5. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.57mm MINIMUM THICK CIRCUIT BOARD.
6. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
7. PART NUMBERS ENDING IN "LF" MEANS FOR NOTE 6 LEAD FREE IDENTIFICATION.
~~P/N XXXXXXXX-XXXLF IS EQUIVALENT TO PREVIOUS P/N XXXXXXXX-XXX.~~
8. A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



RECOMMENDED P.C.B LAYOUT

spec ref		-		dr	GL L00	2004-02-27	projection		MM		size	A3	scale	3:1		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	GL L00	2004-02-27					ecn no	S10-0228				
				chr	GL L00	2010-10-15										
ISO 406				appr	JOEY NG	2010-10-15	product family		-	rel level				-		
ISO 1101					title	SAS RECEPTACLE VERTICAL TH TYPE ASSY				dwg no	10018182		rev	E		
surface	-		linear												0.X	±-
			0.XX												±0.20	
ISO 1302		angular	0°	±2°	www.fci.com	cat. no.	-	Product - Customer Drw			sheet 2 of 2					



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331