


LOC		DIST		REVISIONS						
GP		00		REV	LYR	DESCRIPTION	DATE	DWN	APVD	
				A		RELEASED	11 JAN2010	RG	MS	
				B		REV PER ECO-10-000671	12 JAN2010	RG	MS	



1. PART NUMBER CHANGES AND OR DESIGN CHANGES AFFECTING ITEM INTERCHANGEABILITY REQUIRE PRIOR TYCO ELECTRONICS APPROVAL AND AUTHORIZATION BY REVISION TO THIS DRAWING.

2. MATERIAL:
HOUSING: GLASS FILLED POLYESTER, COLOR-BLACK
UL94V-0 FLAMMABILITY RATED
LATCHES: THERMOPLASTIC, GLASS REINFORCED
COLOR: BLACK, UL94V-0 FLAMMABILITY RATED
CONTACTS: COPPER ALLOY
RETENTION POST: COPPER ALLOY

3. FINISH:
SIGNAL CONTACTS:
MATING AREA-0.76µm MIN GOLD OVER 3.81µm MIN NICKEL
0.64µm MIN NICKEL PLATE OVER REMAINDER
SMT TAILS-3.81µm MIN MATTE TIN OVER NICKEL PLATE
POWER CONTACTS:
1.27µm MIN NICKEL PLATE ALL OVER
MATING AREA-0.76µm MIN GOLD OVER NICKEL PLATE
SMT TAILS-3.05µm MIN TIN OVER NICKEL PLATE
RETENTION POSTS:
3.05µm MIN MATTE TIN OVER 0.63µm MIN NICKEL

4. ITEMS PROVIDED TO THIS SPECIFICATION TO BE PERMANENTLY IDENTIFIED WITH PART NUMBER AND DATE CODE.

5. MAXIMUM BURR OF 0.013 ON CARD TAB AREA.

6. SET TRACE BACK FROM PC BOARD EDGE. NO SOLDERMASK ALLOWED BETWEEN PC BOARD EDGE AND TRACE.

7. CONNECTOR ACCEPTS 1.57±0.13 THICK PC BOARD.

8. KEEP OUT AREA FOR COMPONENTS ONLY.

9. FEATURE REQUIRED FOR USE WITH EJECTOR.

10. CAUTION:
LATCHES ARE INTENDED FOR RETENTION OF PC BOARD TO CONNECTOR. DO NOT ATTEMPT TO FULLY EJECT PC BOARD FROM CONNECTOR WHILE DISENGAGING LATCHES, DAMAGE TO LATCHES AND OR CONNECTOR MAY OCCUR.

11. RECOMMENDED GOLD FINGER LENGTH FOR RELIABLE CONTACT.





12. DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.

13. FOR DESIGN OBJECTIVES SEE 108-2301.


GF30	2.92-3.55	5.24	2085197-8
	2.29-2.92	4.61	2085197-7
	1.57-2.29	4.19	2085197-6
	≤ 1.57	3.68	2085197-5
GF45	2.92-3.55	5.24	2085197-4
	2.29-2.92	4.61	2085197-3
	1.57-2.29	4.19	2085197-2
	≤ 1.57	3.68	2085197-1
MATERIAL 2	BOARD THICKNESS RANGE	DIM "A"	PART NUMBER

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION. THIS DRAWING IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION.		DWN R. GRZYBOWSKI 20MAR2009	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS:		CHK R. LONDON 20MAR2009	NAME	
mm		APVD M. PERCHERET 20MAR2009	PRODUCT SPEC	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC		RESTRICTED TO
9 PLC ±.5		WEIGHT		
2 PLC ±.25		CUSTOMER DRAWING		SCALE 5:1 SHEET 1 OF 4 REV B
3 PLC ±.25		SIZE CAGE CODE DRAWING NO		
4 PLC ±.25		A100779C=2085197		
5 PLC ±.25		CUSTOMER DRAWING		
6 PLC ±.25		CUSTOMER DRAWING		
7 PLC ±.25		CUSTOMER DRAWING		
8 PLC ±.25		CUSTOMER DRAWING		
9 PLC ±.25		CUSTOMER DRAWING		
10 PLC ±.25		CUSTOMER DRAWING		
11 PLC ±.25		CUSTOMER DRAWING		
12 PLC ±.25		CUSTOMER DRAWING		
13 PLC ±.25		CUSTOMER DRAWING		
14 PLC ±.25		CUSTOMER DRAWING		
15 PLC ±.25		CUSTOMER DRAWING		
16 PLC ±.25		CUSTOMER DRAWING		
17 PLC ±.25		CUSTOMER DRAWING		
18 PLC ±.25		CUSTOMER DRAWING		
19 PLC ±.25		CUSTOMER DRAWING		
20 PLC ±.25		CUSTOMER DRAWING		
21 PLC ±.25		CUSTOMER DRAWING		
22 PLC ±.25		CUSTOMER DRAWING		
23 PLC ±.25		CUSTOMER DRAWING		
24 PLC ±.25		CUSTOMER DRAWING		
25 PLC ±.25		CUSTOMER DRAWING		
26 PLC ±.25		CUSTOMER DRAWING		
27 PLC ±.25		CUSTOMER DRAWING		
28 PLC ±.25		CUSTOMER DRAWING		
29 PLC ±.25		CUSTOMER DRAWING		
30 PLC ±.25		CUSTOMER DRAWING		
31 PLC ±.25		CUSTOMER DRAWING		
32 PLC ±.25		CUSTOMER DRAWING		
33 PLC ±.25		CUSTOMER DRAWING		
34 PLC ±.25		CUSTOMER DRAWING		
35 PLC ±.25		CUSTOMER DRAWING		
36 PLC ±.25		CUSTOMER DRAWING		
37 PLC ±.25		CUSTOMER DRAWING		
38 PLC ±.25		CUSTOMER DRAWING		
39 PLC ±.25		CUSTOMER DRAWING		
40 PLC ±.25		CUSTOMER DRAWING		
41 PLC ±.25		CUSTOMER DRAWING		
42 PLC ±.25		CUSTOMER DRAWING		
43 PLC ±.25		CUSTOMER DRAWING		
44 PLC ±.25		CUSTOMER DRAWING		
45 PLC ±.25		CUSTOMER DRAWING		
46 PLC ±.25		CUSTOMER DRAWING		
47 PLC ±.25		CUSTOMER DRAWING		
48 PLC ±.25		CUSTOMER DRAWING		
49 PLC ±.25		CUSTOMER DRAWING		
50 PLC ±.25		CUSTOMER DRAWING		
51 PLC ±.25		CUSTOMER DRAWING		
52 PLC ±.25		CUSTOMER DRAWING		
53 PLC ±.25		CUSTOMER DRAWING		
54 PLC ±.25		CUSTOMER DRAWING		
55 PLC ±.25		CUSTOMER DRAWING		
56 PLC ±.25		CUSTOMER DRAWING		
57 PLC ±.25		CUSTOMER DRAWING		
58 PLC ±.25		CUSTOMER DRAWING		
59 PLC ±.25		CUSTOMER DRAWING		
60 PLC ±.25		CUSTOMER DRAWING		
61 PLC ±.25		CUSTOMER DRAWING		
62 PLC ±.25		CUSTOMER DRAWING		
63 PLC ±.25		CUSTOMER DRAWING		
64 PLC ±.25		CUSTOMER DRAWING		
65 PLC ±.25		CUSTOMER DRAWING		
66 PLC ±.25		CUSTOMER DRAWING		
67 PLC ±.25		CUSTOMER DRAWING		
68 PLC ±.25		CUSTOMER DRAWING		
69 PLC ±.25		CUSTOMER DRAWING		
70 PLC ±.25		CUSTOMER DRAWING		
71 PLC ±.25		CUSTOMER DRAWING		
72 PLC ±.25		CUSTOMER DRAWING		
73 PLC ±.25		CUSTOMER DRAWING		
74 PLC ±.25		CUSTOMER DRAWING		
75 PLC ±.25		CUSTOMER DRAWING		
76 PLC ±.25		CUSTOMER DRAWING		
77 PLC ±.25		CUSTOMER DRAWING		
78 PLC ±.25		CUSTOMER DRAWING		
79 PLC ±.25		CUSTOMER DRAWING		
80 PLC ±.25		CUSTOMER DRAWING		
81 PLC ±.25		CUSTOMER DRAWING		
82 PLC ±.25		CUSTOMER DRAWING		
83 PLC ±.25		CUSTOMER DRAWING		
84 PLC ±.25		CUSTOMER DRAWING		
85 PLC ±.25		CUSTOMER DRAWING		
86 PLC ±.25		CUSTOMER DRAWING		
87 PLC ±.25		CUSTOMER DRAWING		
88 PLC ±.25		CUSTOMER DRAWING		
89 PLC ±.25		CUSTOMER DRAWING		
90 PLC ±.25		CUSTOMER DRAWING		
91 PLC ±.25		CUSTOMER DRAWING		
92 PLC ±.25		CUSTOMER DRAWING		
93 PLC ±.25		CUSTOMER DRAWING		
94 PLC ±.25		CUSTOMER DRAWING		
95 PLC ±.25		CUSTOMER DRAWING		
96 PLC ±.25		CUSTOMER DRAWING		
97 PLC ±.25		CUSTOMER DRAWING		
98 PLC ±.25		CUSTOMER DRAWING		
99 PLC ±.25		CUSTOMER DRAWING		
100 PLC ±.25		CUSTOMER DRAWING		

LOC		DIST		REVISONS			
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-




DETAIL Z
SCALE 12:1




THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION, NO PART OF THIS DRAWING MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION, NO PART OF THIS DRAWING MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.				DWN R.GRZYBOWSKI 20MAR2009		Tyco Electronics Harrisburg, PA 17105-3608	
CHK R.LONDON 20MAR2009				APVD M.PERCHEM 20MAR2009		NAME SOCKET CONNECTOR ASSEMBLY W/ LATCH, SMT, 1P-18S-3P MINI CROWN EDGE	
PRODUCT SPEC				APPLICATION SPEC		SIZE CAGE CODE DRAWING NO	
WEIGHT				CUSTOMER DRAWING		A100779C=2085197	
SCALE 5:1				SHEET 2 OF 4		REV B	





LOC		DIST		REVISIONS					
GP	00	P	LTR	DESCRIPTION			DATE	DWN	APVD
			-	SEE SHEET I			-	-	-



RECOMMENDED MATING BOARD
SCALE 4:1




RECOMMENDED PC BOARD KEEP OUT AREA
SCALE 4:1



THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED IN THE ORDER. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.				DWN R. GRZYBOWSKI 20MAR2009		Tyco Electronics Harrisburg, PA 17105-3608			
DIMENSIONS:				CHK R. LANDON 20MAR2009		NAME SOCKET CONNECTOR ASSEMBLY W/ LATCH, SMT, 1P-18S-3P MINI CROWN EDGE			
mm				TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC APPLICATION SPEC WEIGHT SIZE CAGE CODE DRAWING NO RESTRICTED TO A100779C=2085197			
0 PLC ±.5				APVD M. PERCHERET 20MAR2009					
1 PLC ±.5									
2 PLC ±.25									
3 PLC ±.25									
4 PLC ±.25									
ANGLES				±.2					
FINISH									
MATERIAL									
SCALE				5:1					
SHEET				3 OF 4					
REV				B					



THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE WITHOUT NOTICE AND WITHOUT OBLIGATION OF TYCO ELECTRONICS CORPORATION TO ADVISE THE CUSTOMER OF ANY SUCH CHANGE UNLESS CONTRACTED FOR THE LATEST REVISION.		DWN R. GRZYBOWSKI 20MAR2009 CHN R. LONDON 20MAR2009 APVD M. PERCHERRE 20MAR2009		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 1 PLC ± 2 PLC ±.5 3 PLC ±.25 4 PLC ANGLES ±.75		NAME SOCKET CONNECTOR ASSEMBLY W/ LATCH, SMT, IP-18S-3P MINI CROWN EDGE	
MATERIAL -		FINISH -		SIZE A	
WEIGHT -		APPLICATION SPEC -		CASE CODE 00779	
CUSTOMER DRAWING		DRAWING NO C=2085197		RESTRICTED TO -	
		SCALE 5:1		SHEET 4 OF 4	
		REV B			



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331