


CATALOG LISTING		M LSA-LSW SERIES CHART 1	
ISSUE	NO	PAGE 1	OF 10
12	121994	PSR	121910
12	121994	CHECK	121910
REVIEWS			
A	85	040197	
B	85	040197	
C	10	040197	
D	20	040197	
E	20	040197	
F	20	040197	
G	20	040197	
H	20	040197	
I	20	040197	
J	20	040197	
K	20	040197	
L	20	040197	
M	20	040197	
N	20	040197	
O	20	040197	
P	20	040197	
Q	20	040197	
R	20	040197	
S	20	040197	
T	20	040197	
U	20	040197	
V	20	040197	
W	20	040197	
X	20	040197	
Y	20	040197	
Z	20	040197	
AA	20	040197	
AB	20	040197	
AC	20	040197	
AD	20	040197	
AE	20	040197	
AF	20	040197	
AG	20	040197	
AH	20	040197	
AI	20	040197	
AJ	20	040197	
AK	20	040197	
AL	20	040197	
AM	20	040197	
AN	20	040197	
AO	20	040197	
AP	20	040197	
AQ	20	040197	
AR	20	040197	
AS	20	040197	
AT	20	040197	
AU	20	040197	
AV	20	040197	
AW	20	040197	
AX	20	040197	
AY	20	040197	
AZ	20	040197	
BA	20	040197	
BB	20	040197	
BC	20	040197	
BD	20	040197	
BE	20	040197	
BF	20	040197	
BG	20	040197	
BH	20	040197	
BI	20	040197	
BJ	20	040197	
BK	20	040197	
BL	20	040197	
BM	20	040197	
BN	20	040197	
BO	20	040197	
BP	20	040197	
BQ	20	040197	
BR	20	040197	
BS	20	040197	
BT	20	040197	
BU	20	040197	
BV	20	040197	
BW	20	040197	
BX	20	040197	
BY	20	040197	
BZ	20	040197	
CA	20	040197	
CB	20	040197	
CC	20	040197	
CD	20	040197	
CE	20	040197	
CF	20	040197	
CG	20	040197	
CH	20	040197	
CI	20	040197	
CJ	20	040197	
CK	20	040197	
CL	20	040197	
CM	20	040197	
CN	20	040197	
CO	20	040197	
CP	20	040197	
CQ	20	040197	
CR	20	040197	
CS	20	040197	
CT	20	040197	
CU	20	040197	
CV	20	040197	
CW	20	040197	
CX	20	040197	
CY	20	040197	
CZ	20	040197	
DA	20	040197	
DB	20	040197	
DC	20	040197	
DD	20	040197	
DE	20	040197	
DF	20	040197	
DG	20	040197	
DH	20	040197	
DI	20	040197	
DJ	20	040197	
DK	20	040197	
DL	20	040197	
DM	20	040197	
DN	20	040197	
DO	20	040197	
DP	20	040197	
DQ	20	040197	
DR	20	040197	
DS	20	040197	
DT	20	040197	
DU	20	040197	
DV	20	040197	
DW	20	040197	
DX	20	040197	
DY	20	040197	
DZ	20	040197	
EA	20	040197	
EB	20	040197	
EC	20	040197	
ED	20	040197	
EE	20	040197	
EF	20	040197	
EG	20	040197	
EH	20	040197	
EI	20	040197	
EJ	20	040197	
EK	20	040197	
EL	20	040197	
EM	20	040197	
EN	20	040197	
EO	20	040197	
EP	20	040197	
EQ	20	040197	
ER	20	040197	
ES	20	040197	
ET	20	040197	
EU	20	040197	
EV	20	040197	
EW	20	040197	
EX	20	040197	
EY	20	040197	
EZ	20	040197	
FA	20	040197	
FB	20	040197	
FC	20	040197	
FD	20	040197	
FE	20	040197	
FF	20	040197	
FG	20	040197	
FH	20	040197	
FI	20	040197	
FJ	20	040197	
FK	20	040197	
FL	20	040197	
FM	20	040197	
FN	20	040197	
FO	20	040197	
FP	20	040197	
FO	20	040197	
FR	20	040197	
FS	20	040197	
FT	20	040197	
FU	20	040197	
FV	20	040197	
FW	20	040197	
FX	20	040197	
FY	20	040197	
FZ	20	040197	
GA	20	040197	
GB	20	040197	
GC	20	040197	
GD	20	040197	
GE	20	040197	
GF	20	040197	
GG	20	040197	
GH	20	040197	
GI	20	040197	
GJ	20	040197	
GK	20	040197	
GL	20	040197	
GM	20	040197	
GN	20	040197	
GO	20	040197	
GP	20	040197	
GQ	20	040197	
GR	20	040197	
GS	20	040197	
GT	20	040197	
GU	20	040197	
GV	20	040197	
GW	20	040197	
GX	20	040197	
GY	20	040197	
GZ	20	040197	
HA	20	040197	
HB	20	040197	
HC	20	040197	
HD	20	040197	
HE	20	040197	
HF	20	040197	
HG	20	040197	
HH	20	040197	
HI	20	040197	
HJ	20	040197	
HK	20	040197	
HL	20	040197	
HM	20	040197	
HN	20	040197	
HO	20	040197	
HP	20	040197	
HQ	20	040197	
HR	20	040197	
HS	20	040197	
HT	20	040197	
HU	20	040197	
HV	20	040197	
HW	20	040197	
HX	20	040197	
HY	20	040197	
HZ	20	040197	
IA	20	040197	
IB	20	040197	
IC	20	040197	
ID	20	040197	
IE	20	040197	
IF	20	040197	
IG	20	040197	
IH	20	040197	
II	20	040197	
IJ	20	040197	
IK	20	040197	
IL	20	040197	
IM	20	040197	
IN	20	040197	
IO	20	040197	
IP	20	040197	
IQ	20	040197	
IR	20	040197	
IS	20	040197	
IT	20	040197	
IU	20	040197	
IV	20	040197	
IW	20	040197	
IX	20	040197	
IY	20	040197	
IZ	20	040197	
JA	20	040197	
JB	20	040197	
JC	20	040197	
JD	20	040197	
JE	20	040197	
JF	20	040197	
JG	20	040197	
JH	20	040197	
JI	20	040197	
IJ	20	040197	
JK	20	040197	
IL	20	040197	
JM	20	040197	
JN	20	040197	
JO	20	040197	
JP	20	040197	
JK	20	040197	
JR	20	040197	
JS	20	040197	
JT	20	040197	
JU	20	040197	
JV	20	040197	
JW	20	040197	
JX	20	040197	
JY	20	040197	
JZ	20	040197	
KA	20	040197	
KB	20	040197	
KC	20	040197	
KD	20	040197	
KE	20	040197	
KF	20	040197	
KG	20	040197	
KH	20	040197	
KI	20	040197	
KJ	20	040197	
KK	20	040197	
KL	20	040197	
KM	20	040197	
KN	20	040197	
KO	20	040197	
KP	20	040197	
KQ	20	040197	
KR	20	040197	
KS	20	040197	
KT	20	040197	
KU	20	040197	
KV	20	040197	
KW	20	040197	
KX	20	040197	
KY	20	040197	
KZ	20	040197	
LA	20	040197	
LB	20	040197	
LC	20	040197	
LD	20	040197	
LE	20	040197	
LF	20	040197	
LG	20	040197	
LH	20	040197	
LI	20	040197	
LJ	20	040197	
LK	20	040197	
LL	20	040197	
LM	20	040197	
LN	20	040197	
LO	20	040197	
LP	20	040197	
LQ	20	040197	
LR	20	040197	
LS	20	040197	
LT	20	040197	
LU	20	040197	
LV	20	040197	
LW	20	040197	
LX	20	040197	
LY	20	040197	
LZ	20	040197	
MA	20	040197	
MB	20	040197	
MC	20	040197	
MD	20	040197	
ME	20	040197	
MF	20	040197	
MG	20	040197	
MH	20	040197	
MI	20	040197	
MJ	20	040197	
MK	20	040197	
ML	20	040197	
MM	20	040197	
MN	20	040197	
MO	20	040197	
MP	20	040197	
MQ	20	040197	
MR	20	040197	
MS	20	040197	
MT	20	040197	
MU	20	040197	
MV	20	040197	
MW	20	040197	
MX	20	040197	
MY	20	040197	
MZ	20	040197	
NA	20	040197	
NB	20	040197	
NC	20	040197	
ND	20	040197	
NE	20	040197	
NF	20	040197	
NG	20	040197	
NH	20	040197	
NI	20	040197	
NJ	20	040197	
NK	20	040197	
NL	20	040197	
NM	20	040197	
NN	20	040197	
NO	20	040197	
NP	20	040197	
NQ	20	040197	
NR	20	040197	
NS	20	04	

DOUBLE POLE



TYPE: LSA2, LSH2, LSM2, LSN2, LSP2, LSR2
LSA4, LSH4, LSM4, LSN4, LSP4, LSR4

SINGLE POLE PLUG-IN ONLY
WITH INDICATOR LAMP

1.900

.180 X .400 LENS
(FLUSH WITH HOUSING)

This diagram shows a side view of a single pole plug-in unit. It features a rectangular housing with a central window. A dimension line on the left indicates a height of 1.900. At the bottom of the housing, there is a small rectangular lens. A callout line points to this lens with the text ".180 X .400 LENS (FLUSH WITH HOUSING)". The top of the unit has a plug-in connector with two terminals, one of which is labeled with a circled 'E'. The bottom of the unit has two mounting holes, one of which is labeled with a circled 'E'.

OPERATING DATA-SIDE ROTARY

INITIAL POSITION

PRETRAVEL

P.T.

D.T.


R.T.

O.T.

OVERTRAVEL

DIFFERENTIAL TRAVEL

RELEASE TRAVEL



THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH, A DIVISION OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH.		
MICRO SWITCH a Honeywell Division FED. MFG. CODE 91929	SWITCH - ENCLOSED	CATALOG LISTING
		LSA-LSW SERIES CHART 1

THIRD ANGLE PROJECTION

SCALE NONE


DO NOT SCALE PRINT

UNLESS OTHERWISE SPECIFIED
TOLERANCES ARE


ONE PLACE	(.0)	$\pm .030$
TWO PLACES	(.00)	$\pm .015$
THREE PLACES	(.000)	$\pm .005$
ANGLES		$\pm$

WEIGHT


SIDE ROTARY CAM TRACKING




LSZ51 TYPE LEVERS




LSZ55 TYPE LEVERS




LSZ52 TYPE LEVER



LSZ54 TYPE LEVER



OPEN MOUNTED ROLLER



CLOSED MOUNTED ROLLER

LSZ59 TYPE LEVERS

NOTES

- 1 ALSO AVAILABLE IN Ø.250 X 1.500 NYLON, BUT LEVER CANNOT BE INVERTED
- 2 FOR ADDITIONAL ROLLER WIDTHS AND/OR DIAMETERS REFER TO "M" DRAWING
- 3 - FOR ADDITIONAL TYPES OF ROLLERS AND LEVERS REFER TO LSZ CHART 1 "M" DRAWING

CATALOG LISTING
LSA-LSW SERIES CHART 1
PAGE 2 OF 10
REPLACES LSA-LSW SERIES
10JUL07 RELEASE NO. CO-78498
PSR
CHECK
11AUG04
AK
11JUL94
JAF
15JUN94
MAM
DRAWN
MASTER


REV	DATE	BY	CHK	DESCRIPTION
1	0031956			
2	10JUL07	BS		
3	201004	B		
4	10AUG00	C SL		
5	201748	C		
6	17NOV00	C SL		
7	202198	D		
8	20JAN01	E		
9	204871	F		
10	206581	F		
11	14OCT02	G		
12	206763	G		
13	31OCT02	H		
14	207178	H		
15	207474	J		
16	18FEB03	K		
17	0006871	K		

THIRD ANGLE PROJECTION			
SCALE NONE			
DO NOT SCALE PRINT			
UNLESS OTHERWISE SPECIFIED TOLERANCES ARE			
ONE PLACE	(0)	±.030	
TWO PLACES	(.00)	±.015	
THREE PLACES	(.000)	±.005	
ANGLES		±	
WEIGHT			

TOP ROTARY

SINGLE POLE

DOUBLE POLE



TYPE LSB1 and LSB3

TYPE LSB2 and LSB4
LSB6 and LSB7 have 1/2 - 14 NPT
CONDUIT HOLE

	SINGLE POLE	DOUBLE POLE
PRETRAVEL MAX	25°	25°
OVERTRAVEL MIN	110°	110°
DIFFERENTIAL TRAVEL MAX	10°	12°
OPERATING TORQUE MAX	2 5 IN. LBS	2 5 IN. LBS
TOTAL TRAVEL (REF)	135°	135°

ELECTRICAL RATINGS

A.C. VOLTAGE	AMPS AT 35 POWER FACTOR			
	SINGLF POLE		DOUBLE POLE	
	MAKE	BREAK	MAKE	BREAK
120	60	6	30	3
240	30	3	15	1.5
480	15	1.5	7.5	75
600	12	1.2	6	6

D. C. VOLTAGE	MAKE & BREAK INDUCTIVE		RESISTIVE
120	0.25	0.80	
240	0.15	0.40	

ELECTRONIC DUTY BASIC SWITCH
10 AMP CONT

VOLTAGE		30 WATT
5 AC OR DC MIN		
600 AC		
240 DC		


DIRECT ACTING (ALSO RATED AT A.C. 10
AMP CONT.)

D. C. VOLTAGE	MAKE AND BREAK AMPS		RESISTIVE
	INDUCTIVE		
30	4.2		4.2
120	1.1		1.1
240	.55		.55


WIRING BASIC SWITCH
(SAME POLARITY MUST BE OBSERVED FOR EACH POLE)

DOUBLE POLE

SINGLE POLE



SINGLE POLE




DIRECT ACTING




NOTES
DIFFERENTIAL TRAVEL ON ALL OPERATING
CHARACTERISTICS NOT APPLICABLE

SINGLE POLE




TYPE LSD1 and LSD3

DOUBLE POLE




TYPE LSD2 and LSD4


*(LSD6 and LSD7 have 1/2 - 14 NPT CON



TYPE LSC1 and LSC3




**TYPE LSC2
and LSC4**




120 LAMP VOLTAGE -
TYPE LSC5, LSD5 or LSV5


240 LAMP VOLTAGE .
TYPE LSC8, LSD8 or LSV8



**TYPE LSV1
and LSV3**



**TYPE LSV2
and LSV4**



THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH A DIVISION OF HONEYWELL THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH

MICRO SWITCH
a Honeywell Division

SWITCH - ENCLOSED

CATALOG LISTING

LSA-LSW SERIES



CHART 1

PAGE 4 OF 10

SCALE NONE

DO NOT SCALE PRINT

SINGLE POLE DOUBLE POLE



SCALE NONE

DO NOT SCALE PRINT



TYPE LSG1 and LSG3

INITIAL POSITION —
(FREE POSITION) }
OPERATING POINT }
FULL TRAVEL —

OPERATING POINT GIVEN
IN RELATION TO TOP
MOUNTING HOLE

SIDE PLUNGER TYPES

PAGE 6 OF 10

SWITCH - ENCLOSED

CATALOG LISTING
LSA-LSW SERIES
CHART 1

SCALE		NONE	
DO NOT SCALE PRINT			
UNLESS			
DIMENSIONS ARE IN			
TOLERANCES			
ONE PLACE	(0)	+	01
TWO PLACE	(.00)	+	00
THREE PLACE	(.000)	+	000
ANGLES		+	
WEIGHT			

REVISIONS	BS	10 JUL 07	10031956
	B	201004	
C	10 AUG 00		
	C	201748	
D	17 NOV 00		
	D	202198	
E	23 JAN 01		
	E	204871	
F	14 FEB 02		
	F	206581	
G	14 OCT 02		
	G	206763	
H	31 OCT 02		
	H	207179	
J	14 JAN 03		
	J	207474	
K	18 FEB 03		
	K	0006871	
MAM	15 JUN 94		
	MAM	11 AUG 94	

ISSUE	12	PSR	10 JUL 07	RELEASE NO	CO-78498	REPLACES	LSA-LSW SERIES
LSA-LSW SERIES CHART 1							
PAGE 7 OF 10							

CATALOG LISTING

LSA-LSW SERIES CHART 1

LSA-LSW SERIES

RASTER
DRAWN

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94

11 AUG 94


11 AUG 94

11 AUG 94


WOBBLE STICK

SINGLE POLE


DOUBLE POLE




**PLASTIC EXTENSION
TYPE 7A ACTUATOR**
TYPE LSJ1 AND LSJ3




**PLASTIC EXTENSION
TYPE 7A ACTUATOR**
TYPE LSJ2 AND LSJ4
LSJ6 AND LSJ7 HAVE
1/2 - 14 NPT CONDUIT HOLE




**SINGLE POLE PLUG-IN ONLY
WITH INDICATOR LAMP**



**120 LAMP VOLTAGE TYPE LSJ5
240 LAMP VOLTAGE TYPE LSJ8
24 LED VOLTAGE TYPE LSJ9**




**CABLE EXTENSION
TYPE 7N ACTUATOR**




**CABLE EXTENSION
TYPE 7N ACTUATOR**

**REPLACEMENT ACTUATOR
LSZ-4009**



**MANIFOLD MOUNT (PLUG-IN ONLY)
SINGLE POLE AND DOUBLE POLE
TYPE LSA THROUGH LSW SERIES**




**CABLE EXTENSION
TYPE 7N ACTUATOR**

**REPLACEMENT ACTUATOR
LSZ-4011**

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH, A DIVISION OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH.			CATALOG LISTING	
MICRO SWITCH a Honeywell Division		SWITCH - ENCLOSED		LSA-LSW SERIES CHART 1
FED MFG CODE 91929				

PAGE 7 OF 10


SCALE NONE
DO NOT SCALE PRINT



WIRE EXTENSION TYPE 7M ACTUATOR

TYPE LSJ1 and LSJ3

REPLACEMENT ACTUATOR - LSZ 4010




WIRE EXTENSION TYPE 7M ACTUATOR

TYPE LSJ2 and LSJ4

LSJ6 and LSJ7 have 1/2 - 14 NPT CONDUIT HOLE


SINGLE POLE PLUG-IN ONLY
WITH INDICATOR LAMP



120 LAMP VOLTAGE TYPE LSJ5
240 LAMP VOLTAGE TYPE LSJ8

CAT WHISKER

SINGLE POLE




TYPE LSK1
and LSK3

120 LAMP VOLTAGE
TYPE LSK5 - CAT WHISKER TYPE LSB5 - TOP ROTARY
240 LAMP VOLTAGE
TYPE LSK8 - CAT WHISKER TYPE LSB8 - TOP ROTARY

*WIRE EXTENSION REPLACEMENT ACTUATOR
TYPE 8A ACTUATOR 5.5 IN.-LSZ 4012
TYPE 8B ACTUATOR 7.5 IN.-LSZ 4013
TYPE 8C COIL ACTUATOR 5.5 IN.-LSZ 4014
ACTUATOR 9.5 IN. - LSZ4036

DOUBLE POLE



TYPE LSK2
and LSK4
LSK6 and LSK7
have 1/2 - 14 NPT
CONDUIT HOLE

WIRE EXTENSION

*TYPE 8A ACTUATOR 5.5 IN.
TYPE 8B ACTUATOR 7.5 IN.
TYPE 8C ACTUATOR 5.5 IN.
TYPE 8D ROD ACTUATOR 5.5 IN.

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH A DIVISION OF HONEYWELL THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH

MICRO SWITCH
a Honeywell Division
FED MFG CODE 91929

SWITCH - ENCLOSED

CATALOG LISTING
LSA-LSW SERIES
CHART 1

PAGE 8 OF 10

SCALE NONE
DO NOT SCALE PRINT

PRETRAVEL (APPROX) IN. RADIUS	CAT. WHISKER		WOBBLE STICK	
	5/16" COIL	5/16" WIRE	7/16" ROD	WIRE
	2	2	1.0	4.0
OPERATING FORCE-OZ (MAX)	7.0	5.0	3.0	7.0
			10.0	5.0

REV	DATE	BY	CHKD	DESCRIPTION
L	0031956			BS
B	10JUL07			201004
C	201748			201748
D	202198			202198
E	204871			204871
F	206581			206581
G	206763			206763
H	207179			207179
J	207474			207474
K	0006871			0006871


ISSUE	12	PSR	10JUL07	RELEASE NO	CO-78498	REPLACES	LSA-LSW SERIES
CATALOG LISTING	LSA-LSW SERIES CHART 1	PAGE 9 OF 10					

RASTER	15 JUN 94	CHKD	JAF	11 AUG 94	CHKD	KR	11 AUG 94
DRAWN							

CONVERSION BASES


**SINGLE POLE
(SIDE ROTARY)
LSZ 4003**

**DOUBLE POLE
(SIDE ROTARY)
LSZ 4004**



NOTE
SEE OTHER PAGES OF LSA-LSW
(M) DRAWING FOR DIMENSION OF LIMITS

**SINGLE POLE
TOP PLUNGER
LSZ 4003**



NOTE
SEE OTHER PAGES OF LSA-LSW
(M) DRAWING FOR DIMENSION OF LIMIT SWITCH

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH. A DIVISION OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH.		PAGE 9 OF 10
MICRO SWITCH a Honeywell Division	SWITCH - ENCLOSED	CATALOG LISTING LSA-LSW SERIES CHART 1
FED MFG CODE 91829		

SCALE FULL
DO NOT SCALE PRINT

HEAD TYPE	CELLULOSE	DETERGENT	5 STAR	ASTM #1	ASTM #2	ASTM #3	ASTM #4	HOUGHTON SAFE 271	HOUGHTON SAFE 620	HOUGHTON SAFE 1010, 1035, 1120	MINERAL OIL	PETROL OIL	SILICON CRUDE	SUNSAFE	BEER	STODDARD SOLV.	CHLORINATED SOLVENTS	CITRIC ACID	DI-ESTER SYN. LUBRICANTS	OZONE	PYDRAUL	PROGUARD	PETROL BASE HYDRAULIC OIL	LARD OIL	SILICATE ESTERS
LSA	4	1	1	1	1	1	2	1	4	1	1	1	1	1	1	4	1	2	4	4	4	1	1	2	
LSB	4	1	1	1	1	1	2	1	4	1	1	1	1	1	1	4	1	2	4	4	4	1	1	2	
LSC	4	2	2	1	2	4	4	2	4	2	2	1	2	1	2	4	1	4	3	4	4	2	2	2	
LSD	4	2	2	1	2	4	4	2	4	2	2	1	2	1	2	4	1	4	3	4	4	2	2	2	
LSE	4	2	2	1	2	4	4	2	4	2	2	1	2	1	2	4	1	4	3	4	4	2	2	2	
LSF	4	2	2	1	2	4	4	2	4	2	2	1	2	1	2	4	1	4	2	4	4	2	2	2	
LSG	4	2	2	1	2	4	4	2	4	2	2	1	2	1	2	4	1	4	3	4	4	2	2	2	
LSH	4	1	1	1	1	1	2	1	4	1	1	1	1	1	1	4	1	2	4	4	4	1	1	2	
LSJ	4	2	2	1	2	4	4	2	4	2	2	1	2	1	2	4	1	4	3	4	4	2	2	2	
LSK	4	2	2	1	2	4	4	2	4	2	2	1	2	1	2	4	1	4	3	4	4	2	2	2	
LSL	4	1	1	1	1	1	2	1	4	1	1	1	1	1	1	4	1	2	4	4	4	1	1	2	
LSM	4	1	1	1	1	1	2	1	4	1	1	1	1	1	1	4	1	2	4	4	4	1	1	2	
LSN	4	1	1	1	1	1	2	1	4	1	1	1	1	1	1	4	1	2	4	4	4	1	1	2	
LSP	4	1	1	1	1	1	2	1	4	1	1	1	1	1	1	4	1	2	4	4	4	1	1	2	
LSR	4	1	1	1	1	1	2	1	4	1	1	1	1	1	1	4	1	2	4	4	4	1	1	2	
LSV	4	2	2	1	2	4	4	2	4	2	2	1	2	1	2	4	1	4	3	4	4	2	2	2	
LSW	4	2	2	1	2	4	4	2	4	2	2	1	2	1	2	4	1	4	2	4	4	2	2	2	
LST	UNSEALED DEVICE, INTENDED TO MEET NEMA 1 ONLY																								
LSS	UNSEALED DEVICE, INTENDED TO MEET NEMA 1 ONLY																								

CODE: 1 SATISFACTORY 2 FAIR 3 DOUBTFUL 4 UNSATISFACTORY

TEMPERATURE LIMITATIONS FOR STANDARD DEVICES		
TYPES	LOW LIMIT	HIGH LIMIT
LSA	+10°F	+250°F
LSB	+30°F	+250°F
LSC	+10°F	+200°F
LSD	+10°F	+200°F
LSE	+10°F	+200°F
LSF	+10°F	+200°F
LSG	+30°F	+200°F
LSH	+30°F	+250°F
LSJ	+10°F	+200°F
LSK	+10°F	+200°F
LSL	+10°F	+250°F
LSM	+30°F	+250°F
LSN	+30°F	+250°F
LSP	+10°F	+250°F
LSR	+30°F	+250°F
LSV	+10°F	+200°F
LSW	+10°F	+200°F
LST	+30 F	+170°F
LSS	+30°F	+170°F

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH A DIVISION OF HONEYWELL THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH

MICRO SWITCH
a Honeywell Division

SWITCH - ENCLOSED

CATALOG LISTING
LSA-LSW SERIES
CHART 1

FED. MFG. CODE 91929



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331