

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0019092096
Status: Active
Overview: standard_093
Description: 2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-0, 9 Circuits

Documents:
[3D Model](#)
[Packaging Specification \(PDF\)](#)
[Drawing \(PDF\)](#)
[RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

CSA	LR19980
TUV	R72081037
UL	E29179

General

Product Family	Crimp Housings
Series	3191
Comments	Polarized to Mating Part
Overview	standard_093
Product Name	Standard .093"

Physical

Breakaway	No
Circuits (maximum)	9
Circuits Detail	3x3
Color - Resin	Natural
Flammability	94V-0
Gender	Dual
Glow-Wire Compliant	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	Nylon
Number of Rows	3
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface (in)	0.264 In
Pitch - Mating Interface (mm)	6.71 mm
Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	-40°C to +105°C

Electrical


Current - Maximum per Contact	9A
-------------------------------	----

Material Info

Old Part Number	3191-9P1-201
-----------------	--------------

Reference - Drawing Numbers

Packaging Specification	PK-3191-001
Sales Drawing	SD-3191-9*



Series

image - Reference only

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status
Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)






Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[3191](#)Series

Mates With
[3191](#) Pin and Socket Recptacle, [5219](#) Vertical PCB Header

Use With
[1189](#) Crimp Terminals, [1190](#) Crimp Terminals, [1380](#) Male Crimp Terminals, [1381](#) Female Crimp Terminals, [1433](#) Crimp Terminals, [1434](#) Male Crimp Terminals, [2605](#) , [2606](#) , [1973](#) , [2151](#) , [2273](#) , [2870](#) , [2871](#) , [4272](#) , Lin

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



PLUG

DIMENSIONS SHOWN (METRIC) INCH		TITLE																													
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± .005°		REVISE ONLY ON CAD SYSTEM																													
<table border="1"> <thead> <tr> <th></th> <th>INCH</th> <th>METRIC</th> </tr> </thead> <tbody> <tr> <td>3 PLACE</td> <td>± .010</td> <td>---</td> </tr> <tr> <td>2 PLACE</td> <td>± .014</td> <td>± 0.25</td> </tr> <tr> <td>1 PLACE</td> <td>---</td> <td>± 0.35</td> </tr> </tbody> </table>			INCH	METRIC	3 PLACE	± .010	---	2 PLACE	± .014	± 0.25	1 PLACE	---	± 0.35	<table border="1"> <thead> <tr> <th colspan="2">PART NO.</th> <th colspan="2">DRAWING NO.</th> </tr> </thead> <tbody> <tr> <td colspan="2">SEE CHART</td> <td colspan="2">SD-3191-9*</td> </tr> </tbody> </table>		PART NO.		DRAWING NO.		SEE CHART		SD-3191-9*									
	INCH	METRIC																													
3 PLACE	± .010	---																													
2 PLACE	± .014	± 0.25																													
1 PLACE	---	± 0.35																													
PART NO.		DRAWING NO.																													
SEE CHART		SD-3191-9*																													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		<table border="1"> <thead> <tr> <th>FILE NAME</th> <th>THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.</th> <th>DATE</th> <th>SIZE</th> </tr> </thead> <tbody> <tr> <td>531919X1.DGN</td> <td></td> <td>8/2/89</td> <td>CP C</td> </tr> </tbody> </table>		FILE NAME	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	DATE	SIZE	531919X1.DGN		8/2/89	CP C																				
FILE NAME	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	DATE	SIZE																												
531919X1.DGN		8/2/89	CP C																												
<table border="1"> <thead> <tr> <th>DRWG. BY</th> <th>CHKD. BY</th> <th>SCALE</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td>CEP</td> <td>RW</td> <td>2:1</td> <td></td> </tr> </tbody> </table>		DRWG. BY	CHKD. BY	SCALE	DATE	CEP	RW	2:1		<table border="1"> <thead> <tr> <th>MFG.</th> <th>SH.</th> <th>REV.</th> <th>LTR.</th> <th>REVISIONS</th> </tr> </thead> <tbody> <tr> <td>J</td> <td>3</td> <td>J</td> <td></td> <td></td> </tr> <tr> <td>J</td> <td>2</td> <td>J</td> <td></td> <td></td> </tr> <tr> <td>J</td> <td>1</td> <td>J</td> <td></td> <td></td> </tr> </tbody> </table>		MFG.	SH.	REV.	LTR.	REVISIONS	J	3	J			J	2	J			J	1	J		
DRWG. BY	CHKD. BY	SCALE	DATE																												
CEP	RW	2:1																													
MFG.	SH.	REV.	LTR.	REVISIONS																											
J	3	J																													
J	2	J																													
J	1	J																													

J	3	J	ADD RAMP DIM'S ECN #U4 0293 3-1-94 RW
J	2	J	REV. AND REDRAWN ECN #U90392 SEP 8-2-89 RW
J	1	J	

J	3	J	REVISE ONLY ON CAD SYSTEM
J	2	J	
J	1	J	

NO P.S.

13	12	11	10	9	8	7	6	3191	4	3	2	1
----	----	----	----	---	---	---	---	------	---	---	---	---

PLUG		RECEPTACLE	
PART NO.	ENG. NO.	PART NO.	ENG. NO.
19-09-2098	3191-9P	19-09-1099	3191-9R1
19-09-2099	3191-9P1	19-09-1096	3191-9R1-201
19-09-2097	3191-9P-201		
19-09-2096	3191-9P1-201		

LEGEND:

3191-9****-*

CIRCUIT SIZE

P = PLUG

R = RECEPTACLE

EARS: BLANK = WITH PREBENT EARS (PLUG ONLY)

I = WITHOUT EARS

COLOR: BLANK = NATURAL COLOR

AM=AMBER BK=BLACK BU=BLUE



BN=BROWN GY=GRAY GN=GREEN

OR=ORANGE RD=RED YW=YELLOW

COLORS AVAILABLE ONLY IN 94V-2 MATERIAL

MATERIAL: BLANK=NYLON TYPE 6/6, 94V-2

201=NYLON TYPE 6/6, 94V-0



NOTES:

1. THESE HOUSINGS FOR USE WITH MOLEX .093/(2.36) DIAMETER SERIES TERMINALS.

DIMENSIONS SHOWN (METRIC) INCH				▽ = ▼ =		REVISE ONLY ON CAD SYSTEM	
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR $\pm$ DR° 10				TITLE		.093/(2.36) HOUSINGS PLUG AND RECEPTACLE 9 CKT. $\pm$.264/(6.70) CTRS.	
				INCH		METRIC	
5 PLACE $\pm$.010				---		---	
2 PLACE $\pm$.014				$\pm$ 0.25			
1 PLACE ---				$\pm$ 0.35			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				PART NO.		DRWG. NO.	
				SEE CHART		SD-3191-9*	
DRWG. BY: CEP				CHK'D. BY: RW		FILE NAME: S31919X3	
APP'D. BY: RAS				SCALE: --:--		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	
LTR. REVISIONS				LTR. REVISIONS		DIV. CP	

13	12	11	10	9	8	7	6	5	4	3	2	NO P.S. 1
----	----	----	----	---	---	---	---	---	---	---	---	-----------



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331