

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

1300950299

Status:

Active

Overview:

brad_wire_mesh_grips

Description:

Pulling Grips for Fiber Optics, Closed Mesh, Rotating Eye, Bale Length 5.00, Cable Diameter 10.67-15.49mm (.420-.610")



image - Reference only

Series

Documents:

[Drawing \(PDF\)](#)

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Cable Grips
Series	130095
Eye Type	Rotating eye
Insulated	No
O-Ring	No
Overview	brad_wire_mesh_grips
Product Name	Fiber Optic
Type	Pulling Grips
Woodhead	Yes

Physical

Approximate Break Strength	2,800 lbs
Bale Length	0.127m (5.00")
Body Style	N/A
Cable Diameter	10.67-15.49mm (.420-.610")
Color - Grommet	N/A
Gender	N/A
Material - Body	Aluminum
Material - Grip	Galvanized Steel
Mesh Length	0.533m (1.75')
Number of Holes	N/A
Strain Relief Force	35 lbs
Thread Size	N/A

Material Info

Old Part Number	36663
-----------------	-------

Reference - Drawing Numbers

Sales Drawing	SD-130095-001
---------------	---------------

EU RoHS

China RoHS

RoHS Compliance

Not Required

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com



For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

130095Series

PART NUMBER	OLD PART NUMBER	CABLE RANGE	BREAK STRENGTH (LBS)	"L" (REF)	"A" (REF)
1300950297	36661	.210-.350/5.3-8.9	1500	14.00/355.6	5.50"/139.7
1300950298	36662	.320-.480/8.1-12.1	2200	18.00/457.2	6.00"/152.4
1300950299	36663	.420-.610/10.6-15.4	2800	21.00/533.4	6.00"/152.4
1300950300	36664	.530-.740/13.4-18.7	3300	24.00/609.6	6.50"/165.1
1300950301	36665	.640-.875/16.2-22.2	4700	27.00/685.8	6.50"/165.1



COMPONENT	MATERIAL	FINISH
.031 WIRE 1X7 LH LAY MESH	STEEL	GALVANIZED
COMPONENT	ALUMINUM	NONE
.125 WIRE 7X9 LH LAY BALE	STEEL	GALVANIZED
FLAT WASHER	NYLON 6/6	BLACK
FERRULE	ALUMINUM	NONE
BALE NOSE	CARBON STEEL	ZINC PLATED

ENTER DESCRIPTION
EC NO: WNA2009-0583
DRWNSGARCIA 2009/03/31
CHKDB: WOODMAN
APPR: JF MURPHY 2009/04/01

QUALITY
SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± .---	± .---
3 PLACES	± .---	± .---
2 PLACES	± .---	± .01
1 PLACE	± 0.3	± .---

ANGULAR ±1/2°

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
IN/MM

DRAWN BY	DATE
S. G.	2009/03/11
CHECKED BY	DATE
B. WOODMAN	2009/03/16
APPROVED BY	DATE
JOE MURPHY	2009/03/20

MATERIAL NO.

SEE CHART

SIZE C

SCALE
1:5

DESIGN UNITS
INCH

THIRD ANGLE
PROJECTION

TITLE
FIBER OPTIC PULLING GRIP

MOLEX INCORPORATED

DOCUMENT NO.
SD-130095-001

SHEET NO.
1 OF 1

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331