
Contents

Atmel FPGA Integrated Development System (IDS) contains the following items:

- IDS Installation Guide
- CD-ROM containing all necessary software and online documents

Features

- Support for Industry-standard PC and Workstation Tools
- Schematic, PLD, Verilog® and VHDL Design Entry Supported
- Macro Libraries for AT40K/AT40KAL and AT6000 FPGA Families
- Automatic Macro Generators for AT40K and AT6000
- HDL Planner for VHDL and Verilog Entry
- Hierarchy Browser
- User Library Management
- Technology Mapping
- Multi-chip Partitioning
- Floor Planning Capability
- Graphical Constraint Entry
- Incremental Design Change
- Timing Driven Design with Advanced Static Timing Analysis
- Automatic Place and Route
- Interactive Layout Editing
- Power Calculation
- Full Back-annotation for Functional and Post-layout Simulation
- Online Tutorials for New and Advanced Users
- Applications Support
- FPGA Applications Hotline - (408) 436-4119 or fpga@atmel.com
- FAQ and Application Notes at <http://www.atmel.com/atmel/products/prod3.htm>
- Maintenance
- Software Support for One Month is Included

Description

Atmel's Integrated Development System (IDS) lets designers create fast, predictable designs with AT40K/AT40KAL and AT6000 Series FPGAs.

Available for use with Windows® 98/2000, Windows NT® and Sun Solaris™/SunOS UNIX Workstation-based computers, IDS combines industry-standard software for design entry, synthesis and simulation with Atmel's proprietary software for component generation, automatic and interactive placement and routing, timing analysis and bitstream generation.

The IDS Desktop is shown in Figure 1. The Design Flow Bar provides push-button access to all the steps in the design flow. This includes opening schematic entry and synthesis tools and generating files for simulations automatically.

Figure 2 shows the HDL Planner tool which is used for VHDL and Verilog Design Entry. Figure 3 shows the Macro Generator used to generate standard components with optimal layout and performance.



Atmel FPGA Integrated Development System (IDS)



Figure 1. Integrated Development System





Figure 2. HDL Planner Tool




Macro Generator
Categories

Macro
Components

VHDL/Verilog
Editor

Figure 3. Macro Generator



Ordering IDS and CAE Tools

When IDS is shipped, the CD contains library support and interfaces to all the listed CAE tools, see on page 6.

A month evaluation copy of Exemplar LeonardoSpectrum® Synthesis tool is shipped on the CD.

For other CAE tools listed, the libraries and interface are supplied on the IDS CD. For the vendor software and licensing you should go directly to the third-party vendor. Atmel does not supply these systems. Many of the listed tools have evaluation copies available on their web sites.

Simulation Libraries

A month evaluation copy of ModelSim® Simulator is shipped on the CD.

There are many other simulators available on the worldwide web. The IDS CD does include fully verified Verilog and VHDL VITAL® libraries. These can be compiled and used with any other simulation tool that is Verilog or VHDL compliant. IDS will export a Functional Netlist for pre-layout simulation and a Post-layout Netlist and SDF files for Post-layout Simulation.

The only difference with “Unsupported” tools is that there are not tutorials for these tools, and they are not fully integrated to IDS.

Annual Maintenance Agreements

Annual maintenance agreements are available for each Package Option in the Integrated Development System (IDS). The first year of maintenance is included in the purchase price – renewal is optional. Maintenance agreements give the users direct access to Atmel’s experienced technical support staff and cover software upgrades that keep engineers on the leading edge of Atmel’s design tools.

System Requirements

PC-based Systems

For a single-user system, IDS requires a personal computer with a 80486 or greater micro-processor equipped as follows; or better.

- 3.5-inch 1.44 MB capacity high-density disk drive (recommended)
- CD-ROM drive
- 200 MB minimum hard drive (both IDS and Viewlogic)
- 48 MB extended memory minimum (64 MB recommended for larger designs using Timing and Mapping)
- Serial interface port
- Parallel interface port
- MS-DOS, release 5.0
- Microsoft Windows 95/98/2000, NT 3.51, or NT 4.0 or higher
- VGA graphics card and display monitor
- Windows compatible mouse
- A permanent swap space of 64 MB: refer to the Windows documentation for details on its setup
- Sufficient disk space for file archival and management

Sun-based Systems

For a single-user system, IDS requires a Sun Sparcstation® workstation equipped as follows:

- CD-ROM drive (local or network)
- 200 MB (minimum) hard drive 50 MB hard disk space allocated as swap space
- 64 MB RAM
- SUNOS 4.1.2/Solaris 2.4 or higher
- X11R4/Motif 1.1.4, X11R5/Motif 1.2, or OpenWindows 3.x



CAE Tools Supported by IDS

Vendor	Tool	Version	Type	Platform	AT40K AT40KAL	AT6000	Software Ordering Code	Maintenance Ordering Code
eProduct Designer®	ViewDraw™	1.1+	Schematic	PC	x	x	See Viewlogic Table for Ordering	See Viewlogic Table for Ordering
	Digital Fusion™	1.1+	Simulation	PC	x	x		
Viewlogic® Powerview™	ViewDraw™	5.3.1 - 6.0+	Schematic	Sun	x	x		
	ViewSim™	5.3.1 - 6.0+	Simulation	Sun	x	x		
	ViewSynthesis™	5.3.1 - 6.0+	Synthesis	Sun	x	x		
Orcad®	Express®/Capture®	9.1+	Schematic	PC	x	x	ATDS2100PC	ATDM2100PC
	Express®/Capture®	9.1+	Simulation	PC	x	x		
	Express®/Capture®	9.1+	Synthesis	PC	x	x		
Synplicity®	Synplify™	5.1.2+	Synthesis	PC/Sun	x		ATDS2100PC	ATDM2100PC
Model Technology™	ModelSim™	4.7b+	Simulation	PC	x	x	ATDS2100PC	ATDM2100PC
	ModelSim™	5.1+	Simulation	Sun	x	x	ATDS2100SN	ATDM2100SN
Exemplar™	LeonardoSpectrum™	3+	Synthesis	PC	x	x	ATDS2100PC	ATDM2100PC
	Galileo Extreme™	4.1+	Synthesis	PC/Sun	x	x	ATDS2100SN	ATDM2100SN
	Leonardo Extreme™	4.1+	Synthesis	PC/Sun	x	x		
Synopsys®	FPGA Express™	2.1+	Synthesis	PC	x	x	ATDS2100PC	ATDM2100PC
	FPGA Compiler™	3.2+	Synthesis	Sun	x	x	ATDS2100SN	ATDM2100SN
	Design Compiler™	3.2+	Synthesis	Sun	x	x		
	VSS VHDL Simulator™	3.2+	Simulation	Sun	x	x		

AT6000 Only

Vendor	Tool	Version	Type	Platform	AT6000	Software Ordering Code	Maintenance Ordering Code
Mentor Idea Station	Design Architect™	8.2 - 8.4	Schematic	Sun	x	ATDS2100SN	ATDM2100SN
	Quicksim™	8.2 - 8.4	Simulation	Sun	x		
	ENWrite™	8.2 - 8.4		Sun	x		
	ENRead™	8.2 - 8.4		Sun	x		
	SG	8.2 - 8.4	Schematic Gen	Sun	x		
Cadence 9504 or Higher	Concept™	1.6 - p4+	Schematic	Sun	x	ATDS2100SN	ATDM2100SN
	Verilog-XL™	2.3.14+	Simulation	Sun	x		
	SDF Annotator	2.0.5		Sun	x		
	SDF Interface	5.0.5		Sun	x		

Design Hardware

ATDH40M	AT40K Series FPGA Prototyping Kit (One Daughterboard included - Specify)
ATDH40D84	Daughter Board Attachment - 84PLCC
ATDH40D100R	Daughter Board Attachment - 100RQFP
ATDH40D100	Daughter Board Attachment - 100VQFP
ATDH40D144	Daughter Board Attachment - 144TQFP
ATDH40D160	Daughter Board Attachment - 160PQFP
ATDH40D208	Daughter Board Attachment - 208PQFP
ATDH40D240	Daughter Board Attachment - 240PQFP
ATDH2000	AT6000 Series FPGA Demonstration Board
ATDH2080	AT6000 Series FPGA Prototyping Kit
ATDH2200E	AT17 Series Configurator Programming Kit (Enhanced)
ATDH2221	20-pin SOIC Adapter for ATDH2200
ATDH2222	20-pin PLCC Adapter for ATDH2200
ATDH2223	8-lead SOIC Adapter for ATDH2200
ATDH2224	44-lead TQFP Adapter for ATDH2200
ATDH2226	32-lead TQFP Adapter for ATDH2200
ATDH2227	44-lead PLCC Adapter for ATDH2200
ATDH2225	Standalone In-System Programming Cable



Atmel Headquarters

Corporate Headquarters

2325 Orchard Parkway
San Jose, CA 95131
TEL (408) 441-0311
FAX (408) 487-2600

Europe

Atmel SarL
Route des Arsenaux 41
Casa Postale 80
CH-1705 Fribourg
Switzerland
TEL (41) 26-426-5555
FAX (41) 26-426-5500

Asia

Atmel Asia, Ltd.
Room 1219
Chinachem Golden Plaza
77 Mody Road Tsimhatsui
East Kowloon
Hong Kong
TEL (852) 2721-9778
FAX (852) 2722-1369

Japan

Atmel Japan K.K.
9F, Tonetsu Shinkawa Bldg.
1-24-8 Shinkawa
Chuo-ku, Tokyo 104-0033
Japan
TEL (81) 3-3523-3551
FAX (81) 3-3523-7581

Atmel Operations

Atmel Colorado Springs

1150 E. Cheyenne Mtn. Blvd.
Colorado Springs, CO 80906
TEL (719) 576-3300
FAX (719) 540-1759

Atmel Rousset

Zone Industrielle
13106 Rousset Cedex
France
TEL (33) 4-4253-6000
FAX (33) 4-4253-6001

Atmel Smart Card ICs

Scottish Enterprise Technology Park
East Kilbride, Scotland G75 0QR
TEL (44) 1355-357-000
FAX (44) 1355-242-743

Atmel Grenoble

Avenue de Rochepleine
BP 123
38521 Saint-Egreve Cedex
France
TEL (33) 4-7658-3000
FAX (33) 4-7658-3480

Atmel FPGA Hotline

1-(408) 436-4119

Atmel FPGA e-mail

fpga@atmel.com

FAQ

Accessible on web site

Fax-on-Demand

North America:
1-(800) 292-8635
International:
1-(408) 441-0732

e-mail

literature@atmel.com

Web Site

<http://www.atmel.com>

BBS

1-(408) 436-4309

© Atmel Corporation 2001.

Atmel Corporation makes no warranty for the use of its products, other than those expressly contained in the Company's standard warranty which is detailed in Atmel's Terms and Conditions located on the Company's web site. The Company assumes no responsibility for any errors which may appear in this document, reserves the right to change devices or specifications detailed herein at any time without notice, and does not make any commitment to update the information contained herein. No licenses to patents or other intellectual property of Atmel are granted by the Company in connection with the sale of Atmel products, expressly or by implication. Atmel's products are not authorized for use as critical components in life support devices or systems..

Design Architech, QuickSim, ENWrite, ENRead, LeonardoSpectrum and Exemplar are the trademarks of Mentor Graphics Corporation. Idea Station, Galileo and Leonardo are the registered trademarks of Mentor Graphics Corporation. Sparcstation is the registered trademark of Sun Microsystems, Inc. Solaris is the trademark of Sun Microsystems, Inc. ViewDraw is the registered trademark of Viewlogic Systems, Inc. eProduct Designer, Digital Fusion, ViewSim and ViewSynthesis are the trademarks of Viewlogic Systems, Inc. Orcad, Orcad Express and Orcad Capture are the registered trademarks of Cadence Design Systems, Inc. FPGA Express, FPGA Compiler, Design Compiler and VSS VHDL Simulator are the trademarks of Synopsys, Inc. Windows and Windows NT are trademarks of Microsoft Corporation. Sinplify is the registered trademark of Synplicity, Inc. ModelSim is the trademark of Model Technology Corporation. Verilog is the trademark of Gateway Design Automation Corporation. Vital is the registered trademark of PureTech Waters of America, Inc. All other marks bearing ® and/or ™ are registered trademarks and trademarks of Atmel Corporation. Other terms and product names may be trademarks of others.



Printed on recycled paper.

1421D-06/01/xM



Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331