

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

JUN ,2005.

© COPYRIGHT 2005 By --





ALL RIGHTS RESERVED.

LOC
JDIST
/

REVISIONS

変更

P	LTR	DESCRIPTION	DATE	DWN	APVD
	H	PER ECR-14-006136	25APR2014	HS	FY



F-F

- ① MATERIAL;
HOUSING: HIGH TEMPERATURE THERMO PLASTIC
UL94V-0, COLOR; BLACK
CONTACT: COPPER ALLOY
- ② FINISH;
CONTACT AREA: GOLD PL. $0.76 \mu m$ MIN OVER NICKEL PL.
COMPLIANT PIN ACTION AREA: $0.5 \mu m$ MIN MATTE TIN OVER NICKEL PL.
- ③ NOT SPECIFY BY PCI EXPRESS STANDARD
- ⑤ FINISH;
CONTACT AREA: GOLD PL. $0.76 \mu m$ MIN OVER NICKEL PL.
COMPLIANT PIN ACTION AREA: $0.5 \mu m$ MIN BRIGHT TIN-LEAD OVER NICKEL PL.
- ⑫ FINISH;
CONTACT AREA: GOLD PL. $0.38 \mu m$ MIN OVER NICKEL PL.
COMPLIANT PIN ACTION AREA: $0.5 \mu m$ MIN MATTE TIN OVER NICKEL PL.

13 CONNECTOR HAS MET THE REQUIREMENTS PER
PCI EXPRESS GEN 2 TECHNICAL DOCUMENT.

14 THE 2.0mm PF VERSIONS ARE GEN2 AND GEN3 COMPLIANT.

	⑫	PRODUCING	37	2.0	40.15	56	38.65	98	8	6-	-3
	⑫	PRODUCING	70		73.15	89	71.65	164	16	5-	-4
OBSOLETE		PRODUCING	70		73.15	89	71.65	164	16	3-	-4
OBSOLETE	⑤	PRODUCING	37		40.15	56	38.65	98	8	3-	-3
③		PRODUCING	128		131.15	147	129.65	280		1-	-5
		PRODUCING	70		73.15	89	71.65	164	16	1-	-4
		PRODUCING	37	3.25	40.15	56	38.65	98	8	1-1871058	-3
		PRODUCING	20		23.15	39	21.65	64	4	1-	-2
		PRODUCING	6	3.25	9.15	25	7.65	36	1	1-	-1
		PRELIMINARY	76		79.15	95	77.65	176	16		-7
③		PRODUCING	128		131.15	147	129.65	280			-5
		PRODUCING	70		73.15	89	71.65	164	16		-4
		PRODUCING	37	2.0	40.15	56	38.65	98	8	1871058-3	
		PRODUCING	20		23.15	39	21.65	64	4		-2
②		PRELIMINARY	6	2.0	9.15	25	7.65	36	1	1871058-1	
FINISH	TOOLING STATUS	N	D	C	B	A	POS.	PORT		P/N	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 概
mmTOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差 ± 0.3

① PLC $\pm$ $\pm 2^\circ$
① PLC $\pm$
② PLC $\pm$
③ PLC $\pm$
④ PLC $\pm$
ANGLES $\pm$

MATERIAL
材料FINISH
仕上

SEE NOTE 2

DWN
T.KATANO

02DEC05

CHK

R.MURAYAMA

02DEC05

APVD

K.KODAIRA

02DEC05

PRODUCT SPEC

製品規格

108-78340

APPLICATION SPEC

取付適用規格

WEIGHT

NAME

名称

SIZE

CAGE CODE

DRAWING NO

番号

RESTRICTED TO

A3

00779

C-1871058

SCALE

尺度

4:1

SHEET

1 OF 2

REV



H

STE

TE Connectivity

PCI EXPRESS CARD EDGE CONN.
WITH COMPLIANT PIN V-TYPE

 THIS DIMENSION IS ONLY APPLIED TO PRSNT PINS.
 CARD THICKNESS APPLIES ACROSS TABS AND INCLUDES
 PLATING AND/OR METALIZATION.
 CHAMFER EDGES MUST BE FREE OF CUTTING BURRS.
 9 NO TIE BAR PERMITTED FROM CARD EDGE TO LEADING EDGE
 OF PAD FOR PRSNT PIN.
 10 APPLICATION NOTE;
 GOLD CONTACT PAD : ELECTROLESS GOLD PLATING $0.05\mu\text{m}$ MIN.
 OVER ELECTROLESS Ni PLATING $2\mu\text{m}$ MIN.
 DRILLED HOLE DIA.: 0.77 TO 0.83
 COPPER PLATING: 0.025 TO 0.075mm.
 FINISHED HOLE DIA. AFTER PLATING: 0.62 TO 0.78 DIA.



MODULE LAYOUT(MATING PART ONLY)

REV	
-----	--



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331