




DIMENSIONS SHOWN (METRIC) INCH		▽ = 0 ▼ = 0		REVISE ONLY ON CAD SYSTEM	
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°		TITLE		1 CKT. HOUSING RECEPTACLE .093/(2.36) DIAMETER	
INCH METRIC		PART NO.		SHEET NO. DATE	
3 PLACE ± .010 ---		MOLEX INCORPORATED		1 OF 2 92/10/22	
2 PLACE ± .014 ± 0.25		LITSEJLL. 60532 U.S.A.			
1 PLACE --- ± 0.35		SEE CHART		SD-1619-IR*	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		FILE NAME		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	
DRWG. BY AFG		CHK'D. BY RW		DIV. CP	
APP'D. BY RAS		SCALE 4 : 1		SIZE C	

I3	I2	I1		I0	9		8		7	6	I6 I9	4	3	2	I
ORDER NO.	ENG. NO.	MATERIAL	LENGTH	DIMENSION "A"	DETENT	FLANGE	MARKING METHOD	COLOR							
O3-09-I0I1	I6 I9-I R IB5NIA5	I	B	5	N	I	A	5							
O3-09-60II	I6 I9-I R IB5N IA6	I	B	5	N	I	A	6							
O3-09-60I2	I6 I9-I R IB5N IA7	I	B	5	N	I	A	7							
O3-09-60I3	I6 I9-I R IB5N IA8	I	B	5	N	I	A	8							

NOTES:

- THIS HOUSING IS FOR USE WITH THE .093/(2.36) DIA. TERMINALS.
- PRODUCT SPEC. O2-O9 APPLIES.
- △3 FOR VERSIONS SPECIFYING LENGTH "B". PARTS PROVIDED FROM TOOLS BUILT PRIOR TO 9/86 HAVE AN OVERALL LENGTH SPECIFICATION OF L.OO/(25.4).

LEGEND

1619-1R*****

CIRCUIT SIZE:

TYPE-

R) RECEPTACLE

MATERIAL

- 1) NYLON, TYPE 6/6, FLAMMABILITY RATING:
94V-2.
- 2) NYLON, TYPE 6/6, FLAMMABILITY RATING:
94V-0, MONSANTO M-340.
- 3) POLYPROPYLENE, FLAMMABILITY RATING:
94V-0, A. SCHULMAN - POLYFLAM ® R.P.P.-958

LENGTH

B) $1.03/(26.2)$ 
C) $1.15/(29.2)$

DIMENSION "A"

5) .297/(7.54)
6) .294/(7.47)
7) NONE

DETENT

M) NONE
N) WITH DETENT

- COLOR

- 1) AMBER 6) BLACK
2) BROWN 7) RED
3) ORANGE 8) BLUE
4) GRAY 9) GREEN
5) NATURAL 0) YELLOW

MARKING METHOD

A) NOT APPLICABLE

- FLANGE

1) NONE
2) WITH FLANGE

		DIMENSIONS SHOWN METRIC INCH		▽ = 0 ▽ = 0 REVISE ONLY ON CAD SYSTEM	
		UNLESS OTHERWISE SPECIFIED TOLERANCES ANGULAR & H/P		TITLE	
		INCH METRIC		I CKT. HOUSING RECEPTACLE	
		3 PLACE ± .010		.093(2.36) DIAMETER	
		2 PLACE ± .014 ± 0.25			
		1 PLACE --- ± 0.35			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			
Y I	SEE SHEET 1			MOLEX INCORPORATED SHEET NO. 2 DATE 92/10/20 LITTLE ROCK, AR 60532 U.S.A.	
Y I	SEE SHEET 1			PART NO. DRWG. NO. SEE CHART SD-1619-IR	
LTR.	REVISIONS	LTR.	REVISIONS	FILE NAME SR 1619X2 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	
				DP	SIZE



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331