

The ZiLOG Family of Serial Communication Controllers

Setting the standards for SCCs

Over the last 20 years ZiLOG has set the standard for SCCs. Built from the industry acclaimed Serial Communication Controller core, ZiLOG offers a wide selection of (SCCs) based on your application requirements.

Reducing the need for external logic

ZiLOG's SCCs offer low power consumption, higher performance, and superior noise immunity. The many on-chip features offered in our SCCs help dramatically to reduce the need for external logic found with much of the competition. Go with an SCC you can trust, and make ZiLOG your one-stop SCC solution provider.

Offering a fully integrated solution

The standard serial and integrated communications controllers, Z85C30 and Z16C35, allow you to easily implement a fully integrated solution for many networking applications. The chips' features include:

- Dual full-duplex channels
- Ability to accommodate a crystal oscillator, baud rate generator, and digital phase-locked loop on each channel
- Processing speeds up to 4 Mbps
- Multi-protocol format (async, monosync, bisync, SDLC/HDLC, SDLC/HDLC loop)
- Encodes in the following modes: NRZ, NRZI, FM0, FM1, and Manchester
- CRC-16 or CRC-CCITT error detection
- 1-byte transmit FIFO/3-byte receive FIFO
- 2 transmit and 2 receive DMA channels (16C35 only)

Simplifying software

The enhanced dual and mono SCCs Z80230, Z85230, and Z85233, include many features that make programming easy. These parts also reduce CPU overhead, allowing the programmer to select packet handling response and improve cycle access recovery time. Features include:

- Dual full-duplex channels (Z80230/Z85230)
- Single full-duplex channel (Z85233 only)



- Ability to accommodate a crystal oscillator, baud rate generator, and digital phase-locked loop on each channel
- Processing speeds up to 5 Mbps
- Multi-protocol format (async, monosync, bisync, SDLC/HDLC, SDLC/HDLC loop)
- Encodes in the following modes: NRZI, FM0, FM1, and Manchester
- CRC-16 or CRC-CCITT error detection
- 4-byte transmit FIFO/8-byte receive FIFO

Increasing speed

The standard and integrated universal serial controllers Z16C30, Z16C35, and Z16C32 offer faster performance. Features include:

- Dual full-duplex channels (Z16C30)
- Single full-duplex channel (Z16C32)
- Accommodates two baud rate generators and one digital phase-locked loop (on each channel)
- 2 DMA control signals per channel (Z80C30/Z85C30 only)

(Continued on back side)



ZiLOG SCC Solutions

Standard and integrated universal serial controllers

Z16C30/Z16C32 (Continued)

- Processing speeds up to 10 Mbps (Z16C30)
- Processing speeds up to 20 Mbps (Z16C32)
- Multi-protocol format (async, monosync, slaved monosync, bisync, isochronous, nine-bit, SDLC/HDLC, SDLC/HDLC loop)
- Encodes in the following modes: NRZ, NRZI-Mark, NRZI-Space, Bi-Phase-Mark (FM1), Bi-Phase-Space (FM0), Bi-Phase-Level (Manchester), Differential Bi-Phase-Level
- CRC-32, CRC-16, and CRC-CCITT
- 32-byte transmit FIFO/32-byte receive FIFO
- 2 DMA control signals per channel (16C30 only)
- Transmit and receive DMA controllers with single buffer, pipelined, array, and linked-list modes (16C32 only)

| Serial Family | Channels | DMA Controllers | Bus Interface | MHz | Part number | Package | Pins | Op. Temp. (°C) | | |
|---------------|-------------|-----------------|----------------------------|-------------------|-------------|-------------|------|-------------------|-------------------|-------------------|
| SCC | 2 | 0 | Multiplex | 8 | Z80C3008PEC | DIP | 40 | -40 -100 0 -70 | | |
| | | | | | Z80C3008PSC | | | | | |
| | | | | | Z80C3008VSC | PLCC | 44 | | | |
| | | | | 10 | Z80C3010PSC | | | | DIP | 40 |
| | | | | | Z80C3010VSC | | | | PLCC | 44 |
| | | | | Nonmultiplex | 8 | Z85C3008PEC | DIP | | 40 | -40 -100 0 -70 |
| | | | Z85C3008PSC | | | | | | | |
| | | | Z85C3008VEC | | | PLCC | 44 | -40 -100 0 -70 | | |
| | | | Z85C3008VSC | | | | | | | |
| | | | 10 | | Z85C3010PEC | DIP | 40 | | -40 -100 0 -70 | |
| | | | | | Z85C3010PSC | | | | | |
| | | | | | Z85C3010VEC | PLCC | 44 | -40 -100 0 -70 | | |
| | | | | | Z85C3010VSC | | | | | |
| | | | 16 | | Z85C3016PSC | DIP | 40 | | -40 -100 0 -70 | |
| Z85C3016VEC | PLCC | 44 | | | | | | | | |
| Z85C3016VSC | | | | | | | | | | |
| | | | | | | | | | | |
| ISCC | 2 | 2 | Multiplex and nonmultiplex | 10 | Z16C3510VSC | PLCC | 68 | 0 -70 | | |
| | | | | 16 | Z16C3516VSC | | | | | |
| ESCC | 2 | 0 | Multiplex | 10 | Z8023010PSC | DIP | 40 | 0 -70 | | |
| | | | | | Z8023010VSC | | | | | |
| | | | | | Z8023016PSC | PLCC | 44 | | | |
| | | | | 16 | Z8023016VSC | | | | | |
| | | | | | | | | | | |
| | | | | Nonmultiplex | 8 | Z8523008PEC | DIP | | 40 | -40 -100 0 -70 |
| | | | Z8523008PSC | | | | | | | |
| | | | Z8523008VEC | | | PLCC | 44 | -40 -100 0 -70 | | |
| | | | Z8523008VSC | | | | | | | |
| | | | 10 | | Z8523010PEC | DIP | 40 | | -40 -100 0 -70 | |
| | | | | | Z8523010PSC | | | | | |
| | | | | | Z8523010VEC | PLCC | 44 | -40 -100 0 -70 | | |
| | | | | | Z8523010VSC | | | | | |
| | | | 16 | | Z8523016PEC | DIP | 40 | | -40 -100 0 -70 | |
| Z8523016PSC | | | | | | | | | | |
| Z8523016VEC | PLCC | 44 | | -40 -100 0 -70 | | | | | | |
| Z8523016VSC | | | | | | | | | | |
| 20 | Z8523020PSC | DIP | 40 | | 0 -70 | | | | | |
| | Z8523020VSC | PLCC | 44 | | | | | | | |
| EMSCC | 1 | 0 | Nonmultiplex | 10 | Z8523310FSC | PQFP | 44 | 0 -70 | | |
| | | | | | Z8523310VSC | PLCC | | | | |
| | | | | 16 | Z8523316FSC | PQFP | | | 44 | |
| | | | | | Z8523316VSC | PLCC | | | | |
| USC | 2 | 0 | Multiplex and nonmultiplex | 20 | Z8523320FSC | PQFP | 100 | -40 -100 0 -70 | | |
| | | | | | Z16C3010AEC | VQFP | | | | |
| | | | | 10 | Z16C3010ASC | PLCC | | | 68 | -40 -100 0 -70 |
| | | | | | Z16C3010VEC | | | | | |
| Z16C3010VSC | | | | | | | | | | |
| IUSC | 1 | 2 | Multiplex and nonmultiplex | 20 | Z16C3220FSC | PQFP | 80 | 0 -70 | | |
| | | | | | Z16C3220VSC | PLCC | 68 | | | |



Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331