

FEATURES:

- HB LEDs
- Instant On
- Low Profile
- Mercury Free
- Narrow Beam
- Lead Free
- Built-in Dimmer
- No UV

The Coastline series delivers high brightness performance in a very low-profile aluminum housing, making concealed placement a breeze. This track compatible luminaire is available with 2', 3', and 4' tracks and can easily be extended to longer lengths and at 90° angles for corner mounting.

SPECIFICATIONS

Color Temperature	Lumen Output	Efficacy (lm/W)	Color Rendering Index (CRI)
Cool (C) - 6500K	390	77	74
Neutral (N) - 4750K	365	77	82
Warm (W) - 3100K	365	63	84


Rated Life	50,000 hours
Beam Angle	35°
Power Consumption	5 Watts
Operating Temperature	0°C ~+40°C
Voltage Input	24VDC, Constant Voltage
Controls	On/Off, Dimming
Rotation	90°
Maximum Fixture Run Length	Max 7 fixtures/40W Power
Housing	Extruded Aluminum, Black Polycarbonate Lens, Clear
Weight (g)	92
Dimensions	W .83" (21mm) H .79" (20.1mm) L 12" (304.8mm) **
**not including mounts	

Compliance



Restriction of Hazardous Substances Directive (RoHS) implements EU Directive 2002/95 which bans placing electrical and hazardous equipment that contains more than agreed levels of hazardous substances on the EU market. For a list of these substances, visit www.rohs.gov.uk.

DIMENSIONS



COASTLINE SERIES

C5400 Track (TR)

ORDERING INFORMATION – Choose the option that best suits your needs and write its corresponding code on the appropriate line to form the product code.

MODEL	COLOR	TYPE	EXAMPLE
C5400	C – 6500K N – 4750K W – 3100K	TR – Track	C5400-C-TR

All luminaires are easily customizable. Please contact us to inquire on customizing a luminaire to fill your needs.

Order track accessories as separate catalog numbers from the Accessories section below.

ACCESSORIES




24VDC, 12W Power Supply (with stripped wires for hardwiring)
24VDC, 40W Power Supply (with stripped wires for hardwiring)

Califa Lighting Part # PS-1032
Califa Lighting Part # PS-1033

2' Track (indicate Black or White)
3' Track (indicate Black or White)
4' Track (indicate Black or White)
Track Mini Connector
Track Live End Feeder
Track 90° L-Type Connector
Track Conduit Feeder
Track Live End Connector with Canopy
Track In-line On/Off Switch

Califa Lighting Part # CTR-24
Califa Lighting Part # CTR-36
Califa Lighting Part # CTR-48
Califa Lighting Part # CTR-ET01
Califa Lighting Part # CTR-EN01
Califa Lighting Part # CTR-EL01
Califa Lighting Part # CTR-CF01
Califa Lighting Part # CTR-CP01
Califa Lighting Part # SW-1002

PHOTOMETRY CHARACTERISTICS





**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331