

AAVFIN LIQUID COLD PLATE

AavFin Liquid Cold Plates extend the surface area by using unique fin structures within the flow path and thereby enhancing heat transfer and thermal performance. AavFin is a cost effective, highly customizable technology that can be configured to engineers' thermal dissipation requirements.

PART NUMBER


413100U20609G - Unfinished

AVAILABLE OPTIONS

- *Finishes:* AavShield, AavShield³, Tin Plate, Electroless Nickel
- *For Custom Sizing and Design Guidelines please see below – Figure 2.*

AAVFIN PRODUCT SPECIFICATIONS - STANDARD

<i>Property</i>	<i>Details</i>
<i>Plate Details</i>	Aluminum
<i>Cover Plate</i>	Aluminum
<i>Joints</i>	Vacuum Brazed
<i>Standard Finish</i>	Aavid "Wash" Standard



FEATURES & BENEFITS:


- Ideal for High Volume, Cost Sensitive Applications
- Leak Free Vacuum Brazed Joints
- Large Liquid Contact Surface Area
- Uniform Heat Transfer

<i>Measurement</i>	<i>in</i>	<i>mm</i>
<i>Plate Width</i>	5.59	142
<i>Plate Length</i>	8.82	224
<i>Plate Thickness</i>	0.71	18.1

MECHANICAL


Dimensions are shown in mm

Figure 1



PERFORMANCE

Testing was performed using 100% Pure Water



CUSTOM DESIGN GUIDELINES

Dimensions are shown in mm

Figure 2




Table 1:
Available Adapters

ISO to Barb
ISO to Male NPT
ISO to Flare

Standard Tolerances

Lead-in Dimensions	± 0.25 (0.01)
Overall Dimensions	± 0.50 (0.02)
Feature to Feature	± 0.13 (0.005)

Dimension	Details	Min	Max
A	Center line, port to port	25 (0.98)	W-P+2.0 (0.08)
B	Edge to port	1/2P+5.0 (0.2)	(W-A)/2
C	Mounting surface to side "A" centerline of port	1/2P+1.0 (0.04)	T-(1/2P+5.0 (0.2))
E	Controlled drill zone width	W-G	W-G
G	Edge to controlled drill zone	6.0 (0.24)	150 (5.91)
T	Plate thickness	12 (0.47)	50 (1.97)
F	No drill zone width	15 (0.59)	30 (1.18)
J	Controlled drill zone length	L-(F+20 (0.8))	L-(F+10 (0.4))
L	Plate length	150 (5.91)	700 (27.56)
P	Port size and thread (metric, pipe, oring)	M8 (1/8 NPT)	T - 5.0 (2.0)
W	Plate width	75 (2.95)	400 (15.75)

Aavid reserves the right to make changes to the products or information contained herein without notice. No liability is assumed as a result of their use or applications. For additional information, please contact Aavid directly.



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331