


## FEATURES

- MitySOM-5CSx Family Debug Adapter
- HPS (ARM) and FPGA JTAG debug interfaces
- Compatible Critical Link System on Modules
  - MitySOM-5CSE
  - MitySOM-5CSX



Top

Bottom

## DESCRIPTION

The MitySOM-5CSx Debug Adapter board for the MitySOM-5CSx Family of System on Modules from Critical Link allows for access to both the HPS (ARM) and FPGA JTAG chain debug interfaces. Each compatible System on Module includes a 31-pin Hirose connector which this adapter board connects to. Note that this adapter does not support TRACE capabilities. Please contact your Critical Link representative for information about a TRACE capable adapter.

Critical Link recommends that a USB-Blaster, USB-Blaster II or EthernetBlaster II Download Cable be used from Altera for debug, configuration and programming of the MitySOM-5CSx.

**ABSOLUTE MAXIMUM RATINGS**

Storage Temperature Range      -40°C to 80°C

**OPERATING CONDITIONS**

Ambient Temperature              0°C to 70°C  
Range Commercial

Humidity                              0 to 95%  
Non-condensing

**DEBUG INTERFACE**

A Hirose 31 pin connector (DF9-31P-1V(32)) is provided on each compatible module to allow for the connection of this adapter board for both HPS (ARM processor(s)) and FPGA debug. Below is the pin-out for the Hirose connector and the debug connector on the adapter board.

**Debug Interface Connector Description (J1)**

**Table 1 J1 Hirose Connector**

Pin	I/O	Signal	Pin	I/O	Signal
1	-	GND	2	I/O	HPS_RST_N
3	-	GND	4	-	NC
5	-	GND	6	I	JTAG_HPS_TCK
7	-	GND	8	-	NC
9	-	GND	10	O	JTAG_HPS_TDO
11	-	GND	12	-	VCC (3.3V)
13	-	GND	14	I	JTAG_HPS_TDI
15	-	GND	16	I	JTAG_HPS_TRST
17	-	GND	18	I	JTAG_HPS_TMS
19	-	GND	20	-	GND
21	-	GND	22	-	NC
23	-	GND	24	I	JTAG_FPGA_TMS
25	-	GND	26	I	JTAG_FPGA_TCK
27	-	GND	28	O	JTAG_FPGA_TDO
29	-	GND	30	I	JTAG_FPGA_TDI
31	-	GND			

## HPS JTAG Interface Description (HPS)

Connection for the MitySOM-5CSx JTAG interface of a compatible System on Module from Critical Link. The connector used is a male 10-pin 0.100 inch header compatible with Altera’s USB Blaster, USB Blaster II or EthernetBlaster II download cables.

**Table 2 Processor JTAG Connector**

Pin	I/O	Signal	Pin	I/O	Signal
1	O	JTAG_HPS_TCK	2	-	GND
3	I	JTAG_HPS_TDO	4	-	VCC (3.3V)
5	O	JTAG_HPS_TMS	6	I/O	HPS_RST_N
7	-	NC	8	O	JTAG_HPS_TRST
9	O	JTAG_FPGA_TDI	10	-	GND

## ORDERING INFORMATION


The following table lists the standard debug adapter ordering information. For shipping status, availability, and lead time please contact your Critical Link representative.

**Table 3: Standard Debug Adapter Part Number**

Part Number	Description
80-000616	MitySOM-5CSx JTAG Debug Adapter

## MECHANICAL INTERFACE

The mechanical outline of the Debug Adapter is illustrated in Figure 1, as shown below.



**Figure 1 MitySOM-5CSx Debug Adapter Mechanical Outline**

## REVISION HISTORY

Date	Change Description
18-JAN-2016	Initial revision



## Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

### Наши контакты:

**Телефон:** +7 812 627 14 35

**Электронная почта:** [sales@st-electron.ru](mailto:sales@st-electron.ru)

**Адрес:** 198099, Санкт-Петербург,  
Промышленная ул, дом № 19, литера Н,  
помещение 100-Н Офис 331