

10

9

8

7

6



5

4





3

2

1



RECOMMENDED P.C.B HOLE LAYOUT



REVISION OF DRAWING MAY BE
CHANGED DURING FINAL RELEASED
FOR PRODUCTION.

ib_frame_A3_P_AM_T
Rev. G 2012/01/11

9

8

7

6

5

4

3

2

1

NOTES:

1. MATERIAL:

HSG: LCP, GLASS-FILLED, UL94V-0,

COLOR: BLACK

PIN: 0.64MM SQ PIN, COPPER ALLOY

2. PLATING TYPE:

(1) : 0.0254 μ m GOLD FLASH OVER1.25 μ m MIN. NICKEL OVERALL.(2) : 0.025 μ m MIN. GOLD PLATE ON CONTACT AND1.88 μ m MIN. TIN ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL.(3) : 0.25 μ m MIN. GOLD PLATE ON CONTACT AND1.88 μ m MIN. TIN ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL.(4) : 0.38 μ m MIN. GOLD PLATE ON CONTACT AND1.88 μ m MIN. TIN ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL.(5) : 0.75 μ m MIN. GOLD PLATE ON CONTACT AND1.88 μ m MIN. TIN ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL(6) : 2.50 μ m MIN. TIN OVER 1.25 μ m MIN. NICKEL OVERALL.(7) : 0.38 μ m MIN. GOLD PLATE ON CONTACT AND2.50 μ m MIN. TIN ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL.(8) : 0.38 μ m MIN. GOLD PLATE ON CONTACT AND0.05 μ m MIN. GOLD FLASH ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL.(9) : 0.05 - 0.25 μ m MIN. GOLD FLASH OVER1.25 μ m MIN. NICKEL OVERALL.

3. PIN PUSHOUT FORCE: 1KG MIN IN EITHER DIRECTION

4. THE ABOVE 14 CKT IS FOR ILLUSTRATION PURPOSE ONLY.

5. FOR PACKAGING OPTION PLEASE REFER TO THE TABLE.

6. RECOMMENDED PCB THICKNESS 1.60MM.

7. PRODUCT SPECIFICATION: PS-87920-019

8. WAFER TO BE FLAT WITHIN 0.003mm/mm

9. IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION

IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN

BODY IS NOT ACCEPTABLE.

10. PARTS ARE NOT STACKABLE ON 2.54 CENTER

11. CAP TO BE PLACED AS CENTRAL OF PART AS POSSIBLE

WITH THE TOP SURFACE FLAT FOR PICK AND PLACE.

12. PACKAGING SPECIFICATION:

TRAY: PK-89990-489

BULK: PK-89990-491

SEE SHEET 14
EC NO: S2015-1512
DRAWN: RAMAKRISHNA 2015/06/25
CHKD: ATSEE 2015/06/25
APPR: KPRASAD 2015/07/15

DESCRIPTION
REV

QUALITY SYMBOLS

 $F_A=0$ $F_G=0$ $F_P=0$

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.20	± ---
1 PLACE	± ---	± ---
0 PLACE	±	±

ANGULAR $\pm 3^\circ$ DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONSDIMENSION STYLE
MM ONLY

DRAWN BY	DATE
KCHO	2004/11/05
CHECKED BY	DATE
PTLIM	2004/12/08
APPROVED BY	DATE
MLONG	2010/09/06

MATERIAL NO.

SEE TABLE

SCALE
NTSDESIGN UNITS
METRICTHIRD ANGLE
PROJECTION

2.54MM PITCH
DUAL ROW HEADER
SINGLE WAFER, T/H

molex

DOCUMENT NO. SD-87914-013

SHEET NO.
1 OF 45THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

	10		9		8		7		6		5		4		3		2		1														
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																								
									A	B	F	M	P																				
F	87914-0411	-----	-----	-----	-----	4	-----	1	5.08	2.54	10.92	5.84	2.79							F													
	87914-0421	-----	-----	-----	-----	4	-----	1	5.08	2.54	12.25	7.00	2.96																				
	87914-0431	-----	-----	-----	-----	4	-----	1	5.08	2.54	13.38	6.09	5.00																				
	87914-0412	-----	-----	-----	-----	4	-----	2	5.08	2.54	10.92	5.84	2.79																				
	87914-0422	-----	-----	-----	-----	4	-----	2	5.08	2.54	12.25	7.00	2.96																				
	87914-0432	-----	-----	-----	-----	4	-----	2	5.08	2.54	13.38	6.09	5.00																				
E	87914-0413	-----	-----	-----	-----	4	-----	3	5.08	2.54	10.92	5.84	2.79							E													
	87914-0423	-----	-----	-----	-----	4	-----	3	5.08	2.54	12.25	7.00	2.96																				
	87914-0433	-----	-----	-----	-----	4	-----	3	5.08	2.54	13.38	6.09	5.00																				
	87914-0414	-----	-----	-----	-----	4	-----	4	5.08	2.54	10.92	5.84	2.79																				
	87914-0424	-----	-----	-----	-----	4	-----	4	5.08	2.54	12.25	7.00	2.96																				
	87914-0434	-----	-----	-----	-----	4	-----	4	5.08	2.54	13.38	6.09	5.00																				
D	87914-0415	-----	-----	-----	-----	4	-----	5	5.08	2.54	10.92	5.84	2.79							D													
	87914-0425	-----	-----	-----	-----	4	-----	5	5.08	2.54	12.25	7.00	2.96																				
	87914-0435	-----	-----	-----	-----	4	-----	5	5.08	2.54	13.38	6.09	5.00																				
	87914-0416	-----	-----	-----	-----	4	-----	6	5.08	2.54	10.92	5.84	2.79																				
	87914-0426	-----	-----	-----	-----	4	-----	6	5.08	2.54	12.25	7.00	2.96																				
	87914-0436	-----	-----	-----	-----	4	-----	6	5.08	2.54	13.38	6.09	5.00																				
C																				C													
B																				B													
A									SEE SHEET 14		EC NO: S2015-1512		DRWN:IRAMAKRISHNA 2015/06/25		CHKD:ATSEE 2015/06/25		APPR:KPRASAD 2015/07/15		REV		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		A
	D15		F=0		F=0		F=0		4 PLACES ± --- ± ---		3 PLACES ± --- ± ---		2 PLACES ± 0.20 ± ---		1 PLACE ± --- ± ---		0 PLACE ± ±		ANGULAR ± 3 °		DRAWN BY KCHO DATE 2004/11/05		CHECKED BY PTLIM DATE 2004/12/08		APPROVED BY MLONG DATE 2010/09/06		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																													

fb_frame_A3_P_AM_T Rev. G 2012/01/11	9	8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---	---	---

[illegible]

										10					9					8					7					6					5					4					3					2					1																			
										PART NO. FOR TRAY PACKAGING					PART NO. FOR TUBE WITHOUT CAP PACKAGING					PART NO. FOR TUBE WITH CAP PACKAGING					PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING					PART NO. FOR TAPE & REEL WITH CAP PACKAGING					CKT SIZE					VOID POSITION					PLATING TYPE					DIMENSION																								
																																																		A		B		F		M		P																
F										87914-0009					-----					-----					-----					-----					6					-----					1					7.62		5.08		18.84		13.25		3.30																
										87914-0642					-----					-----					-----					-----					6					-----					2					7.62		5.08		18.84		13.25		3.30																
										87914-0643					-----					-----					-----					-----					6					-----					3					7.62		5.08		18.84		13.25		3.30																
										87914-0644					-----					-----					-----					-----					6					-----					4					7.62		5.08		18.84		13.25		3.30																
										87914-0645					-----					-----					-----					-----					6					-----					5					7.62		5.08		18.84		13.25		3.30																
										87914-0646					-----					-----					-----					-----					6					-----					6					7.62		5.08		18.84		13.25		3.30																
E																																																																										

[illegible]

	10		9		8		7		6		5		4		3		2		1						
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					F											
									A	B	F	M	P												
	87914-0841	-----	-----	-----	-----	8	-----	1	10.16	7.62	13.51	8.75	2.47												
	87914-0842	-----	-----	-----	-----	8	-----	2	10.16	7.62	13.51	8.75	2.47												
	87914-0843	-----	-----	-----	-----	8	-----	3	10.16	7.62	13.51	8.75	2.47												
	87914-0844	-----	-----	-----	-----	8	-----	4	10.16	7.62	13.51	8.75	2.47												
E	87914-0845	-----	-----	-----	-----	8	-----	5	10.16	7.62	13.51	8.75	2.47	E											
	87914-0005	-----	-----	-----	-----	8	-----	6	10.16	7.62	13.51	8.75	2.47												
	87914-0108	-----	-----	-----	-----	8	-----	6	10.16	7.62	16.50	11.11	3.10												
	87914-0847	-----	-----	-----	-----	8	-----	6	10.16	7.62	26.70	20.76	3.65												
D														D											
C														C											
B														B											
A														A											
SEE SHEET 14		EC NO: S2015-1512		DRWN:MRAMAKRISHNA 2015/06/25		CHKD:ATSEE 2015/06/25		APPR:KPRASAD 2015/07/15		REV		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION			
D15												F=0		mm		INCH		MM ONLY		NTS		METRIC		⊙	
												F=0		4 PLACES		± ---		± ---		DRAWN BY		DATE		TITLE	
												F=0		3 PLACES		± ---		± ---		KCHO		2004/11/05		2.54MM PITCH	
														2 PLACES		± 0.20		± ---		CHECKED BY		DATE		DUAL ROW HEADER	
														1 PLACE		± ---		± ---		PTLIM		2004/12/08		SINGLE WAFER, T/H	
														0 PLACE		±		±		APPROVED BY		DATE		molex	
																				MLONG		2010/09/06			
																				MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
																				SEE TABLE		SD-87914-013		7 OF 45	
																				SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
																				A3					

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

9

8

7

6

5

4

3

2

1

ib_frame_A3_P_AM_T

Rev. G 2012/01/11

	10		9		8		7		6		5		4		3		2		1		
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	PART NO. FOR BULK PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
										A	B	F	M	P	G						
F	87914-1011	-----	-----	-----	-----	-----	10	-----	1	12.70	10.16	10.92	5.84	2.79	----						F
	87914-1021	-----	-----	-----	-----	-----	10	-----	1	12.70	10.16	12.25	7.00	2.96	----						
	87914-1031	-----	-----	-----	-----	-----	10	-----	1	12.70	10.16	13.38	6.09	5.00	----						
	87914-1012	-----	-----	-----	-----	-----	10	-----	2	12.70	10.16	10.92	5.84	2.79	----						
	87914-1022	-----	-----	-----	-----	-----	10	-----	2	12.70	10.16	12.25	7.00	2.96	----						E
	87914-1032	-----	-----	-----	-----	-----	10	-----	2	12.70	10.16	13.38	6.09	5.00	----						
	87914-1013	-----	-----	-----	-----	-----	10	-----	3	12.70	10.16	10.92	5.84	2.79	----						
	87914-1023	-----	-----	-----	-----	-----	10	-----	3	12.70	10.16	12.25	7.00	2.96	----						
E	87914-1033	-----	-----	-----	-----	-----	10	-----	3	12.70	10.16	13.38	6.09	5.00	----						D
	87914-1014	-----	-----	-----	-----	-----	10	-----	4	12.70	10.16	10.92	5.84	2.79	----						
	87914-1024	-----	-----	-----	-----	-----	10	-----	4	12.70	10.16	12.25	7.00	2.96	----						
	87914-1034	-----	-----	-----	-----	-----	10	-----	4	12.70	10.16	13.38	6.09	5.00	----						
D	87914-1015	-----	-----	-----	-----	-----	10	-----	5	12.70	10.16	10.92	5.84	2.79	----						C
	87914-1025	-----	-----	-----	-----	-----	10	-----	5	12.70	10.16	12.25	7.00	2.96	----						
	87914-1035	-----	-----	-----	-----	-----	10	-----	5	12.70	10.16	13.38	6.09	5.00	----						
	87914-1016	-----	-----	-----	-----	-----	10	-----	6	12.70	10.16	10.92	5.84	2.79	----						
	87914-1026	-----	-----	-----	-----	-----	10	-----	6	12.70	10.16	12.25	7.00	2.96	----						B
	87914-1036	-----	-----	-----	-----	-----	10	-----	6	12.70	10.16	13.38	6.09	5.00	----						
	87914-0001	-----	-----	-----	-----	-----	10	-----	7	12.70	10.16	12.07	5.97	3.81	----						
	-----	-----	-----	-----	-----	87914-1037	10	9	4	12.70	10.16	10.92	5.84	2.79	----						
B																					B

A	SEE SHEET 14 EC NO: S2015-1512 DRAWN:RAMAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 QUALITY SYMBOLS F_A=0 F_B=0 F_C=0 GENERAL TOLERANCES (UNLESS SPECIFIED) mmINCH 4 PLACES+---+--- 3 PLACES+---+--- 2 PLACES+0.20+--- 1 PLACE+---+--- 0 PLACE+± ANGULAR ± 3 ° DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTLIM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 SCALE NTS DESIGN UNITS METRIC THIRD ANGLE PROJECTION 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex MATERIAL NO. SEE TABLE DOCUMENT NO. SD-87914-013 SHEET NO. 8 OF 45												A
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS												
	SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
fb_frame_A3_P_AM_T Rev. G 2012/01/11	9	8	7	6	5	4	3	2	1				

10		9		8		7		6		5		4		3		2		1	
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					F					
	A	B	F	M	P														
	87914-1211	-----	-----	-----	-----	12	-----	1	15.24	12.70	10.92	5.84	2.79						
	-----	87914-1291	-----	-----	-----	12	-----	9	15.24	12.70	10.92	5.84	2.79						
	87914-1221	-----	-----	-----	-----	12	-----	1	15.24	12.70	12.25	7.00	2.96						
	87914-1231	-----	-----	-----	-----	12	-----	1	15.24	12.70	13.38	6.09	5.00						
	87914-1212	-----	-----	-----	-----	12	-----	2	15.24	12.70	10.92	5.84	2.79						
E	87914-1222	-----	-----	-----	-----	12	-----	2	15.24	12.70	12.25	7.00	2.96	E					
	87914-1232	-----	-----	-----	-----	12	-----	2	15.24	12.70	13.38	6.09	5.00						
	87914-1213	-----	-----	-----	-----	12	-----	3	15.24	12.70	10.92	5.84	2.79						
	87914-1223	-----	-----	-----	-----	12	-----	3	15.24	12.70	12.25	7.00	2.96						
	87914-1233	-----	-----	-----	-----	12	-----	3	15.24	12.70	13.38	6.09	5.00						
D	87914-1214	-----	-----	-----	-----	12	-----	4	15.24	12.70	10.92	5.84	2.79	D					
	87914-1224	-----	-----	-----	-----	12	-----	4	15.24	12.70	12.25	7.00	2.96						
	87914-1234	-----	-----	-----	-----	12	-----	4	15.24	12.70	13.38	6.09	5.00						
	87914-1215	-----	-----	-----	-----	12	-----	5	15.24	12.70	10.92	5.84	2.79						
	87914-1225	-----	-----	-----	-----	12	-----	5	15.24	12.70	12.25	7.00	2.96						
C	87914-1235	-----	-----	-----	-----	12	-----	5	15.24	12.70	13.38	6.09	5.00	C					
	87914-1216	-----	-----	-----	-----	12	-----	6	15.24	12.70	10.92	5.84	2.79						
	87914-1226	-----	-----	-----	-----	12	-----	6	15.24	12.70	12.25	7.00	2.96						
	87914-1236	-----	-----	-----	-----	12	-----	6	15.24	12.70	13.38	6.09	5.00						
B															B				
A															A				

SEE SHEET 14 EC NO: S2015-1512 DRAWN:RAVAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 D15	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		  		mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex	DOCUMENT NO. SD-87914-013	SHEET NO. 9 OF 45	
			4 PLACES	± ---	± ---	CHECKED BY PTLIM	DATE 2004/12/08				
			3 PLACES	± ---	± ---	APPROVED BY MLONG	DATE 2010/09/06				
			2 PLACES	± 0.20	± ---						
			1 PLACE	± ---	± ---						
		0 PLACE	±	±							
		ANGULAR ± 3 °									
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE					
		SIZE A3				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

fb_frame_A3_P_AM_T Rev. G 2012/01/11	9	8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---	---	---

[illegible]

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
F	87914-1411	-----	-----	-----	-----	14	-----	1	17.78	15.24	10.92	5.84	2.79						
	87914-1421	-----	-----	-----	-----	14	-----	1	17.78	15.24	12.25	7.00	2.96						
	87914-1431	-----	-----	-----	-----	14	-----	1	17.78	15.24	13.38	6.09	5.00						
	87914-1412	-----	-----	-----	-----	14	-----	2	17.78	15.24	10.92	5.84	2.79						
	87914-1422	-----	-----	-----	-----	14	-----	2	17.78	15.24	12.25	7.00	2.96						
E	87914-1432	-----	-----	-----	-----	14	-----	2	17.78	15.24	13.38	6.09	5.00						
	87914-1413	-----	-----	-----	-----	14	-----	3	17.78	15.24	10.92	5.84	2.79						
	87914-1423	-----	-----	-----	-----	14	-----	3	17.78	15.24	12.25	7.00	2.96						
	87914-1433	-----	-----	-----	-----	14	-----	3	17.78	15.24	13.38	6.09	5.00						
	87914-1414	-----	-----	-----	-----	14	-----	4	17.78	15.24	10.92	5.84	2.79						
D	87914-1424	-----	-----	-----	-----	14	-----	4	17.78	15.24	12.25	7.00	2.96						
	87914-1434	-----	-----	-----	-----	14	-----	4	17.78	15.24	13.38	6.09	5.00						
	87914-1415	-----	-----	-----	-----	14	-----	5	17.78	15.24	10.92	5.84	2.79						
	87914-1425	-----	-----	-----	-----	14	-----	5	17.78	15.24	12.25	7.00	2.96						
	87914-1435	-----	-----	-----	-----	14	-----	5	17.78	15.24	13.38	6.09	5.00						
C	87914-1416	-----	-----	-----	-----	14	-----	6	17.78	15.24	10.92	5.84	2.79						
	87914-1426	-----	-----	-----	-----	14	-----	6	17.78	15.24	12.25	7.00	2.96						
	87914-1436	-----	-----	-----	-----	14	-----	6	17.78	15.24	13.38	6.09	5.00						
	87914-0007	-----	-----	-----	-----	14	-----	6	17.78	15.24	13.42	8.08	3.05						
</																			

SEE SHEET 14 EC NO: S2015-1512 DRWN:MRAMAKR/SHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15		DESCRIPTION	QUALITY SYMBOLS F_A=0 F_B=0 F_C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
						DRAWN BY KCHO		DATE 2004/11/05		TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex	
						CHECKED BY PTL IM		DATE 2004/12/08			
						APPROVED BY		DATE		DOCUMENT NO. SD-87914-013	
						MLONG		2010/09/06			
D15		REV		ANGULAR ± 3 °		MATERIAL NO.		SHEET NO. 11 OF 45			
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

2.54MM PITCH
DUAL ROW HEADER
SINGLE WAFER, T/H

molex

SD-87914-013

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	F	M	P		
F	87914-1441	-----	-----	-----	-----	14	-----	1	17.78	15.24	13.42	8.08	3.05						F
	87914-1442	-----	-----	-----	-----	14	-----	2	17.78	15.24	13.42	8.08	3.05						
	87914-1443	-----	-----	-----	-----	14	-----	3	17.78	15.24	13.42	8.08	3.05						
	87914-1444	-----	-----	-----	-----	14	-----	4	17.78	15.24	13.42	8.08	3.05						
	87914-1445	-----	-----	-----	-----	14	-----	5	17.78	15.24	13.42	8.08	3.05						
E																			E

	10		9		8		7		6		5		4		3		2		1		
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION												
									A	B	F	M	P								
	87914-1611	-----	-----	-----	-----	16	-----	1	20.32	17.78	10.92	5.84	2.79								
	87914-1621	-----	-----	-----	-----	16	-----	1	20.32	17.78	12.25	7.00	2.96								
	87914-1631	-----	-----	-----	-----	16	-----	1	20.32	17.78	13.38	6.09	5.00								
	87914-1612	-----	-----	-----	-----	16	-----	2	20.32	17.78	10.92	5.84	2.79								
	87914-1622	-----	-----	-----	-----	16	-----	2	20.32	17.78	12.25	7.00	2.96								
	87914-1632	-----	-----	-----	-----	16	-----	2	20.32	17.78	13.38	6.09	5.00								
E	87914-1613	-----	-----	-----	-----	16	-----	3	20.32	17.78	10.92	5.84	2.79								
	87914-1623	-----	-----	-----	-----	16	-----	3	20.32	17.78	12.25	7.00	2.96								
	87914-1633	-----	-----	-----	-----	16	-----	3	20.32	17.78	13.38	6.09	5.00								
	87914-1614	-----	-----	-----	-----	16	-----	4	20.32	17.78	10.92	5.84	2.79								
	87914-1624	-----	-----	-----	-----	16	-----	4	20.32	17.78	12.25	7.00	2.96								
	87914-1634	-----	-----	-----	-----	16	-----	4	20.32	17.78	13.38	6.09	5.00								
D	87914-1615	-----	-----	-----	-----	16	-----	5	20.32	17.78	10.92	5.84	2.79								
	87914-1625	-----	-----	-----	-----	16	-----	5	20.32	17.78	12.25	7.00	2.96								
	87914-1635	-----	-----	-----	-----	16	-----	5	20.32	17.78	13.38	6.09	5.00								
	87914-1616	-----	-----	-----	-----	16	-----	6	20.32	17.78	10.92	5.84	2.79								
	87914-1626	-----	-----	-----	-----	16	-----	6	20.32	17.78	12.25	7.00	2.96								
	87914-1636	-----	-----	-----	-----	16	-----	6	20.32	17.78	13.38	6.09	5.00								
C	87914-1600	-----	-----	-----	-----	16	-----	6	20.32	17.78	9.49	4.50	2.70								
	87914-1637	-----	-----	-----	-----	16	-----	6	20.32	17.78	15.79	10.45	3.05								
B																					
A	SEE SHEET 14 EC NO: S2015-1512 DRWN:PRAMAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 D15					QUALITY SYMBOLS ▽ _F =0 ▽ _F =0 ▽ _F =0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION							
							mm		INCH		DRAWN BY DATE		TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H								
							4 PLACES ± --- ± ---		KCHO 2004/11/05												
							3 PLACES ± --- ± ---		CHECKED BY DATE		molex										
							2 PLACES ± 0.20 ± ---		PTLIM 2004/12/08												
							1 PLACE ± --- ± ---		APPROVED BY DATE		DOCUMENT NO. SD-87914-013										
							0 PLACE ± ±		MLONG 2010/09/06												
							ANGULAR ± 3 °			MATERIAL NO.		SHEET NO.									
							DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		13 OF 45									
							SIZE A3			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1											

	10		9		8		7		6		5		4		3		2		1	
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION						F					
	A	B	F	M	P	G														
	87914-1811	-----	-----	-----	-----	18	-----	1	22.86	20.32	10.92	5.84	2.79	----	E	E				
	87914-1821	-----	-----	-----	-----	18	-----	1	22.86	20.32	12.25	7.00	2.96	----						
	87914-1831	-----	-----	-----	-----	18	-----	1	22.86	20.32	13.38	6.09	5.00	----						
	87914-1812	-----	-----	-----	-----	18	-----	2	22.86	20.32	10.92	5.84	2.79	----						
	87914-1822	-----	-----	-----	-----	18	-----	2	22.86	20.32	12.25	7.00	2.96	----						
	87914-1832	-----	-----	-----	-----	18	-----	2	22.86	20.32	13.38	6.09	5.00	----						
E	87914-1813	-----	-----	-----	-----	18	-----	3	22.86	20.32	10.92	5.84	2.79	----	D	D				
	87914-1823	-----	-----	-----	-----	18	-----	3	22.86	20.32	12.25	7.00	2.96	----						
	87914-1833	-----	-----	-----	-----	18	-----	3	22.86	20.32	13.38	6.09	5.00	----						
D	87914-1814	-----	-----	-----	-----	18	-----	4	22.86	20.32	10.92	5.84	2.79	----	C	C				
	87914-1824	-----	-----	-----	-----	18	-----	4	22.86	20.32	12.25	7.00	2.96	----						
	87914-1834	-----	-----	-----	-----	18	-----	4	22.86	20.32	13.38	6.09	5.00	----						
	87914-1815	-----	-----	-----	-----	18	-----	5	22.86	20.32	10.92	5.84	2.79	----						
	87914-1825	-----	-----	-----	-----	18	-----	5	22.86	20.32	12.25	7.00	2.96	----						
	87914-1835	-----	-----	-----	-----	18	-----	5	22.86	20.32	13.38	6.09	5.00	----						
C	87914-1816	-----	-----	-----	-----	18	-----	6	22.86	20.32	10.92	5.84	2.79	----	B	B				
	87914-1826	-----	-----	-----	-----	18	-----	6	22.86	20.32	12.25	7.00	2.96	----						
	87914-1836	-----	-----	-----	-----	18	-----	6	22.86	20.32	13.38	6.09	5.00	----						
	-----	-----	87914-1807	-----	-----	18	-----	6	22.86	20.32	17.02	11.05	3.68	18.02						
B															A	A				
A	ADD P/N: 87914-1807 IEC NO: SZ015-1512 DRW:N/PRAMAKRI SHNA 2015/06/25 CHK'D:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV QUALITY SYMBOLS ▽_F=0 ▽_F=0 ▽_F=0 GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTLIM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO. SEE TABLE SCALE NTS DESIGN UNITS METRIC THIRD ANGLE PROJECTION 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex SD-87914-013 SHEET NO. 14 OF 45 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								fb_frame_A3_P_AM_T		9	8	7	6	5	4	3	2	1	

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
F	87914-2011	-----	-----	-----	-----	20	-----	1	25.40	22.86	10.92	5.84	2.79						
	87914-2021	-----	-----	-----	-----	20	-----	1	25.40	22.86	12.25	7.00	2.96						
	87914-2031	-----	-----	-----	-----	20	-----	1	25.40	22.86	13.38	6.09	5.00						
	87914-2012	-----	-----	-----	-----	20	-----	2	25.40	22.86	10.92	5.84	2.79						
	87914-2022	-----	-----	-----	-----	20	-----	2	25.40	22.86	12.25	7.00	2.96						
	87914-2032	-----	-----	-----	-----	20	-----	2	25.40	22.86	13.38	6.09	5.00						
E	87914-2013	-----	-----	-----	-----	20	-----	3	25.40	22.86	10.92	5.84	2.79						
	87914-2023	-----	-----	-----	-----	20	-----	3	25.40	22.86	12.25	7.00	2.96						
	87914-2033	-----	-----	-----	-----	20	-----	3	25.40	22.86	13.38	6.09	5.00						
	87914-2014	-----	-----	-----	-----	20	-----	4	25.40	22.86	10.92	5.84	2.79						
	87914-2024	-----	-----	-----	-----	20	-----	4	25.40	22.86	12.25	7.00	2.96						
	87914-2034	-----	-----	-----	-----	20	-----	4	25.40	22.86	13.38	6.09	5.00						
D	87914-2015	-----	-----	-----	-----	20	-----	5	25.40	22.86	10.92	5.84	2.79						
	87914-2025	-----	-----	-----	-----	20	-----	5	25.40	22.86	12.25	7.00	2.96						
	87914-2035	-----	-----	-----	-----	20	-----	5	25.40	22.86	13.38	6.09	5.00						
	87914-2016	-----	-----	-----	-----	20	-----	6	25.40	22.86	10.92	5.84	2.79						
	87914-2026	-----	-----	-----	-----	20	-----	6	25.40	22.86	12.25	7.00	2.96						
	87914-2036	-----	-----	-----	-----	20	-----	6	25.40	22.86	13.38	6.09	5.00						
C																			
B																			
A	SEE SHEET 14 EC NO: S2015-1512 DRAWN:MRAMAKRI SHINA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV DESCRIPTION D15							QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex SD-87914-013 SHEET NO. 15 OF 45	
								 	4 PLACES	± ---	± ---	DRAWN BY	DATE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
									3 PLACES	± ---	± ---	CHECKED BY	DATE						
									2 PLACES	± 0.20	± ---	PTL IM	2004/12/08						
									1 PLACE	± ---	± ---	APPROVED BY	DATE						
									0 PLACE	±	±	MLONG	2010/09/06						
								ANGULAR ± 3 °			MATERIAL NO.		DOCUMENT NO.						
								DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3		SEE TABLE						

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

9

8

7

6

5

4

3

2

1

	10		9		8		7		6		5		4		3		2		1											
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																					
									A	B	F	M	P																	
F	87914-2211	-----	-----	-----	-----	22	-----	1	27.94	25.40	10.92	5.84	2.79							F										
	87914-2221	-----	-----	-----	-----	22	-----	1	27.94	25.40	12.25	7.00	2.96																	
	87914-2231	-----	-----	-----	-----	22	-----	1	27.94	25.40	13.38	6.09	5.00																	
	87914-2212	-----	-----	-----	-----	22	-----	2	27.94	25.40	10.92	5.84	2.79																	
	87914-2222	-----	-----	-----	-----	22	-----	2	27.94	25.40	12.25	7.00	2.96																	
	87914-2232	-----	-----	-----	-----	22	-----	2	27.94	25.40	13.38	6.09	5.00																	
E	87914-2213	-----	-----	-----	-----	22	-----	3	27.94	25.40	10.92	5.84	2.79							E										
	87914-2223	-----	-----	-----	-----	22	-----	3	27.94	25.40	12.25	7.00	2.96																	
	87914-2233	-----	-----	-----	-----	22	-----	3	27.94	25.40	13.38	6.09	5.00																	
	87914-2214	-----	-----	-----	-----	22	-----	4	27.94	25.40	10.92	5.84	2.79																	
	87914-2224	-----	-----	-----	-----	22	-----	4	27.94	25.40	12.25	7.00	2.96																	
	87914-2234	-----	-----	-----	-----	22	-----	4	27.94	25.40	13.38	6.09	5.00																	
D	87914-2215	-----	-----	-----	-----	22	-----	5	27.94	25.40	10.92	5.84	2.79							D										
	87914-2225	-----	-----	-----	-----	22	-----	5	27.94	25.40	12.25	7.00	2.96																	
	87914-2235	-----	-----	-----	-----	22	-----	5	27.94	25.40	13.38	6.09	5.00																	
	87914-2216	-----	-----	-----	-----	22	-----	6	27.94	25.40	10.92	5.84	2.79																	
	87914-2226	-----	-----	-----	-----	22	-----	6	27.94	25.40	12.25	7.00	2.96																	
	87914-2236	-----	-----	-----	-----	22	-----	6	27.94	25.40	13.38	6.09	5.00																	
C																				C										
B																				B										
A									SEE SHEET 14 IEC NO: S2015-1512 DRW:NRAMAKRI SHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 D15		QUALITY SYMBOLS ▽ _F =0 ▽ _F =0 ▽ _F =0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTL IM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO.		SCALE NTS		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex		DOCUMENT NO. SD-87914-013		SHEET NO. 16 OF 45		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
	fb_frame_A3_P_AM_T Rev. G 2012/01/11		9		8		7		6		5		4		3		2		1											

10		9		8		7		6		5		4		3		2		1																																																															
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																									
								A	B	F	M	P																																																																					
F	87914-2411	-----	-----	-----	-----	24	-----	1	30.48	27.94	10.92	5.84	2.79																																																																				
	87914-2421	-----	-----	-----	-----	24	-----	1	30.48	27.94	12.25	7.00	2.96																																																																				
	87914-2431	-----	-----	-----	-----	24	-----	1	30.48	27.94	13.38	6.09	5.00																																																																				
	87914-2412	-----	-----	-----	-----	24	-----	2	30.48	27.94	10.92	5.84	2.79																																																																				
	87914-2422	-----	-----	-----	-----	24	-----	2	30.48	27.94	12.25	7.00	2.96																																																																				
	87914-2432	-----	-----	-----	-----	24	-----	2	30.48	27.94	13.38	6.09	5.00																																																																				
E	87914-2413	-----	-----	-----	-----	24	-----	3	30.48	27.94	10.92	5.84	2.79																																																																				
	87914-2423	-----	-----	-----	-----	24	-----	3	30.48	27.94	12.25	7.00	2.96																																																																				
	87914-2433	-----	-----	-----	-----	24	-----	3	30.48	27.94	13.38	6.09	5.00																																																																				
	87914-2414	-----	-----	-----	-----	24	-----	4	30.48	27.94	10.92	5.84	2.79																																																																				
	87914-2424	-----	-----	-----	-----	24	-----	4	30.48	27.94	12.25	7.00	2.96																																																																				
	87914-2434	-----	-----	-----	-----	24	-----	4	30.48	27.94	13.38	6.09	5.00																																																																				
D	87914-2415	-----	-----	-----	-----	24	-----	5	30.48	27.94	10.92	5.84	2.79																																																																				
	87914-2425	-----	-----	-----	-----	24	-----	5	30.48	27.94	12.25	7.00	2.96																																																																				
	87914-2435	-----	-----	-----	-----	24	-----	5	30.48	27.94	13.38	6.09	5.00																																																																				
	87914-2416	-----	-----	-----	-----	24	-----	6	30.48	27.94	10.92	5.84	2.79																																																																				
	87914-2426	-----	-----	-----	-----	24	-----	6	30.48	27.94	12.25	7.00	2.96																																																																				
	87914-2436	-----	-----	-----	-----	24	-----	6	30.48	27.94	13.38	6.09	5.00																																																																				
C																																																																																	
B																																																																																	
A	<table><tr><td rowspan="5">SEE SHEET 14 EC NO: S2015-1512 DRAWN: MRAKRI / SHINA 2015/06/25 CHKD: ATSEE 2015/06/25 APPR: KPRASAD 2015/07/15</td><td rowspan="5">DESCRIPTION REV</td><td rowspan="5">QUALITY SYMBOLS F=0 F=0 F=0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td></td><td>mm</td><td>INCH</td><td>DRAWN BY KCHO</td><td>DATE 2004/11/05</td><td colspan="4" rowspan="3">2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td>CHECKED BY PTL IM</td><td>DATE 2004/12/08</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td><td>APPROVED BY MLONG</td><td>DATE 2010/09/06</td></tr><tr><td>2 PLACES</td><td>± 0.20</td><td>± ---</td><td colspan="2">ANGULAR ± 3 °</td><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td><td colspan="2">SHEET NO.</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE TABLE</td><td colspan="2">SD-87914-013</td><td colspan="2">17 OF 45</td></tr><tr><td>0 PLACE</td><td>±</td><td>±</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr></table>																		SEE SHEET 14 EC NO: S2015-1512 DRAWN: MRAKRI / SHINA 2015/06/25 CHKD: ATSEE 2015/06/25 APPR: KPRASAD 2015/07/15	DESCRIPTION REV	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex				4 PLACES	± ---	± ---	CHECKED BY PTL IM	DATE 2004/12/08	3 PLACES	± ---	± ---	APPROVED BY MLONG	DATE 2010/09/06	2 PLACES	± 0.20	± ---	ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		1 PLACE	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87914-013		17 OF 45		0 PLACE	±	±								
	SEE SHEET 14 EC NO: S2015-1512 DRAWN: MRAKRI / SHINA 2015/06/25 CHKD: ATSEE 2015/06/25 APPR: KPRASAD 2015/07/15	DESCRIPTION REV	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																							
					mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex																																																																								
				4 PLACES	± ---	± ---	CHECKED BY PTL IM	DATE 2004/12/08																																																																									
				3 PLACES	± ---	± ---	APPROVED BY MLONG	DATE 2010/09/06																																																																									
				2 PLACES	± 0.20	± ---	ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.																																																																				
	1 PLACE	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87914-013		17 OF 45																																																																							
	0 PLACE	±	±																																																																														
	fb_frame_A3_P_AM_T Rev. G 2012/01/11																																																																																

10		9		8		7		6		5		4		3		2		1			
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION													
								A	B	F	M	P									
F	87914-2611	-----	-----	-----	-----	26	-----	1	33.02	30.48	10.92	5.84	2.79								
	87914-2621	-----	-----	-----	-----	26	-----	1	33.02	30.48	12.25	7.00	2.96								
	87914-2631	-----	-----	-----	-----	26	-----	1	33.02	30.48	13.38	6.09	5.00								
	87914-2612	-----	-----	-----	-----	26	-----	2	33.02	30.48	10.92	5.84	2.79								
	87914-2622	-----	-----	-----	-----	26	-----	2	33.02	30.48	12.25	7.00	2.96								
	87914-2632	-----	-----	-----	-----	26	-----	2	33.02	30.48	13.38	6.09	5.00								
E	87914-2613	-----	-----	-----	-----	26	-----	3	33.02	30.48	10.92	5.84	2.79								
	87914-2623	-----	-----	-----	-----	26	-----	3	33.02	30.48	12.25	7.00	2.96								
	87914-2633	-----	-----	-----	-----	26	-----	3	33.02	30.48	13.38	6.09	5.00								
	87914-2614	-----	-----	-----	-----	26	-----	4	33.02	30.48	10.92	5.84	2.79								
	87914-2624	-----	-----	-----	-----	26	-----	4	33.02	30.48	12.25	7.00	2.96								
	87914-2634	-----	-----	-----	-----	26	-----	4	33.02	30.48	13.38	6.09	5.00								
D	87914-2615	-----	-----	-----	-----	26	-----	5	33.02	30.48	10.92	5.84	2.79								
	87914-2625	-----	-----	-----	-----	26	-----	5	33.02	30.48	12.25	7.00	2.96								
	87914-2635	-----	-----	-----	-----	26	-----	5	33.02	30.48	13.38	6.09	5.00								
	87914-2616	-----	-----	-----	-----	26	-----	6	33.02	30.48	10.92	5.84	2.79								
	87914-2626	-----	-----	-----	-----	26	-----	6	33.02	30.48	12.25	7.00	2.96								
	87914-2636	-----	-----	-----	-----	26	-----	6	33.02	30.48	13.38	6.09	5.00								
C																					
B																					
A	SEE SHEET 14 EC NO: SZ015-1512 DRAWN:MRAKRI / SHINA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV							QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTL IM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO.		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex		SHEET NO. 18 OF 45	
									SEE TABLE			DOCUMENT NO. SD-87914-013									
									THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

9

8

7

6

5

4

3

2

1

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
F	87914-2811	-----	-----	-----	-----	28	----	1	35.56	33.02	10.92	5.84	2.79						
	87914-2821	-----	-----	-----	-----	28	----	1	35.56	33.02	12.25	7.00	2.96						
	87914-2831	-----	-----	-----	-----	28	----	1	35.56	33.02	13.38	6.09	5.00						
	87914-2812	-----	-----	-----	-----	28	----	2	35.56	33.02	10.92	5.84	2.79						
	87914-2822	-----	-----	-----	-----	28	----	2	35.56	33.02	12.25	7.00	2.96						
	87914-2832	-----	-----	-----	-----	28	----	2	35.56	33.02	13.38	6.09	5.00						
E	87914-2813	-----	-----	-----	-----	28	----	3	35.56	33.02	10.92	5.84	2.79						
	87914-2823	-----	-----	-----	-----	28	----	3	35.56	33.02	12.25	7.00	2.96						
	87914-2833	-----	-----	-----	-----	28	----	3	35.56	33.02	13.38	6.09	5.00						
	87914-2814	-----	-----	-----	-----	28	----	4	35.56	33.02	10.92	5.84	2.79						
D	87914-2824	-----	-----	-----	-----	28	----	4	35.56	33.02	12.25	7.00	2.96						
	87914-2834	-----	-----	-----	-----	28	----	4	35.56	33.02	13.38	6.09	5.00						
	87914-2815	-----	-----	-----	-----	28	----	5	35.56	33.02	10.92	5.84	2.79						
	87914-2825	-----	-----	-----	-----	28	----	5	35.56	33.02	12.25	7.00	2.96						
	87914-2835	-----	-----	-----	-----	28	----	5	35.56	33.02	13.38	6.09	5.00						
	87914-2816	-----	-----	-----	-----	28	----	6	35.56	33.02	10.92	5.84	2.79						
C	87914-2826	-----	-----	-----	-----	28	----	6	35.56	33.02	12.25	7.00	2.96						
	87914-2836	-----	-----	-----	-----	28	----	6	35.56	33.02	13.38	6.09	5.00						
B																			
A	SEE SHEET 14 EC NO: S2015-1512 DRAWN:MRAMAKRI SHINA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV							QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTL IM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO. SEE TABLE		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex DOCUMENT NO. SD-87914-013		SHEET NO. 19 OF 45		
	fb_frame_A3_P_AM_T Rev. G 2012/01/11																		

[illegible]

10														9														8														7														6														5														4														3														2														1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
								A	B	F	M	P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
F	87914-3211	-----	-----	-----	-----	32	----	1	40.64	38.10	10.92	5.84	2.79																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	87914-3221	-----	-----	-----	-----	32	----	1	40.64	38.10	12.25	7.00	2.96																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	87914-3231	-----	-----	-----	-----	32	----	1	40.64	38.10	13.38	6.09	5.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
E	87914-3212	-----	-----	-----	-----	32	----	2	40.64	38.10	10.92	5.84	2.79																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	87914-3222	-----	-----	-----	-----	32	----	2	40.64	38.10	12.25	7.00	2.96																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	87914-3232	-----	-----	-----	-----	32	----	2	40.64	38.10	13.38	6.09	5.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
D	87914-3213	-----	-----	-----	-----	32	----	3	40.64	38.10	10.92	5.84	2.79																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	87914-3223	-----	-----	-----	-----	32	----	3	40.64	38.10	12.25	7.00	2.96																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	87914-3233	-----	-----	-----	-----	32	----	3	40.64	38.10	13.38	6.09	5.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
C	87914-3214	-----	-----	-----	-----	32	----	4	40.64	38.10	10.92	5.84	2.79																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	87914-3224	-----	-----	-----	-----	32	----	4	40.64	38.10	12.25	7.00	2.96																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	87914-3234	-----	-----	-----	-----	32	----	4	40.64	38.10	13.38	6.09	5.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
B	87914-3215	-----	-----	-----	-----	32	----	5	40.64	38.10	10.92	5.84	2.79																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	87914-3225	-----	-----	-----	-----	32	----	5	40.64	38.10	12.25	7.00	2.96																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	87914-3235	-----	-----	-----	-----	32	----	5	40.64	38.10	13.38	6.09	5.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
A	87914-3216	-----	-----	-----	-----	32	----	6	40.64	38.10	10.92	5.84	2.79																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	87914-3226	-----	-----	-----	-----	32	----	6	40.64	38.10	12.25	7.00	2.96																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	87914-3236	-----	-----	-----	-----	32	----	6	40.64	38.10	13.38	6.09	5.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

	10		9		8		7		6		5		4		3		2		1	
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
									A	B	F	M	D							
F	87914-3411	-----	-----	-----	-----	34	-----	1	43.18	40.64	10.92	5.84	2.79							F
	87914-3421	-----	-----	-----	-----	34	-----	1	43.18	40.64	12.25	7.00	2.96							
	87914-3431	-----	-----	-----	-----	34	-----	1	43.18	40.64	13.38	6.09	5.00							
	87914-3412	-----	-----	-----	-----	34	-----	2	43.18	40.64	10.92	5.84	2.79							
	87914-3422	-----	-----	-----	-----	34	-----	2	43.18	40.64	12.25	7.00	2.96							
	87914-3432	-----	-----	-----	-----	34	-----	2	43.18	40.64	13.38	6.09	5.00							
E	87914-3413	-----	-----	-----	-----	34	-----	3	43.18	40.64	10.92	5.84	2.79							E
	87914-3423	-----	-----	-----	-----	34	-----	3	43.18	40.64	12.25	7.00	2.96							
	87914-3433	-----	-----	-----	-----	34	-----	3	43.18	40.64	13.38	6.09	5.00							
	87914-3414	-----	-----	-----	-----	34	-----	4	43.18	40.64	10.92	5.84	2.79							
	87914-3424	-----	-----	-----	-----	34	-----	4	43.18	40.64	12.25	7.00	2.96							
	87914-3434	-----	-----	-----	-----	34	-----	4	43.18	40.64	13.38	6.09	5.00							
D	87914-3415	-----	-----	-----	-----	34	-----	5	43.18	40.64	10.92	5.84	2.79							D
	87914-3425	-----	-----	-----	-----	34	-----	5	43.18	40.64	12.25	7.00	2.96							
	87914-3435	-----	-----	-----	-----	34	-----	5	43.18	40.64	13.38	6.09	5.00							
	87914-3416	-----	-----	-----	-----	34	-----	6	43.18	40.64	10.92	5.84	2.79							
	87914-3426	-----	-----	-----	-----	34	-----	6	43.18	40.64	12.25	7.00	2.96							
	87914-3436	-----	-----	-----	-----	34	-----	6	43.18	40.64	13.38	6.09	5.00							
C																				C
B																				B
A	SEE SHEET 14 IEC NO: S2015-1512 DRW:NRAMAKRI SHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 DESCRIPTION REV D15								QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex SD-87914-013 22 OF 45	A
													MM ONLY		NTS	METRIC				
													DRAWN BY DATE		TITLE					
													KCHO 2004/11/05							
													CHECKED BY DATE							
													PTLIM 2004/12/08							
													APPROVED BY DATE							
													MLONG 2010/09/06							
													MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
													SEE TABLE		SD-87914-013		22 OF 45			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
										A3										
fb_frame_A3_P_AM_T		9	8	7	6	5	4	3	2	1										
Rev. G 2012/01/11																				

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	F	M	P		
F	87914-3611	-----	-----	-----	-----	36	-----	1	45.72	43.18	10.92	5.84	2.79						
	87914-3621	-----	-----	-----	-----	36	-----	1	45.72	43.18	12.25	7.00	2.96						
	87914-3631	-----	-----	-----	-----	36	-----	1	45.72	43.18	13.38	6.09	5.00						
	87914-3612	-----	-----	-----	-----	36	-----	2	45.72	43.18	10.92	5.84	2.79						
	87914-3622	-----	-----	-----	-----	36	-----	2	45.72	43.18	12.25	7.00	2.96						
	87914-3632	-----	-----	-----	-----	36	-----	2	45.72	43.18	13.38	6.09	5.00						
E	87914-3613	-----	-----	-----	-----	36	-----	3	45.72	43.18	10.92	5.84	2.79						
	87914-3623	-----	-----	-----	-----	36	-----	3	45.72	43.18	12.25	7.00	2.96						
	87914-3633	-----	-----	-----	-----	36	-----	3	45.72	43.18	13.38	6.09	5.00						
	87914-3614	-----	-----	-----	-----	36	-----	4	45.72	43.18	10.92	5.84	2.79						
	87914-3624	-----	-----	-----	-----	36	-----	4	45.72	43.18	12.25	7.00	2.96						
	87914-3634	-----	-----	-----	-----	36	-----	4	45.72	43.18	13.38	6.09	5.00						
D	87914-3615	-----	-----	-----	-----	36	-----	5	45.72	43.18	10.92	5.84	2.79						
	87914-3625	-----	-----	-----	-----	36	-----	5	45.72	43.18	12.25	7.00	2.96						
	87914-3635	-----	-----	-----	-----	36	-----	5	45.72	43.18	13.38	6.09	5.00						
	87914-3616	-----	-----	-----	-----	36	-----	6	45.72	43.18	10.92	5.84	2.79						
	87914-3626	-----	-----	-----	-----	36	-----	6	45.72	43.18	12.25	7.00	2.96						
	87914-3636	-----	-----	-----	-----	36	-----	6	45.72	43.18	13.38	6.09	5.00						
C	87914-3637	-----	-----	-----	-----	36	-----	6	45.72	43.18	12.10	7.01	2.60						
B																			

	10		9		8		7		6		5		4		3		2		1			
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION													
									A	B	F	M	P									
F	87914-3811	-----	-----	-----	-----	38	-----	1	48.26	45.72	10.92	5.84	2.79	F								
	87914-3821	-----	-----	-----	-----	38	-----	1	48.26	45.72	12.25	7.00	2.96									
	87914-3831	-----	-----	-----	-----	38	-----	1	48.26	45.72	13.38	6.09	5.00									
	87914-3812	-----	-----	-----	-----	38	-----	2	48.26	45.72	10.92	5.84	2.79									
	87914-3822	-----	-----	-----	-----	38	-----	2	48.26	45.72	12.25	7.00	2.96									
	87914-3832	-----	-----	-----	-----	38	-----	2	48.26	45.72	13.38	6.09	5.00									
E	87914-3813	-----	-----	-----	-----	38	-----	3	48.26	45.72	10.92	5.84	2.79	E								
	87914-3823	-----	-----	-----	-----	38	-----	3	48.26	45.72	12.25	7.00	2.96									
	87914-3833	-----	-----	-----	-----	38	-----	3	48.26	45.72	13.38	6.09	5.00									
	87914-3814	-----	-----	-----	-----	38	-----	4	48.26	45.72	10.92	5.84	2.79									
	87914-3824	-----	-----	-----	-----	38	-----	4	48.26	45.72	12.25	7.00	2.96									
	87914-3834	-----	-----	-----	-----	38	-----	4	48.26	45.72	13.38	6.09	5.00									
D	87914-3815	-----	-----	-----	-----	38	-----	5	48.26	45.72	10.92	5.84	2.79	D								
	87914-3825	-----	-----	-----	-----	38	-----	5	48.26	45.72	12.25	7.00	2.96									
	87914-3835	-----	-----	-----	-----	38	-----	5	48.26	45.72	13.38	6.09	5.00									
	87914-3816	-----	-----	-----	-----	38	-----	6	48.26	45.72	10.92	5.84	2.79									
	87914-3826	-----	-----	-----	-----	38	-----	6	48.26	45.72	12.25	7.00	2.96									
	87914-3836	-----	-----	-----	-----	38	-----	6	48.26	45.72	13.38	6.09	5.00									
C														C								
B														B								
A	SEE SHEET 14 IEC NO: S2015-1512 DRW:MPRAMAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV D15								QUALITY SYMBOLS ▽_F=0 ▽_E=0 ▽_P=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTLIM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO. SEE TABLE SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex SD-87914-013		SHEET NO. 24 OF 45		A
fb_frame_A3_P_AM_T		9	8	7	6	5	4	3	2	1												
Rev. G 2012/01/11																						

10		9		8		7		6		5		4		3		2		1				
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION														
								A	B	F	M	P										
F	87914-4211	-----	-----	-----	-----	42	-----	1	53.34	50.80	10.92	5.84	2.79									
	87914-4221	-----	-----	-----	-----	42	-----	1	53.34	50.80	12.25	7.00	2.96									
	87914-4212	-----	-----	-----	-----	42	-----	2	53.34	50.80	10.92	5.84	2.79									
	87914-4222	-----	-----	-----	-----	42	-----	2	53.34	50.80	12.25	7.00	2.96									
	87914-4213	-----	-----	-----	-----	42	-----	3	53.34	50.80	10.92	5.84	2.79									
	87914-4223	-----	-----	-----	-----	42	-----	3	53.34	50.80	12.25	7.00	2.96									
E	87914-4214	-----	-----	-----	-----	42	-----	4	53.34	50.80	10.92	5.84	2.79									
	87914-4224	-----	-----	-----	-----	42	-----	4	53.34	50.80	12.25	7.00	2.96									
	87914-4215	-----	-----	-----	-----	42	-----	5	53.34	50.80	10.92	5.84	2.79									
	87914-4225	-----	-----	-----	-----	42	-----	5	53.34	50.80	12.25	7.00	2.96									
D	87914-4216	-----	-----	-----	-----	42	-----	6	53.34	50.80	10.92	5.84	2.79									
	87914-4226	-----	-----	-----	-----	42	-----	6	53.34	50.80	12.25	7.00	2.96									
C																						
B																						
A	SEE SHEET 14		EC NO: S2015-1512		DRWN:MRAMAKRI SHINA 2015/06/25		CHKD:ATSEE 2015/06/25		APPR:KPRASAD 2015/07/15		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
	D15										F=0		mm INCH		MM ONLY		NTS		METRIC			
											F=0		4 PLACES ± --- ± ---		DRAWN BY DATE				2.54MM PITCH			
											F=0		3 PLACES ± --- ± ---		CHECKED BY DATE				DUAL ROW HEADER			
													2 PLACES ± 0.20 ± ---		PTL IM 2004/12/08				SINGLE WAFER, T/H			
													1 PLACE ± --- ± ---		APPROVED BY DATE							
													0 PLACE ± ±		MLONG 2010/09/06							
													ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.				SHEET NO.	
													DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87914-013				26 OF 45	
													SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
fb_frame_A3_P_AM_T		9		8		7		6		5		4		3		2		1				
Rev. G 2012/01/11																						

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	F	M	P		
F	87914-4411	-----	-----	-----	-----	44	----	1	55.88	53.34	10.92	5.84	2.79						
	87914-4421	-----	-----	-----	-----	44	----	1	55.88	53.34	12.25	7.00	2.96						
	87914-4412	-----	-----	-----	-----	44	----	2	55.88	53.34	10.92	5.84	2.79						
	87914-4422	-----	-----	-----	-----	44	----	2	55.88	53.34	12.25	7.00	2.96						
	87914-4413	-----	-----	-----	-----	44	----	3	55.88	53.34	10.92	5.84	2.79						
E	87914-4423	-----	-----	-----	-----	44	----	3	55.88	53.34	12.25	7.00	2.96						
	87914-4414	-----	-----	-----	-----	44	----	4	55.88	53.34	10.92	5.84	2.79						
	87914-4424	-----	-----	-----	-----	44	----	4	55.88	53.34	12.25	7.00	2.96						
	87914-4415	-----	-----	-----	-----	44	----	5	55.88	53.34	10.92	5.84	2.79						
	87914-4425	-----	-----	-----	-----	44	----	5	55.88	53.34	12.25	7.00	2.96						
D	87914-4416	-----	-----	-----	-----	44	----	6	55.88	53.34	10.92	5.84	2.79						
	87914-4426	-----	-----	-----	-----	44	----	6	55.88	53.34	12.25	7.00	2.96						
C																			
B																			
A																			

SEE SHEET 14 IEC NO: S2015-1512 DRW:NARAYAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15	QUALITY SYMBOLS ▽ _F =0 ▽ _E =0 ▽ _P =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
		4 PLACES	± ---	± ---	DRAWN BY	DATE	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex	
		3 PLACES	± ---	± ---	CHECKED BY	DATE		
		2 PLACES	± 0.20	± ---	PTLIM	2004/12/08		
1 PLACE	± ---	± ---	APPROVED BY	DATE				
0 PLACE	±	±	MLONG	2010/09/06	MATERIAL NO.	DOCUMENT NO. SD-87914-013	SHEET NO. 27 OF 45	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

tb_frame_A3_P_AM_T Rev. G 2012/01/11	9	8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---	---	---

	10		9		8		7		6		5		4		3		2		1	
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION						F					
	A	B	F	M	P															
	87914-4611	-----	-----	-----	-----	46	-----	1	58.42	55.88	10.92	5.84	2.79							
	87914-4621	-----	-----	-----	-----	46	-----	1	58.42	55.88	12.25	7.00	2.96							
	87914-4612	-----	-----	-----	-----	46	-----	2	58.42	55.88	10.92	5.84	2.79							
	87914-4622	-----	-----	-----	-----	46	-----	2	58.42	55.88	12.25	7.00	2.96							
	87914-4613	-----	-----	-----	-----	46	-----	3	58.42	55.88	10.92	5.84	2.79							
	87914-4623	-----	-----	-----	-----	46	-----	3	58.42	55.88	12.25	7.00	2.96							
E	87914-4614	-----	-----	-----	-----	46	-----	4	58.42	55.88	10.92	5.84	2.79		E					
	87914-4624	-----	-----	-----	-----	46	-----	4	58.42	55.88	12.25	7.00	2.96							
	87914-4615	-----	-----	-----	-----	46	-----	5	58.42	55.88	10.92	5.84	2.79							
	87914-4625	-----	-----	-----	-----	46	-----	5	58.42	55.88	12.25	7.00	2.96							
	87914-4616	-----	-----	-----	-----	46	-----	6	58.42	55.88	10.92	5.84	2.79							
	87914-4626	-----	-----	-----	-----	46	-----	6	58.42	55.88	12.25	7.00	2.96							
D																	D			
C																		C		
B																		B		

[illegible]

[illegible]

[illegible]

	10		9		8		7		6		5		4		3		2		1	
F	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					F						
	A	B	F	M	P															
	87914-5411	-----	-----	-----	-----	54	----	1	68.58	66.04	10.92	5.84	2.79							
	87914-5421	-----	-----	-----	-----	54	----	1	68.58	66.04	12.25	7.00	2.96							
	87914-5412	-----	-----	-----	-----	54	----	2	68.58	66.04	10.92	5.84	2.79							
	87914-5422	-----	-----	-----	-----	54	----	2	68.58	66.04	12.25	7.00	2.96							
	87914-5413	-----	-----	-----	-----	54	----	3	68.58	66.04	10.92	5.84	2.79							
	87914-5423	-----	-----	-----	-----	54	----	3	68.58	66.04	12.25	7.00	2.96							
E	87914-5414	-----	-----	-----	-----	54	----	4	68.58	66.04	10.92	5.84	2.79							E
	87914-5424	-----	-----	-----	-----	54	----	4	68.58	66.04	12.25	7.00	2.96							
	87914-5415	-----	-----	-----	-----	54	----	5	68.58	66.04	10.92	5.84	2.79							
	87914-5425	-----	-----	-----	-----	54	----	5	68.58	66.04	12.25	7.00	2.96							
	87914-5416	-----	-----	-----	-----	54	----	6	68.58	66.04	10.92	5.84	2.79							
	87914-5426	-----	-----	-----	-----	54	----	6	68.58	66.04	12.25	7.00	2.96							
D																				D

	10	9	8	7	6	5	4	3	2	1															
	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																
									A	B	F	M	P												
F	87914-5611	-----	-----	-----	-----	56	-----	1	71.12	68.58	10.92	5.84	2.79	F											
	87914-5621	-----	-----	-----	-----	56	-----	1	71.12	68.58	12.25	7.00	2.96												
	87914-5612	-----	-----	-----	-----	56	-----	2	71.12	68.58	10.92	5.84	2.79												
	87914-5622	-----	-----	-----	-----	56	-----	2	71.12	68.58	12.25	7.00	2.96												
	87914-5613	-----	-----	-----	-----	56	-----	3	71.12	68.58	10.92	5.84	2.79												
E	87914-5623	-----	-----	-----	-----	56	-----	3	71.12	68.58	12.25	7.00	2.96	E											
	87914-5614	-----	-----	-----	-----	56	-----	4	71.12	68.58	10.92	5.84	2.79												
	87914-5624	-----	-----	-----	-----	56	-----	4	71.12	68.58	12.25	7.00	2.96												
	87914-5615	-----	-----	-----	-----	56	-----	5	71.12	68.58	10.92	5.84	2.79												
	87914-5625	-----	-----	-----	-----	56	-----	5	71.12	68.58	12.25	7.00	2.96												
D	87914-5616	-----	-----	-----	-----	56	-----	6	71.12	68.58	10.92	5.84	2.79	D											
	87914-5626	-----	-----	-----	-----	56	-----	6	71.12	68.58	12.25	7.00	2.96												
C														C											
B														B											
A											SEE SHEET 14 IEC NO: S2015-1512 DRW:NRAMAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV				QUALITY SYMBOLS $\nabla_F=0$ $\nabla_F=0$ $\nabla_F=0$	GENERAL TOLERANCES (UNLESS SPECIFIED) mmINCH 4 PLACES±---±--- 3 PLACES±---±--- 2 PLACES±0.20±--- 1 PLACE±---±--- 0 PLACE±± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTLIM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO.	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex	DOCUMENT NO. SD-87914-013	SHEET NO. 33 OF 45	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	

	10		9		8		7		6		5		4		3		2		1	
F	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					F						
	A	B	F	M	P															
	87914-5811	-----	-----	-----	-----	58	-----	1	73.66	71.12	10.92	5.84	2.79							
	87914-5821	-----	-----	-----	-----	58	-----	1	73.66	71.12	12.25	7.00	2.96							
	87914-5812	-----	-----	-----	-----	58	-----	2	73.66	71.12	10.92	5.84	2.79							
	87914-5822	-----	-----	-----	-----	58	-----	2	73.66	71.12	12.25	7.00	2.96							
	87914-5813	-----	-----	-----	-----	58	-----	3	73.66	71.12	10.92	5.84	2.79							
	87914-5823	-----	-----	-----	-----	58	-----	3	73.66	71.12	12.25	7.00	2.96							
E	87914-5814	-----	-----	-----	-----	58	-----	4	73.66	71.12	10.92	5.84	2.79	E						
	87914-5824	-----	-----	-----	-----	58	-----	4	73.66	71.12	12.25	7.00	2.96							
	87914-5815	-----	-----	-----	-----	58	-----	5	73.66	71.12	10.92	5.84	2.79							
	87914-5825	-----	-----	-----	-----	58	-----	5	73.66	71.12	12.25	7.00	2.96							
	87914-5816	-----	-----	-----	-----	58	-----	6	73.66	71.12	10.92	5.84	2.79							
	87914-5826	-----	-----	-----	-----	58	-----	6	73.66	71.12	12.25	7.00	2.96							
D														D						

[illegible]

	10		9		8		7		6		5		4		3		2		1				
F	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION														
	A	B	F	M	P																		
	87914-6211	-----	-----	-----	-----	62	----	1	78.74	76.20	10.92	5.84	2.79										
	87914-6221	-----	-----	-----	-----	62	----	1	78.74	76.20	12.25	7.00	2.96										
	87914-6212	-----	-----	-----	-----	62	----	2	78.74	76.20	10.92	5.84	2.79										
	87914-6222	-----	-----	-----	-----	62	----	2	78.74	76.20	12.25	7.00	2.96										
	87914-6213	-----	-----	-----	-----	62	----	3	78.74	76.20	10.92	5.84	2.79										
	87914-6223	-----	-----	-----	-----	62	----	3	78.74	76.20	12.25	7.00	2.96										
E	87914-6214	-----	-----	-----	-----	62	----	4	78.74	76.20	10.92	5.84	2.79										
	87914-6224	-----	-----	-----	-----	62	----	4	78.74	76.20	12.25	7.00	2.96										
		87914-6215	-----	-----	-----	-----	62	----	5	78.74	76.20	10.92	5.84	2.79									
	87914-6225	-----	-----	-----	-----	62	----	5	78.74	76.20	12.25	7.00	2.96										
	87914-6216	-----	-----	-----	-----	62	----	6	78.74	76.20	10.92	5.84	2.79										
	87914-6226	-----	-----	-----	-----	62	----	6	78.74	76.20	12.25	7.00	2.96										
D																							
C																							
B																							
A																							

SEE SHEET 14 IEC NO: S2015-1512 DRW:MRAMAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
			mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex SD-87914-013	
		4 PLACES	± ---	± ---	CHECKED BY	DATE 2004/12/08		
		3 PLACES	± ---	± ---	PTLIM	DATE 2010/09/06		
		2 PLACES	± 0.20	± ---	APPROVED BY	DATE		
1 PLACE	± ---	± ---	MLONG		MATERIAL NO.	DOCUMENT NO.	SHEET NO.	
0 PLACE	±	±	SEE TABLE		SD-87914-013		36 OF 45	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

fb_frame_A3_P_AM_T Rev. G 2012/01/11	9	8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---	---	---

	10		9	8		7		6		5		4		3		2		1	
	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION										
									A	B	F	M	P						
F	87914-6411	-----	-----	-----	-----	64	-----	1	81.28	78.74	10.92	5.84	2.79						F
	87914-6421	-----	-----	-----	-----	64	-----	1	81.28	78.74	12.25	7.00	2.96						
	87914-6412	-----	-----	-----	-----	64	-----	2	81.28	78.74	10.92	5.84	2.79						
	87914-6422	-----	-----	-----	-----	64	-----	2	81.28	78.74	12.25	7.00	2.96						E
	87914-6413	-----	-----	-----	-----	64	-----	3	81.28	78.74	10.92	5.84	2.79						
	87914-6423	-----	-----	-----	-----	64	-----	3	81.28	78.74	12.25	7.00	2.96						
E	87914-6414	-----	-----	-----	-----	64	-----	4	81.28	78.74	10.92	5.84	2.79						D
	87914-6424	-----	-----	-----	-----	64	-----	4	81.28	78.74	12.25	7.00	2.96						
	87914-6415	-----	-----	-----	-----	64	-----	5	81.28	78.74	10.92	5.84	2.79						
	87914-6425	-----	-----	-----	-----	64	-----	5	81.28	78.74	12.25	7.00	2.96						C
	87914-6416	-----	-----	-----	-----	64	-----	6	81.28	78.74	10.92	5.84	2.79						
	87914-6426	-----	-----	-----	-----	64	-----	6	81.28	78.74	12.25	7.00	2.96						
D																			B
																			A
C																			
B																			
A																			
						SEE SHEET 14 IEC NO: S2015-1512 DRW:NARAYAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV	QUALITY SYMBOLS ▽ _F =0 ▽ _E =0 ▽ _P =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H			DOCUMENT NO. SD-87914-013	SHEET NO. 37 OF 45
		4 PLACES	± ---	± ---	DRAWN BY KCHO			DATE 2004/11/05											
		3 PLACES	± ---	± ---	CHECKED BY PTLIM			DATE 2004/12/08											
		2 PLACES	± 0.20	± ---	APPROVED BY			DATE											
		1 PLACE	± ---	± ---	MLONG			2010/09/06											
		0 PLACE	±	±	MATERIAL NO.														
		ANGULAR ± 3 °																	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE															
		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																

10		9		8		7		6		5		4		3		2		1						
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																
								A	B	F	M	P												
F	87914-6611	-----	-----	-----	-----	66	-----	1	83.82	81.28	10.92	5.84	2.79											
	87914-6621	-----	-----	-----	-----	66	-----	1	83.82	81.28	12.25	7.00	2.96											
	87914-6612	-----	-----	-----	-----	66	-----	2	83.82	81.28	10.92	5.84	2.79											
	87914-6622	-----	-----	-----	-----	66	-----	2	83.82	81.28	12.25	7.00	2.96											
	87914-6613	-----	-----	-----	-----	66	-----	3	83.82	81.28	10.92	5.84	2.79											
E	87914-6623	-----	-----	-----	-----	66	-----	3	83.82	81.28	12.25	7.00	2.96											
	87914-6614	-----	-----	-----	-----	66	-----	4	83.82	81.28	10.92	5.84	2.79											
	87914-6624	-----	-----	-----	-----	66	-----	4	83.82	81.28	12.25	7.00	2.96											
	87914-6615	-----	-----	-----	-----	66	-----	5	83.82	81.28	10.92	5.84	2.79											
	87914-6625	-----	-----	-----	-----	66	-----	5	83.82	81.28	12.25	7.00	2.96											
D	87914-6616	-----	-----	-----	-----	66	-----	6	83.82	81.28	10.92	5.84	2.79											
	87914-6626	-----	-----	-----	-----	66	-----	6	83.82	81.28	12.25	7.00	2.96											
C																								
B																								
A	SEE SHEET 14 IEC NO: S2015-1512 DRAWN:PRAMAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV							QUALITY SYMBOLS ▽ _F =0 ▽ _E =0 ▽ _P =0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex							
									mm		INCH		DRAWN BY KCHO		DATE 2004/11/05							TITLE		
									4 PLACES ± --- ± ---		CHECKED BY PTLIM		DATE 2004/12/08											
									3 PLACES ± --- ± ---		APPROVED BY		DATE 2010/09/06											
									2 PLACES ± 0.20 ± ---		MATERIAL NO.		DOCUMENT NO.											
									1 PLACE ± --- ± ---		SEE TABLE		SD-87914-013		SHEET NO. 38 OF 45									
									0 PLACE ± ±		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
									ANGULAR ± 3 °															
									DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS															
									SIZE A3															
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1														

10		9		8		7		6		5		4		3		2		1																																									
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																			
								A	B	F	M	P																																															
F	87914-6811	-----	-----	-----	-----	68	-----	1	86.36	83.82	10.92	5.84	2.79						F																																								
	87914-6821	-----	-----	-----	-----	68	-----	1	86.36	83.82	12.25	7.00	2.96																																														
	87914-6812	-----	-----	-----	-----	68	-----	2	86.36	83.82	10.92	5.84	2.79																																														
	87914-6822	-----	-----	-----	-----	68	-----	2	86.36	83.82	12.25	7.00	2.96																																														
	87914-6813	-----	-----	-----	-----	68	-----	3	86.36	83.82	10.92	5.84	2.79																																														
	87914-6823	-----	-----	-----	-----	68	-----	3	86.36	83.82	12.25	7.00	2.96																																														
E	87914-6814	-----	-----	-----	-----	68	-----	4	86.36	83.82	10.92	5.84	2.79						E																																								
	87914-6824	-----	-----	-----	-----	68	-----	4	86.36	83.82	12.25	7.00	2.96																																														
	87914-6815	-----	-----	-----	-----	68	-----	5	86.36	83.82	10.92	5.84	2.79																																														
	87914-6825	-----	-----	-----	-----	68	-----	5	86.36	83.82	12.25	7.00	2.96																																														
	87914-6816	-----	-----	-----	-----	68	-----	6	86.36	83.82	10.92	5.84	2.79																																														
	87914-6826	-----	-----	-----	-----	68	-----	6	86.36	83.82	12.25	7.00	2.96																																														
D																			D																																								
C																			C																																								
B																			B																																								
A																			A																																								
										SEE SHEET 14 IEC NO: S2015-1512 DRW:WIPRAKRI SHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV QUALITY SYMBOLS $\nabla_F=0$ $\nabla_F=0$ $\nabla_F=0$ GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± 0.20</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr><tr><td>0 PLACE</td><td>±</td><td>±</td></tr></table> ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE MM ONLY <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>KCHO</td><td>2004/11/05</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>PTL IM</td><td>2004/12/08</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>MLONG</td><td>2010/09/06</td></tr></table> MATERIAL NO. SEE TABLE SCALE NTS DESIGN UNITS METRIC THIRD ANGLE PROJECTION TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex DOCUMENT NO. SD-87914-013 SHEET NO. 39 OF 45 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.20	± ---	1 PLACE	± ---	± ---	0 PLACE	±	±	DRAWN BY	DATE	KCHO	2004/11/05	CHECKED BY	DATE	PTL IM	2004/12/08	APPROVED BY	DATE	MLONG	2010/09/06										
	mm	INCH																																																									
4 PLACES	± ---	± ---																																																									
3 PLACES	± ---	± ---																																																									
2 PLACES	± 0.20	± ---																																																									
1 PLACE	± ---	± ---																																																									
0 PLACE	±	±																																																									
DRAWN BY	DATE																																																										
KCHO	2004/11/05																																																										
CHECKED BY	DATE																																																										
PTL IM	2004/12/08																																																										
APPROVED BY	DATE																																																										
MLONG	2010/09/06																																																										
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9		8		7		6		5		4		3		2		1																																									

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

9

8

7

6

5

4

3

2

1

10		9		8		7		6		5		4		3		2		1	
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
F	87914-7011	-----	-----	-----	-----	70	----	1	88.90	86.36	10.92	5.84	2.79						
	87914-7021	-----	-----	-----	-----	70	----	1	88.90	86.36	12.25	7.00	2.96						
	87914-7012	-----	-----	-----	-----	70	----	2	88.90	86.36	10.92	5.84	2.79						
	87914-7022	-----	-----	-----	-----	70	----	2	88.90	86.36	12.25	7.00	2.96						
	87914-7013	-----	-----	-----	-----	70	----	3	88.90	86.36	10.92	5.84	2.79						
	87914-7023	-----	-----	-----	-----	70	----	3	88.90	86.36	12.25	7.00	2.96						
E	87914-7014	-----	-----	-----	-----	70	----	4	88.90	86.36	10.92	5.84	2.79						
	87914-7024	-----	-----	-----	-----	70	----	4	88.90	86.36	12.25	7.00	2.96						
	87914-7015	-----	-----	-----	-----	70	----	5	88.90	86.36	10.92	5.84	2.79						
	87914-7025	-----	-----	-----	-----	70	----	5	88.90	86.36	12.25	7.00	2.96						
	87914-7016	-----	-----	-----	-----	70	----	6	88.90	86.36	10.92	5.84	2.79						
	87914-7026	-----	-----	-----	-----	70	----	6	88.90	86.36	12.25	7.00	2.96						
D																			
C																			
B																			
A	SEE SHEET 14 EC NO: SZ015-1512 DRAWN: MRAKRI / SHINA 2015/06/25 CHKD: ATSEE 2015/06/25 APPR: KPRASAD 2015/07/15 REV							QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTL IM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO.		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex DOCUMENT NO. SD-87914-013 SHEET NO. 40 OF 45	
	fb_frame_A3_P_AM_T Rev. G 2012/01/11											SEE TABLE							

10		9		8		7		6		5		4		3		2		1	
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
F	87914-7211	-----	-----	-----	-----	72	-----	1	91.44	88.90	10.92	5.84	2.79						
	87914-7221	-----	-----	-----	-----	72	-----	1	91.44	88.90	12.25	7.00	2.96						
	87914-7212	-----	-----	-----	-----	72	-----	2	91.44	88.90	10.92	5.84	2.79						
	87914-7222	-----	-----	-----	-----	72	-----	2	91.44	88.90	12.25	7.00	2.96						
	87914-7213	-----	-----	-----	-----	72	-----	3	91.44	88.90	10.92	5.84	2.79						
	87914-7223	-----	-----	-----	-----	72	-----	3	91.44	88.90	12.25	7.00	2.96						
E	87914-7214	-----	-----	-----	-----	72	-----	4	91.44	88.90	10.92	5.84	2.79						
	87914-7224	-----	-----	-----	-----	72	-----	4	91.44	88.90	12.25	7.00	2.96						
	87914-7215	-----	-----	-----	-----	72	-----	5	91.44	88.90	10.92	5.84	2.79						
	87914-7225	-----	-----	-----	-----	72	-----	5	91.44	88.90	12.25	7.00	2.96						
	87914-7216	-----	-----	-----	-----	72	-----	6	91.44	88.90	10.92	5.84	2.79						
	87914-7226	-----	-----	-----	-----	72	-----	6	91.44	88.90	12.25	7.00	2.96						
D																			
C																			
B																			
A	SEE SHEET 14 EC NO: SZ015-1512 DRAWN:MRAMAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV DESCRIPTION							QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
								 =0 =0 =0		mm	INCH	DRAWN BY	DATE	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex					
									4 PLACES	± ---	± ---	KCHO	2004/11/05						
									3 PLACES	± ---	± ---	CHECKED BY	DATE						
									2 PLACES	± 0.20	± ---	PTLIM	2004/12/08						
									1 PLACE	± ---	± ---	APPROVED BY	DATE						
								0 PLACE	±	±	MLONG	2010/09/06	DOCUMENT NO. SD-87914-013	SHEET NO. 41 OF 45					
								ANGULAR ± 3 °			MATERIAL NO.								
								DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
								SIZE A3											

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

987654321

[illegible]



[illegible]

10		9		8		7		6		5		4		3		2		1						
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																
								A	B	F	M	P												
F	87914-7811	-----	-----	-----	-----	78	-----	1	99.06	96.52	10.92	5.84	2.79											
	87914-7821	-----	-----	-----	-----	78	-----	1	99.06	96.52	12.25	7.00	2.96											
	87914-7812	-----	-----	-----	-----	78	-----	2	99.06	96.52	10.92	5.84	2.79											
	87914-7822	-----	-----	-----	-----	78	-----	2	99.06	96.52	12.25	7.00	2.96											
	87914-7813	-----	-----	-----	-----	78	-----	3	99.06	96.52	10.92	5.84	2.79											
	87914-7823	-----	-----	-----	-----	78	-----	3	99.06	96.52	12.25	7.00	2.96											
E	87914-7814	-----	-----	-----	-----	78	-----	4	99.06	96.52	10.92	5.84	2.79											
	87914-7824	-----	-----	-----	-----	78	-----	4	99.06	96.52	12.25	7.00	2.96											
	87914-7815	-----	-----	-----	-----	78	-----	5	99.06	96.52	10.92	5.84	2.79											
	87914-7825	-----	-----	-----	-----	78	-----	5	99.06	96.52	12.25	7.00	2.96											
	87914-7816	-----	-----	-----	-----	78	-----	6	99.06	96.52	10.92	5.84	2.79											
	87914-7826	-----	-----	-----	-----	78	-----	6	99.06	96.52	12.25	7.00	2.96											
D																								
C																								
B																								
A	SEE SHEET 14		EC NO: S2015-1512		DRWN:MRAMAKR/SHINA 2015/06/25		CHKD:ATSEE 2015/06/25		APPR:KPRASAD 2015/07/15		REV		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
	D15												F=0		mm		MM ONLY		NTS		METRIC		⊙	
													F=0		INCH		DRAWN BY		DATE		TITLE			
													F=0				KCHO		2004/11/05		2.54MM PITCH			
																	CHECKED BY		DATE		DUAL ROW HEADER			
																	PTL IM		2004/12/08		SINGLE WAFER, T/H			
																APPROVED BY		DATE		molex				
																MLONG		2010/09/06						
																MATERIAL NO.		DOCUMENT NO.		SHEET NO.				
																SEE TABLE		SD-87914-013		44 OF 45				
																SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
																A3								






fb_frame_A3_P_AM_T
Rev. G 2012/01/11

987654321

[illegible]



RECOMMENDED PCB LAYOUT



NOTES:

1. MATERIAL:

HSG: LCP, GLASS-FILLED, UL94V-0,
COLOR: BLACK
PIN: 0.64MM SQ PIN, COPPER ALLOY

2. PLATING TYPE:

- (1) : 0.381 μ m MIN. GOLD PLATE ON CONTACT AND 1.905 μ m MIN. TIN ON SOLDERTAIL OVER 1.270 μ m MIN. NICKEL OVERALL.
- (2) : 0.762 μ m MIN. GOLD PLATE ON CONTACT AND 1.905 μ m MIN. TIN ON SOLDERTAIL OVER 1.270 μ m MIN. NICKEL OVERALL.
- (3) : 2.540 μ m MIN. TIN IN SELECTED AREA OVER 1.270 μ m MIN. NICKEL OVERALL.

3. THE ABOVE 10 CKT IS FOR ILLUSTRATION PURPOSE ONLY.
4. FOR PACKAGING OPTION PLEASE REFER TO THE TABLE.
5. RECOMMENDED PCB THICKNESS 1.60MM.
6. PRODUCT SPECIFICATION: PS-87920-019
7. WAFER TO BE FLAT WITHIN 0.003mm/mm
8. IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN BODY IS NOT ACCEPTABLE.
9. PARTS ARE NOT STACKABLE ON 2.54 CENTER
10. PACKAGING SPECIFICATION:
TRAY: PK-89990-489
BULK: PK-89990-491

EWR# 1010 & 1021 EC NO: S2007-0182 DRWN:SKL IM01 CHKD:CWLAM APPR:KWLEE	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION													
			<table><tr><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES ± ---</td><td>± ---</td></tr><tr><td>3 PLACES ± ---</td><td>± ---</td></tr><tr><td>2 PLACES ± 0.2</td><td>± ---</td></tr><tr><td>1 PLACE ± ---</td><td>± ---</td></tr><tr><td colspan="2">ANGULAR ± 3 °</td></tr></table>		mm	INCH	4 PLACES ± ---	± ---	3 PLACES ± ---	± ---	2 PLACES ± 0.2	± ---	1 PLACE ± ---	± ---	ANGULAR ± 3 °		DRAWN BY SKL IM01		DATE 2006/08/21	TITLE CUSTOM HEADER C-GRID,SINGLE WAFER HDR, THROU HOLE,VERTICAL, LF		
			mm	INCH																		
			4 PLACES ± ---	± ---																		
			3 PLACES ± ---	± ---																		
2 PLACES ± 0.2	± ---																					
1 PLACE ± ---	± ---																					
ANGULAR ± 3 °																						
		CHECKED BY CWLAM		DATE 2006/09/04																		
		APPROVED BY KWLEE		DATE 2006/09/04	 MOLEX INCORPORATED																	
		MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-87914-059				SHEET NO. 1 OF 9														
A			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	

	10		9		8		7		6		5		4		3		2		1		
F	PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	CKT SIZE	PLATING TYPE	DIMENSION					PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	CKT SIZE	PLATING TYPE	DIMENSION							
								MATING END	SOLDER TAIL								MATING END	SOLDER TAIL			
					A	B	F	M	P					A	B	F	M	P			
	87914-0401	-----	4	1	5.08	2.54	13.21	8.13	2.79		87914-0404	-----	4	1	5.08	2.54	11.11	6.10	2.72		
	87914-0402	-----	4	2	5.08	2.54	13.21	8.13	2.79		87914-0405	-----	4	2	5.08	2.54	11.11	6.10	2.72		
E		87914-0403	-----	4	3	5.08	2.54	13.21	8.13	2.79		87914-0406	-----	4	3	5.08	2.54	11.11	6.10	2.72	E
	87914-0601	-----	6	1	7.62	5.08	13.21	8.13	2.79		87914-0604	-----	6	1	7.62	5.08	11.11	6.10	2.72		
	87914-0602	-----	6	2	7.62	5.08	13.21	8.13	2.79		87914-0605	-----	6	2	7.62	5.08	11.11	6.10	2.72		
	87914-0603	-----	6	3	7.62	5.08	13.21	8.13	2.79		87914-0606	-----	6	3	7.62	5.08	11.11	6.10	2.72		
D		87914-0801	-----	8	1	10.16	7.62	13.21	8.13	2.79		87914-0804	-----	8	1	10.16	7.62	11.11	6.10	2.72	D
		87914-0802	-----	8	2	10.16	7.62	13.21	8.13	2.79		87914-0805	-----	8	2	10.16	7.62	11.11	6.10	2.72	
		87914-0803	-----	8	3	10.16	7.62	13.21	8.13	2.79		87914-0806	-----	8	3	10.16	7.62	11.11	6.10	2.72	
C		87914-1001	-----	10	1	12.70	10.16	13.21	8.13	2.79		87914-1004	-----	10	1	12.70	10.16	11.11	6.10	2.72	
		87914-1002	-----	10	2	12.70	10.16	13.21	8.13	2.79		87914-1005	-----	10	2	12.70	10.16	11.11	6.10	2.72	
		87914-1003	-----	10	3	12.70	10.16	13.21	8.13	2.79		87914-1006	-----	10	3	12.70	10.16	11.11	6.10	2.72	C
B																					
A																					
EWR# 1010 & 1021 EC NO: S2007-0182 DRWN:SKL IM01 2006/09/11 CHKD:CWLAM 2006/09/12 APPR:KWLEE 2006/09/13				DESCRIPTION		REV		QUALITY SYMBOLS ▽=0 ▽=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.2 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION STYLE MM ONLY DRAWN BY DATE SKL IM01 2006/08/21 CHECKED BY DATE CWLAM 2006/09/04 APPROVED BY DATE KWLEE 2006/09/04 MATERIAL NO. SEE TABLE		SCALE NTS TITLE CUSTOM HEADER C-GRID,SINGLE WAFER HDR, THROU HOLE,VERTICAL, LF molex MOLEX INCORPORATED DOCUMENT NO. SD-87914-059		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		SHEET NO. 2 OF 9	
ib_frame_A3_P_AM_T Rev. D 2004/06/28				9		8		7		6		5		4		3		2		1	

EWR# 1010 & 1021
EC NO: S2007-0182
DRWN:SKL IM01 2006/09/11
CHKD:CWLAM 2006/09/12
APPR:KWLEE 2006/09/13

DESCRIPTION

REV

QUALITY
SYMBOLS

▽=0
▽C=0

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.2	± ---
1 PLACE	± ---	± ---
ANGULAR ± 3 °		

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY

DRAWN BY	DATE
SKL IM01	2006/08/21
CHECKED BY	DATE
CWLAM	2006/09/04
APPROVED BY	DATE
KWLEE	2006/09/04

MATERIAL NO.

SIZE
A3

SCALE
NTS

DESIGN UNITS
METRIC

THIRD ANGLE
PROJECTION

TITLE

CUSTOM HEADER
C-GRID,SINGLE WAFER HDR,
THROU HOLE,VERTICAL, LF

MOLEX INCORPORATED

SHEET NO.
2 OF 9

SD-87914-059

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

tb_frame_A3_P_AM_T
Rev. D 2004/06/28

	10		9		8		7		6		5		4		3		2		1																																																																						
F	PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	CKT SIZE	PLATING TYPE	DIMENSION					PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	CKT SIZE	PLATING TYPE	DIMENSION																																																																											
					A	B	F	MATING END M	SOLDER TAIL P					A	B	F	MATING END M	SOLDER TAIL P																																																																							
	87914-2201	-----	22	1	27.94	25.40	13.21	8.13	2.79	87914-2204	-----	22	1	27.94	25.40	11.11	6.10	2.72																																																																							
	87914-2202	-----	22	2	27.94	25.40	13.21	8.13	2.79	87914-2205	-----	22	2	27.94	25.40	11.11	6.10	2.72																																																																							
	87914-2203	-----	22	3	27.94	25.40	13.21	8.13	2.79	87914-2206	-----	22	3	27.94	25.40	11.11	6.10	2.72																																																																							
E																																																																																									
	87914-2401	-----	24	1	30.48	27.94	13.21	8.13	2.79	87914-2404	-----	24	1	30.48	27.94	11.11	6.10	2.72																																																																							
	87914-2402	-----	24	2	30.48	27.94	13.21	8.13	2.79	87914-2405	-----	24	2	30.48	27.94	11.11	6.10	2.72																																																																							
	87914-2403	-----	24	3	30.48	27.94	13.21	8.13	2.79	87914-2406	-----	24	3	30.48	27.94	11.11	6.10	2.72																																																																							
D																																																																																									
	87914-2601	-----	26	1	33.02	30.48	13.21	8.13	2.79	87914-2604	-----	26	1	33.02	30.48	11.11	6.10	2.72																																																																							
	87914-2602	-----	26	2	33.02	30.48	13.21	8.13	2.79	87914-2605	-----	26	2	33.02	30.48	11.11	6.10	2.72																																																																							
	87914-2603	-----	26	3	33.02	30.48	13.21	8.13	2.79	87914-2606	-----	26	3	33.02	30.48	11.11	6.10	2.72																																																																							
C																																																																																									
	87914-2801	-----	28	1	35.56	33.02	13.21	8.13	2.79	87914-2804	-----	28	1	35.56	33.02	11.11	6.10	2.72																																																																							
	87914-2802	-----	28	2	35.56	33.02	13.21	8.13	2.79	87914-2805	-----	28	2	35.56	33.02	11.11	6.10	2.72																																																																							
	87914-2803	-----	28	3	35.56	33.02	13.21	8.13	2.79	87914-2806	-----	28	3	35.56	33.02	11.11	6.10	2.72																																																																							
B																																																																																									
	87914-3001	-----	30	1	38.10	35.56	13.21	8.13	2.79	87914-3004	-----	30	1	38.10	35.56	11.11	6.10	2.72																																																																							
	87914-3002	-----	30	2	38.10	35.56	13.21	8.13	2.79	87914-3005	-----	30	2	38.10	35.56	11.11	6.10	2.72																																																																							
	87914-3003	-----	30	3	38.10	35.56	13.21	8.13	2.79	87914-3006	-----	30	3	38.10	35.56	11.11	6.10	2.72																																																																							
A																																																																																									
<table><tr><td rowspan="5">EWR# 1010 & 1021 EC NO: S2007-0182 DRWN:SKL IM01 2006/09/11 CHKD:KWLM 2006/09/12 APPR:KWLEE 2006/09/13 A</td><td rowspan="5">REV</td><td rowspan="5">DESCRIPTION</td><td rowspan="5">QUALITY SYMBOLS ▽=0 ▽=0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td colspan="2"></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td colspan="2"></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td colspan="2"></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td colspan="2"></td></tr><tr><td colspan="4"></td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE TABLE</td><td colspan="2">SD-87914-059</td><td colspan="2">SHEET NO. 4 OF 9</td></tr><tr><td colspan="4"></td><td colspan="2"></td><td colspan="2">SIZE A3</td><td colspan="6">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>																				EWR# 1010 & 1021 EC NO: S2007-0182 DRWN:SKL IM01 2006/09/11 CHKD:KWLM 2006/09/12 APPR:KWLEE 2006/09/13 A	REV	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87914-059		SHEET NO. 4 OF 9								SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
EWR# 1010 & 1021 EC NO: S2007-0182 DRWN:SKL IM01 2006/09/11 CHKD:KWLM 2006/09/12 APPR:KWLEE 2006/09/13 A	REV	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																															
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87914-059		SHEET NO. 4 OF 9																																																																															
						SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																	
tb_frame_A3_P_AM_T Rev. D 2004/06/28	9		8		7		6		5		4		3		2		1																																																																								

	10		9		8		7		6		5		4		3		2		1																																																																																																																																		
F	PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	CKT SIZE	PLATING TYPE	DIMENSION					PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	CKT SIZE	PLATING TYPE	DIMENSION																																																																																																																																							
								MATING END	SOLDER TAIL								MATING END	SOLDER TAIL																																																																																																																																			
					A	B	F	M	P					A	B	F	M	P																																																																																																																																			
	87914-3201	-----	32	1	40.64	38.10	13.21	8.13	2.79	87914-3204	-----	32	1	40.64	38.10	11.11	6.10	2.72																																																																																																																																			
	87914-3202	-----	32	2	40.64	38.10	13.21	8.13	2.79	87914-3205	-----	32	2	40.64	38.10	11.11	6.10	2.72																																																																																																																																			
	87914-3203	-----	32	3	40.64	38.10	13.21	8.13	2.79	87914-3206	-----	32	3	40.64	38.10	11.11	6.10	2.72																																																																																																																																			
E	87914-3401	-----	34	1	43.18	40.64	13.21	8.13	2.79	87914-3404	-----	34	1	43.18	40.64	11.11	6.10	2.72																																																																																																																																			
	87914-3402	-----	34	2	43.18	40.64	13.21	8.13	2.79	87914-3405	-----	34	2	43.18	40.64	11.11	6.10	2.72																																																																																																																																			
	87914-3403	-----	34	3	43.18	40.64	13.21	8.13	2.79	87914-3406	-----	34	3	43.18	40.64	11.11	6.10	2.72																																																																																																																																			
D	87914-3601	-----	36	1	45.72	43.18	13.21	8.13	2.79	87914-3604	-----	36	1	45.72	43.18	11.11	6.10	2.72																																																																																																																																			
	87914-3602	-----	36	2	45.72	43.18	13.21	8.13	2.79	87914-3605	-----	36	2	45.72	43.18	11.11	6.10	2.72																																																																																																																																			
	87914-3603	-----	36	3	45.72	43.18	13.21	8.13	2.79	87914-3606	-----	36	3	45.72	43.18	11.11	6.10	2.72																																																																																																																																			
C	87914-3801	-----	38	1	48.26	45.72	13.21	8.13	2.79	87914-3804	-----	38	1	48.26	45.72	11.11	6.10	2.72																																																																																																																																			
	87914-3802	-----	38	2	48.26	45.72	13.21	8.13	2.79	87914-3805	-----	38	2	48.26	45.72	11.11	6.10	2.72																																																																																																																																			
	87914-3803	-----	38	3	48.26	45.72	13.21	8.13	2.79	87914-3806	-----	38	3	48.26	45.72	11.11	6.10	2.72																																																																																																																																			
B	87914-4001	-----	40	1	50.80	48.26	13.21	8.13	2.79	87914-4004	-----	40	1	50.80	48.26	11.11	6.10	2.72																																																																																																																																			
	87914-4002	-----	40	2	50.80	48.26	13.21	8.13	2.79	87914-4005	-----	40	2	50.80	48.26	11.11	6.10	2.72																																																																																																																																			
	87914-4003	-----	40	3	50.80	48.26	13.21	8.13	2.79	87914-4006	-----	40	3	50.80	48.26	11.11	6.10	2.72																																																																																																																																			
A																																																																																																																																																					
<table><tr><td rowspan="4">EWR# 1010 & 1021 EC NO: S2007-0182 DRWN:SKL IM01 2006/09/11 CHKD:CWLAM 2006/09/12 APPR:KWLEE 2006/09/13 A</td><td rowspan="4">DESCRIPTION REV</td><td rowspan="4">QUALITY SYMBOLS ▽=0 ▽=0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>TITLE</td><td colspan="2"></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="3">DRAWN BY</td><td colspan="3">DATE</td><td colspan="10">CUSTOM HEADER C-GRID,SINGLE WAFER HDR, THROU HOLE,VERTICAL, LF</td></tr><tr><td colspan="3">CHECKED BY</td><td colspan="3">DATE</td><td colspan="10">MOLEX INCORPORATED</td></tr><tr><td colspan="3">APPROVED BY</td><td colspan="3">DATE</td><td colspan="10">DOCUMENT NO.</td></tr><tr><td colspan="3">MATERIAL NO.</td><td colspan="3">SEE TABLE</td><td colspan="10">SHEET NO.</td></tr><tr><td colspan="3">SIZE</td><td colspan="3">A3</td><td colspan="10">5 OF 9</td></tr><tr><td colspan="15">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td colspan="5"></td></tr></table>																				EWR# 1010 & 1021 EC NO: S2007-0182 DRWN:SKL IM01 2006/09/11 CHKD:CWLAM 2006/09/12 APPR:KWLEE 2006/09/13 A	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION						TITLE															DRAWN BY			DATE			CUSTOM HEADER C-GRID,SINGLE WAFER HDR, THROU HOLE,VERTICAL, LF										CHECKED BY			DATE			MOLEX INCORPORATED										APPROVED BY			DATE			DOCUMENT NO.										MATERIAL NO.			SEE TABLE			SHEET NO.										SIZE			A3			5 OF 9										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			
EWR# 1010 & 1021 EC NO: S2007-0182 DRWN:SKL IM01 2006/09/11 CHKD:CWLAM 2006/09/12 APPR:KWLEE 2006/09/13 A	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																																																																												
							TITLE																																																																																																																																														
DRAWN BY			DATE			CUSTOM HEADER C-GRID,SINGLE WAFER HDR, THROU HOLE,VERTICAL, LF																																																																																																																																															
CHECKED BY			DATE			MOLEX INCORPORATED																																																																																																																																															
APPROVED BY			DATE			DOCUMENT NO.																																																																																																																																															
MATERIAL NO.			SEE TABLE			SHEET NO.																																																																																																																																															
SIZE			A3			5 OF 9																																																																																																																																															
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																					
tb_frame_A3_P_AM_T Rev. D 2004/06/28	9		8		7		6		5		4		3		2		1																																																																																																																																				

	10		9		8		7		6		5		4		3		2		1	
F	PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	CKT SIZE	PLATING TYPE	DIMENSION						PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	CKT SIZE	PLATING TYPE	DIMENSION					
								MATING END	SOLDER TAIL									MATING END	SOLDER TAIL	
					A	B	F	M	P						A	B	F	M	P	
	87914-4201	-----	42	1	53.34	50.80	13.21	8.13	2.79		87914-4204	-----	42	1	53.34	50.80	11.11	6.10	2.72	F
	87914-4202	-----	42	2	53.34	50.80	13.21	8.13	2.79		87914-4205	-----	42	2	53.34	50.80	11.11	6.10	2.72	
	87914-4203	-----	42	3	53.34	50.80	13.21	8.13	2.79		87914-4206	-----	42	3	53.34	50.80	11.11	6.10	2.72	
E	87914-4401	-----	44	1	55.88	53.34	13.21	8.13	2.79		87914-4404	-----	44	1	55.88	53.34	11.11	6.10	2.72	
	87914-4402	-----	44	2	55.88	53.34	13.21	8.13	2.79		87914-4405	-----	44	2	55.88	53.34	11.11	6.10	2.72	
	87914-4403	-----	44	3	55.88	53.34	13.21	8.13	2.79		87914-4406	-----	44	3	55.88	53.34	11.11	6.10	2.72	E
D	87914-4601	-----	46	1	58.42	55.88	13.21	8.13	2.79		87914-4604	-----	46	1	58.42	55.88	11.11	6.10	2.72	
	87914-4602	-----	46	2	58.42	55.88	13.21	8.13	2.79		87914-4605	-----	46	2	58.42	55.88	11.11	6.10	2.72	
	87914-4603	-----	46	3	58.42	55.88	13.21	8.13	2.79		87914-4606	-----	46	3	58.42	55.88	11.11	6.10	2.72	
																				D
C	87914-4801	-----	48	1	60.96	58.42	13.21	8.13	2.79		87914-4804	-----	48	1	60.96	58.42	11.11	6.10	2.72	
	87914-4802	-----	48	2	60.96	58.42	13.21	8.13	2.79		87914-4805	-----	48	2	60.96	58.42	11.11	6.10	2.72	
	87914-4803	-----	48	3	60.96	58.42	13.21	8.13	2.79		87914-4806	-----	48	3	60.96	58.42	11.11	6.10	2.72	
B	87914-5001	-----	50	1	63.50	60.96	13.21	8.13	2.79		87914-5004	-----	50	1	63.50	60.96	11.11	6.10	2.72	
	87914-5002	-----	50	2	63.50	60.96	13.21	8.13	2.79		87914-5005	-----	50	2	63.50	60.96	11.11	6.10	2.72	
	87914-5003	-----	50	3	63.50	60.96	13.21	8.13	2.79		87914-5006	-----	50	3	63.50	60.96	11.11	6.10	2.72	C
A																				

tb_frame_A3_P_AM_T
Rev. D 2004/06/28

tb_frame_A3_P_AM_T
Rev. D 2004/06/28



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331