

| REVISIONS |                           |         |          |
|-----------|---------------------------|---------|----------|
| LTR       | DESCRIPTION               | DATE    | APPROVED |
| K1        | REVISED PER ECO-11-005139 | 29MAR11 | HMR      |

IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLED.  
CHECK FOR THE LATEST REVISION.

DK-621-14XX-XX CONNECTORS ARE NOT AVAILABLE FOR NEW ORDERS. ORDER EQUIVALENT DK-621-04XX-XX CONNECTOR.

| PART NUMBER     | CONNECTOR | CONTACT | CONNECTOR INTERFACE | COLOR CODE |
|-----------------|-----------|---------|---------------------|------------|
| DK-621-0433     | PLUG      | ———     | A                   | RED        |
| DK-621-0433-1P  | PLUG      | PIN     | A                   | RED        |
| DK-621-0433-1UP | PLUG      | PIN     | A                   | RED        |
| DK-621-0433-1S  | PLUG      | SOCKET  | A                   | RED        |
| DK-621-0433-1US | PLUG      | SOCKET  | A                   | RED        |
|                 |           |         |                     |            |
| DK-621-0434     | JACK      | ———     | A                   | RED        |
| DK-621-0434-1P  | JACK      | PIN     | A                   | RED        |
| DK-621-0434-1UP | JACK      | PIN     | A                   | RED        |
| DK-621-0434-1S  | JACK      | SOCKET  | A                   | RED        |
| DK-621-0434-1US | JACK      | SOCKET  | A                   | RED        |
|                 |           |         |                     |            |
| DK-621-0435     | PLUG      | ———     | B                   | WHITE      |
| DK-621-0435-2P  | PLUG      | PIN     | B                   | WHITE      |
| DK-621-0435-2UP | PLUG      | PIN     | B                   | WHITE      |
| DK-621-0435-2S  | PLUG      | SOCKET  | B                   | WHITE      |
| DK-621-0435-2US | PLUG      | SOCKET  | B                   | WHITE      |
|                 |           |         |                     |            |
| DK-621-0436     | JACK      | ———     | B                   | WHITE      |
| DK-621-0436-2P  | JACK      | PIN     | B                   | WHITE      |
| DK-621-0436-2UP | JACK      | PIN     | B                   | WHITE      |
| DK-621-0436-2S  | JACK      | SOCKET  | B                   | WHITE      |
| DK-621-0436-2US | JACK      | SOCKET  | B                   | WHITE      |
|                 |           |         |                     |            |
| DK-621-0437     | PLUG      | ———     | C                   | GREEN      |
| DK-621-0437-3P  | PLUG      | PIN     | C                   | GREEN      |
| DK-621-0437-3UP | PLUG      | PIN     | C                   | GREEN      |
| DK-621-0437-3S  | PLUG      | SOCKET  | C                   | GREEN      |
| DK-621-0437-3US | PLUG      | SOCKET  | C                   | GREEN      |
|                 |           |         |                     |            |
| DK-621-0438     | JACK      | ———     | C                   | GREEN      |
| DK-621-0438-3P  | JACK      | PIN     | C                   | GREEN      |
| DK-621-0438-3UP | JACK      | PIN     | C                   | GREEN      |
| DK-621-0438-3S  | JACK      | SOCKET  | C                   | GREEN      |
| DK-621-0438-3US | JACK      | SOCKET  | C                   | GREEN      |
|                 |           |         |                     |            |
| DK-621-0439     | PLUG      | ———     | D                   | N/A        |
| DK-621-0439-4P  | PLUG      | PIN     | D                   | N/A        |
| DK-621-0439-4UP | PLUG      | PIN     | D                   | N/A        |
| DK-621-0439-4S  | PLUG      | SOCKET  | D                   | N/A        |
| DK-621-0439-4US | PLUG      | SOCKET  | D                   | N/A        |
|                 |           |         |                     |            |
| DK-621-0440     | JACK      | ———     | D                   | N/A        |
| DK-621-0440-4P  | JACK      | PIN     | D                   | N/A        |
| DK-621-0440-4UP | JACK      | PIN     | D                   | N/A        |
| DK-621-0440-4S  | JACK      | SOCKET  | D                   | N/A        |
| DK-621-0440-4US | JACK      | SOCKET  | D                   | N/A        |

| PART NUMBER     | CONNECTOR | CONTACT | CONNECTOR INTERFACE | COLOR CODE |
|-----------------|-----------|---------|---------------------|------------|
| DK-621-1433     | PLUG      | ———     | A                   | RED        |
| DK-621-1433-1P  | PLUG      | PIN     | A                   | RED        |
| DK-621-1433-1S  | PLUG      | SOCKET  | A                   | RED        |
| DK-621-1433-1US | PLUG      | SOCKET  | A                   | RED        |
|                 |           |         |                     |            |
| DK-621-1434     | JACK      | ———     | A                   | RED        |
| DK-621-1434-1P  | JACK      | PIN     | A                   | RED        |
| DK-621-1434-1S  | JACK      | SOCKET  | A                   | RED        |
| DK-621-1434-1US | JACK      | SOCKET  | A                   | RED        |
|                 |           |         |                     |            |
| DK-621-1435     | PLUG      | ———     | B                   | WHITE      |
| DK-621-1435-2P  | PLUG      | PIN     | B                   | WHITE      |
| DK-621-1435-2S  | PLUG      | SOCKET  | B                   | WHITE      |
| DK-621-1435-2US | PLUG      | SOCKET  | B                   | WHITE      |
|                 |           |         |                     |            |
| DK-621-1436     | JACK      | ———     | B                   | WHITE      |
| DK-621-1436-2P  | JACK      | PIN     | B                   | WHITE      |
| DK-621-1436-2S  | JACK      | SOCKET  | B                   | WHITE      |
| DK-621-1436-2US | JACK      | SOCKET  | B                   | WHITE      |
|                 |           |         |                     |            |
| DK-621-1437     | PLUG      | ———     | C                   | GREEN      |
| DK-621-1437-3P  | PLUG      | PIN     | C                   | GREEN      |
| DK-621-1437-3S  | PLUG      | SOCKET  | C                   | GREEN      |
| DK-621-1437-3US | PLUG      | SOCKET  | C                   | GREEN      |
|                 |           |         |                     |            |
| DK-621-1438     | JACK      | ———     | C                   | GREEN      |
| DK-621-1438-3P  | JACK      | PIN     | C                   | GREEN      |
| DK-621-1438-3S  | JACK      | SOCKET  | C                   | GREEN      |
| DK-621-1438-3US | JACK      | SOCKET  | C                   | GREEN      |
|                 |           |         |                     |            |
| DK-621-1439     | PLUG      | ———     | D                   | N/A        |
| DK-621-1439-4P  | PLUG      | PIN     | D                   | N/A        |
| DK-621-1439-4S  | PLUG      | SOCKET  | D                   | N/A        |
| DK-621-1439-4US | PLUG      | SOCKET  | D                   | N/A        |
|                 |           |         |                     |            |
| DK-621-1440     | JACK      | ———     | D                   | N/A        |
| DK-621-1440-4P  | JACK      | PIN     | D                   | N/A        |
| DK-621-1440-4S  | JACK      | SOCKET  | D                   | N/A        |
| DK-621-1440-4US | JACK      | SOCKET  | D                   | N/A        |

© 2009,2011 Tyco Electronics Corporation, a TE connectivity Ltd, company All Rights Reserved.

# CUSTOMER DRAWING

|                                                                                                     |  |  |  |                        |  |                           |         |                                                                                                                                                                |  |                     |  |
|-----------------------------------------------------------------------------------------------------|--|--|--|------------------------|--|---------------------------|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------|--|
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES<br>AND METRIC DIMENSIONS<br>ARE IN BRACKETS. |  |  |  | DRAWN                  |  | J.B.K.                    | 92Mar03 | <div><div><div>TE</div><div>TE Connectivity</div><div>Raychem Databus</div><div>300 Constitution Drive</div><div>Menlo Park, CA 94025 U.S.A.</div></div></div> |  |                     |  |
| CHECKED                                                                                             |  |  |  | G.Rositano             |  | 09Mar12                   |         |                                                                                                                                                                |  |                     |  |
| APPROVED                                                                                            |  |  |  | Z.TEMAN                |  | 92Mar03                   |         |                                                                                                                                                                |  |                     |  |
| DECIMALS                                                                                            |  |  |  | CAD NAME               |  | TITLE                     |         |                                                                                                                                                                |  |                     |  |
| .XXX ± --- [---mm]                                                                                  |  |  |  | DK621-X433-X440_CD_Ka  |  | KITS FOR DK-621-0433/0440 |         |                                                                                                                                                                |  |                     |  |
| .XX ± --- [---mm]                                                                                   |  |  |  |                        |  | TRIAxIAL CONNECTORS       |         |                                                                                                                                                                |  |                     |  |
| ANGLES                                                                                              |  |  |  |                        |  |                           |         |                                                                                                                                                                |  |                     |  |
| .X ± ---                                                                                            |  |  |  |                        |  |                           |         |                                                                                                                                                                |  |                     |  |
| WEIGHT                                                                                              |  |  |  | THIRD ANGLE PROJECTION |  | SIZE                      |         | CODE IDENT. NO.                                                                                                                                                |  | DWG. NO.            |  |
| ---lbs [---g]                                                                                       |  |  |  |                        |  | A                         |         | 06090                                                                                                                                                          |  | DK-621-X433/X440-XX |  |
|                                                                                                     |  |  |  |                        |  | DO NOT SCALE THIS DRAWING |         | SHEET                                                                                                                                                          |  | 1 OF 2              |  |

| REVISIONS |                           |         |          |
|-----------|---------------------------|---------|----------|
| LTR       | DESCRIPTION               | DATE    | APPROVED |
| K1        | REVISED PER ECO-11-005139 | 29MAR11 | HMR      |

IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLED.  
CHECK FOR THE LATEST REVISION.


DK-621-14XX-XX CONNECTORS ARE NOT AVAILABLE FOR NEW ORDERS. ORDER EQUIVALENT DK-621-04XX-XX CONNECTOR.

| PART NUMBER     | CONNECTOR | CONTACT | CONNECTOR INTERFACE | COLOR CODE |
|-----------------|-----------|---------|---------------------|------------|
| DK-621-0433     | PLUG      | ———     | A                   | RED        |
| DK-621-0433-1P  | PLUG      | PIN     | A                   | RED        |
| DK-621-0433-1UP | PLUG      | PIN     | A                   | RED        |
| DK-621-0433-1S  | PLUG      | SOCKET  | A                   | RED        |
| DK-621-0433-1US | PLUG      | SOCKET  | A                   | RED        |
|                 |           |         |                     |            |
| DK-621-0434     | JACK      | ———     | A                   | RED        |
| DK-621-0434-1P  | JACK      | PIN     | A                   | RED        |
| DK-621-0434-1UP | JACK      | PIN     | A                   | RED        |
| DK-621-0434-1S  | JACK      | SOCKET  | A                   | RED        |
| DK-621-0434-1US | JACK      | SOCKET  | A                   | RED        |
|                 |           |         |                     |            |
| DK-621-0435     | PLUG      | ———     | B                   | WHITE      |
| DK-621-0435-2P  | PLUG      | PIN     | B                   | WHITE      |
| DK-621-0435-2UP | PLUG      | PIN     | B                   | WHITE      |
| DK-621-0435-2S  | PLUG      | SOCKET  | B                   | WHITE      |
| DK-621-0435-2US | PLUG      | SOCKET  | B                   | WHITE      |
|                 |           |         |                     |            |
| DK-621-0436     | JACK      | ———     | B                   | WHITE      |
| DK-621-0436-2P  | JACK      | PIN     | B                   | WHITE      |
| DK-621-0436-2UP | JACK      | PIN     | B                   | WHITE      |
| DK-621-0436-2S  | JACK      | SOCKET  | B                   | WHITE      |
| DK-621-0436-2US | JACK      | SOCKET  | B                   | WHITE      |
|                 |           |         |                     |            |
| DK-621-0437     | PLUG      | ———     | C                   | GREEN      |
| DK-621-0437-3P  | PLUG      | PIN     | C                   | GREEN      |
| DK-621-0437-3UP | PLUG      | PIN     | C                   | GREEN      |
| DK-621-0437-3S  | PLUG      | SOCKET  | C                   | GREEN      |
| DK-621-0437-3US | PLUG      | SOCKET  | C                   | GREEN      |
|                 |           |         |                     |            |
| DK-621-0438     | JACK      | ———     | C                   | GREEN      |
| DK-621-0438-3P  | JACK      | PIN     | C                   | GREEN      |
| DK-621-0438-3UP | JACK      | PIN     | C                   | GREEN      |
| DK-621-0438-3S  | JACK      | SOCKET  | C                   | GREEN      |
| DK-621-0438-3US | JACK      | SOCKET  | C                   | GREEN      |
|                 |           |         |                     |            |
| DK-621-0439     | PLUG      | ———     | D                   | N/A        |
| DK-621-0439-4P  | PLUG      | PIN     | D                   | N/A        |
| DK-621-0439-4UP | PLUG      | PIN     | D                   | N/A        |
| DK-621-0439-4S  | PLUG      | SOCKET  | D                   | N/A        |
| DK-621-0439-4US | PLUG      | SOCKET  | D                   | N/A        |
|                 |           |         |                     |            |
| DK-621-0440     | JACK      | ———     | D                   | N/A        |
| DK-621-0440-4P  | JACK      | PIN     | D                   | N/A        |
| DK-621-0440-4UP | JACK      | PIN     | D                   | N/A        |
| DK-621-0440-4S  | JACK      | SOCKET  | D                   | N/A        |
| DK-621-0440-4US | JACK      | SOCKET  | D                   | N/A        |

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND METRIC DIMENSIONS ARE IN BRACKETS.

DECIMALS  
.XXX ± ---- [-----mm]  
.XX ± ---- [-----mm]  
ANGLES  
.X ± ---- [-----g]

THIRD ANGLE PROJECTION



PLUG CONNECTOR  
ASSEMBLY

JACK CONNECTOR  
ASSEMBLY

NOTES:

1.0 REFER TO THE FOLLOWING TE CONNECTIVITY CUSTOMER DRAWINGS (CD) FOR INDIVIDUAL COMPONENT DETAILS:

- |                 |                                      |
|-----------------|--------------------------------------|
| D-621-0433/0440 | CONNECTOR, TRIAXIAL, BAYONET COUPLED |
| D-602-0126      | CONTACT, PIN, TWISTED PAIR           |
| D-602-0127      | CONTACT, SOCKET, TWISTED PAIR        |
| (D-600-0030)    | BRAID TERMINATOR                     |
| (D-600-0019)    | STRAIN RELIEF                        |
| (D-600-0053)    | SEALING WASHER (JACK ONLY)           |

\* SEALING WASHER MAY BE INSTALLED IF THE PANEL THICKNESS IS LESS THAN 0.093 INCH.

2.0 CONNECTORS ARE QUALIFIED TO RAYCHEM SPECIFICATION D-6025.

3.0 TERMINATION PROCEDURE: RAYCHEM ES 61162.

IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLED.  
CHECK FOR THE LATEST REVISION.

|                                   |                 |           |                                                                                                     |                                 |                                                                          |              |
|-----------------------------------|-----------------|-----------|-----------------------------------------------------------------------------------------------------|---------------------------------|--------------------------------------------------------------------------|--------------|
| CUSTOMER DRAWING                  |                 |           |  TE Connectivity |                                 | Raychem Databus<br>300 Constitution Drive<br>Menlo Park, CA 94025 U.S.A. |              |
| DRAWN<br>J.B.K.                   | DATE<br>91Apr03 | SIZE<br>A | CAGE CODE<br>06090                                                                                  | DWG. NO.<br>DK-621-X433/X440-XX | REV<br>K1                                                                |              |
| CAD FILE<br>DK621-X433-X440_CD_Kb |                 |           | DO NOT SCALE THIS DRAWING                                                                           |                                 |                                                                          | SHEET 2 OF 2 |



**Стандарт  
Электрон  
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

**Наши контакты:**

**Телефон:** +7 812 627 14 35

**Электронная почта:** [sales@st-electron.ru](mailto:sales@st-electron.ru)

**Адрес:** 198099, Санкт-Петербург,  
Промышленная ул, дом № 19, литера Н,  
помещение 100-Н Офис 331