


# KMM Series

- Longer life from KMQ series
- Endurance with ripple current : 2,000 to 3,000 hours at 105°C
- Non solvent resistant type
- RoHS Compliant




## SPECIFICATIONS


| Items                                                  | Characteristics                                                                                                                                                                                                                                                                       |                                      |                      |
|--------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------|
| Category                                               |                                                                                                                                                                                                                                                                                       |                                      |                      |
| Temperature Range                                      | -25 to +105℃                                                                                                                                                                                                                                                                          |                                      |                      |
| Rated Voltage Range                                    | 160 to 450V <sub>dc</sub>                                                                                                                                                                                                                                                             |                                      |                      |
| Capacitance Tolerance                                  | ±20% (M) (at 20℃, 120Hz)                                                                                                                                                                                                                                                              |                                      |                      |
| Leakage Current                                        | I ≤ 3√CV<br>Where, I : Max. leakage current (μA), C : Nominal capacitance (μF), V : Rated voltage (V) (at 20℃ after 5 minutes)                                                                                                                                                        |                                      |                      |
| Dissipation Factor (tanδ)                              | Rated voltage (V <sub>dc</sub> )                                                                                                                                                                                                                                                      | 160 to 400V                          | 420 & 450V           |
|                                                        | tanδ (Max.)                                                                                                                                                                                                                                                                           | 0.15                                 | 0.20 (at 20℃, 120Hz) |
| Low Temperature Characteristics (Max. Impedance Ratio) | Rated voltage (V <sub>dc</sub> )                                                                                                                                                                                                                                                      | 160 to 400V                          | 420 & 450V           |
|                                                        | Z(-25℃)/Z(+20℃)                                                                                                                                                                                                                                                                       | 4                                    | 8 (at 120Hz)         |
| Endurance                                              | The following specifications shall be satisfied when the capacitors are restored to 20℃ after subjected to DC voltage with the rated ripple current is applied (the peak voltage shall not exceed the rated voltage)for 3,000 hours (2,000 hours for ϕ 20×20L products) at 105℃.      |                                      |                      |
|                                                        | Capacitance change                                                                                                                                                                                                                                                                    | ≤±20% of the initial value           |                      |
|                                                        | D.F. (tanδ)                                                                                                                                                                                                                                                                           | ≤200% of the initial specified value |                      |
|                                                        | Leakage current                                                                                                                                                                                                                                                                       | ≤The initial specified value         |                      |
| Shelf Life                                             | The following specifications shall be satisfied when the capacitors are restored to 20℃ after exposing them for 1,000 hours at 105℃ without voltage applied. Before the measurement, the capacitor shall be preconditioned by applying voltage according to Item 4.1 of JIS C 5101-4. |                                      |                      |
|                                                        | Capacitance change                                                                                                                                                                                                                                                                    | ≤±15% of the initial value           |                      |
|                                                        | D.F. (tanδ)                                                                                                                                                                                                                                                                           | ≤150% of the initial specified value |                      |
|                                                        | Leakage current                                                                                                                                                                                                                                                                       | ≤The initial specified value         |                      |

## DIMENSIONS [mm]

Terminal Code : VS (φ20 to φ35) : Standard




Terminal Code : LI (φ35)



\* φD=35mm : 3.5±0.5mm

The standard design has no plastic disc.

## PART NUMBERING SYSTEM



Please refer to "Product code guide (snap-in type)"

**KMM**Series

◆ **STANDARD RATINGS**

| WV<br>(Vdc) | Cap<br>(μF) | Case size<br>φD×L(mm) | tanδ | Rated ripple<br>current<br>(Arms/<br>105°C, 120Hz) | Part No.           | WV<br>(Vdc) | Cap<br>(μF) | Case size<br>φD×L(mm) | tanδ | Rated ripple<br>current<br>(Arms/<br>105°C, 120Hz) | Part No.           |
|-------------|-------------|-----------------------|------|----------------------------------------------------|--------------------|-------------|-------------|-----------------------|------|----------------------------------------------------|--------------------|
| 160         | 180         | 20×20                 | 0.15 | 0.68                                               | EKMM161VSN181MN20S | 180         | 560         | 20×45                 | 0.15 | 1.55                                               | EKMM181VSN561MN45S |
|             | 220         | 20×25                 | 0.15 | 0.85                                               | EKMM161VSN221MN25S |             | 560         | 22×40                 | 0.15 | 1.67                                               | EKMM181VSN561MP40S |
|             | 220         | 22×20                 | 0.15 | 0.81                                               | EKMM161VSN221MP20S |             | 560         | 25.4×30               | 0.15 | 1.67                                               | EKMM181VSN561MQ30S |
|             | 270         | 20×25                 | 0.15 | 1.10                                               | EKMM161VSN271MN25S |             | 560         | 30×25                 | 0.15 | 1.67                                               | EKMM181VSN561MR25S |
|             | 270         | 25.4×20               | 0.15 | 0.98                                               | EKMM161VSN271MQ20S |             | 560         | 35×20                 | 0.15 | 1.43                                               | EKMM181VSN561MA20S |
|             | 330         | 20×30                 | 0.15 | 1.20                                               | EKMM161VSN331MN30S |             | 680         | 20×50                 | 0.15 | 1.75                                               | EKMM181VSN681MN50S |
|             | 330         | 22×25                 | 0.15 | 1.20                                               | EKMM161VSN331MP25S |             | 680         | 22×45                 | 0.15 | 1.78                                               | EKMM181VSN681MP45S |
|             | 330         | 25.4×20               | 0.15 | 1.02                                               | EKMM161VSN331MQ20S |             | 680         | 25.4×35               | 0.15 | 1.78                                               | EKMM181VSN681MQ35S |
|             | 390         | 20×30                 | 0.15 | 1.30                                               | EKMM161VSN391MN30S |             | 680         | 30×30                 | 0.15 | 1.78                                               | EKMM181VSN681MR30S |
|             | 390         | 22×25                 | 0.15 | 1.30                                               | EKMM161VSN391MP25S |             | 680         | 35×25                 | 0.15 | 1.83                                               | EKMM181VSN681MA25S |
|             | 390         | 25.4×25               | 0.15 | 1.26                                               | EKMM161VSN391MQ25S |             | 820         | 22×50                 | 0.15 | 2.04                                               | EKMM181VSN821MP50S |
|             | 390         | 30×20                 | 0.15 | 1.25                                               | EKMM161VSN391MR20S |             | 820         | 25.4×40               | 0.15 | 2.04                                               | EKMM181VSN821MQ40S |
|             | 470         | 20×35                 | 0.15 | 1.34                                               | EKMM161VSN471MN35S |             | 820         | 30×30                 | 0.15 | 2.04                                               | EKMM181VSN821MR30S |
|             | 470         | 22×30                 | 0.15 | 1.55                                               | EKMM161VSN471MP30S |             | 820         | 35×25                 | 0.15 | 2.04                                               | EKMM181VSN821MA25S |
|             | 470         | 25.4×25               | 0.15 | 1.55                                               | EKMM161VSN471MQ25S |             | 1,000       | 25.4×45               | 0.15 | 2.30                                               | EKMM181VSN102MQ45S |
|             | 470         | 30×20                 | 0.15 | 1.30                                               | EKMM161VSN471MR20S |             | 1,000       | 30×35                 | 0.15 | 2.30                                               | EKMM181VSN102MR35S |
|             | 560         | 20×40                 | 0.15 | 1.50                                               | EKMM161VSN561MN40S |             | 1,000       | 35×30                 | 0.15 | 2.30                                               | EKMM181VSN102MA30S |
|             | 560         | 22×35                 | 0.15 | 1.67                                               | EKMM161VSN561MP35S |             | 1,200       | 25.4×50               | 0.15 | 2.55                                               | EKMM181VSN122MQ50S |
|             | 560         | 25.4×30               | 0.15 | 1.67                                               | EKMM161VSN561MQ30S |             | 1,200       | 30×40                 | 0.15 | 2.55                                               | EKMM181VSN122MR40S |
|             | 560         | 30×25                 | 0.15 | 1.67                                               | EKMM161VSN561MR25S |             | 1,200       | 35×30                 | 0.15 | 2.55                                               | EKMM181VSN122MA30S |
|             | 560         | 35×20                 | 0.15 | 1.46                                               | EKMM161VSN561MA20S |             | 1,500       | 30×45                 | 0.15 | 2.90                                               | EKMM181VSN152MR45S |
|             | 680         | 20×45                 | 0.15 | 1.70                                               | EKMM161VSN681MN45S |             | 1,500       | 35×35                 | 0.15 | 2.90                                               | EKMM181VSN152MA35S |
|             | 680         | 22×40                 | 0.15 | 1.82                                               | EKMM161VSN681MP40S |             | 1,800       | 30×60                 | 0.15 | 3.49                                               | EKMM181VSN182MR60S |
|             | 680         | 25.4×30               | 0.15 | 1.82                                               | EKMM161VSN681MQ30S |             | 1,800       | 35×40                 | 0.15 | 3.30                                               | EKMM181VSN182MA40S |
|             | 680         | 30×25                 | 0.15 | 1.82                                               | EKMM161VSN681MR25S |             | 2,200       | 35×50                 | 0.15 | 3.65                                               | EKMM181VSN222MA50S |
|             | 680         | 35×20                 | 0.15 | 1.51                                               | EKMM161VSN681MA20S |             | 2,700       | 35×60                 | 0.15 | 4.19                                               | EKMM181VSN272MA60S |
|             | 820         | 22×45                 | 0.15 | 2.04                                               | EKMM161VSN821MP45S | 200         | 120         | 20×20                 | 0.15 | 0.56                                               | EKMM201VSN121MN20S |
|             | 820         | 25.4×35               | 0.15 | 2.04                                               | EKMM161VSN821MQ35S |             | 150         | 20×25                 | 0.15 | 0.71                                               | EKMM201VSN151MN25S |
|             | 820         | 30×30                 | 0.15 | 2.04                                               | EKMM161VSN821MR30S |             | 150         | 22×20                 | 0.15 | 0.73                                               | EKMM201VSN151MP20S |
|             | 820         | 35×25                 | 0.15 | 2.04                                               | EKMM161VSN821MA25S |             | 180         | 20×25                 | 0.15 | 0.77                                               | EKMM201VSN181MN25S |
|             | 1,000       | 22×50                 | 0.15 | 2.25                                               | EKMM161VSN102MP50S |             | 180         | 22×20                 | 0.15 | 0.80                                               | EKMM201VSN181MP20S |
|             | 1,000       | 25.4×40               | 0.15 | 2.25                                               | EKMM161VSN102MQ40S |             | 220         | 20×25                 | 0.15 | 1.00                                               | EKMM201VSN221MN25S |
|             | 1,000       | 30×30                 | 0.15 | 2.25                                               | EKMM161VSN102MR30S |             | 220         | 25.4×20               | 0.15 | 0.85                                               | EKMM201VSN221MQ20S |
|             | 1,000       | 35×25                 | 0.15 | 2.25                                               | EKMM161VSN102MA25S |             | 270         | 20×30                 | 0.15 | 1.10                                               | EKMM201VSN271MN30S |
|             | 1,200       | 25.4×45               | 0.15 | 2.49                                               | EKMM161VSN122MP45S |             | 270         | 22×25                 | 0.15 | 1.10                                               | EKMM201VSN271MP25S |
|             | 1,200       | 30×35                 | 0.15 | 2.49                                               | EKMM161VSN122MR35S |             | 270         | 30×20                 | 0.15 | 1.05                                               | EKMM201VSN271MR20S |
|             | 1,200       | 35×30                 | 0.15 | 2.49                                               | EKMM161VSN122MA30S |             | 330         | 20×35                 | 0.15 | 1.20                                               | EKMM201VSN331MN35S |
|             | 1,500       | 25.4×60               | 0.15 | 2.97                                               | EKMM161VSN152MQ60S |             | 330         | 22×30                 | 0.15 | 1.25                                               | EKMM201VSN331MP30S |
|             | 1,500       | 30×40                 | 0.15 | 2.84                                               | EKMM161VSN152MR40S |             | 330         | 25.4×25               | 0.15 | 1.25                                               | EKMM201VSN331MQ25S |
|             | 1,500       | 35×30                 | 0.15 | 2.84                                               | EKMM161VSN152MA30S |             | 330         | 30×20                 | 0.15 | 1.10                                               | EKMM201VSN331MR20S |
|             | 1,800       | 30×45                 | 0.15 | 3.32                                               | EKMM161VSN182MR45S |             | 390         | 20×40                 | 0.15 | 1.31                                               | EKMM201VSN391MN40S |
|             | 1,800       | 35×35                 | 0.15 | 3.00                                               | EKMM161VSN182MA35S |             | 390         | 22×30                 | 0.15 | 1.35                                               | EKMM201VSN391MP30S |
|             | 2,200       | 30×60                 | 0.15 | 3.86                                               | EKMM161VSN222MR60S |             | 390         | 25.4×25               | 0.15 | 1.35                                               | EKMM201VSN391MQ25S |
|             | 2,200       | 35×45                 | 0.15 | 3.50                                               | EKMM161VSN222MA45S |             | 390         | 35×20                 | 0.15 | 1.30                                               | EKMM201VSN391MA20S |
|             | 2,700       | 35×50                 | 0.15 | 4.00                                               | EKMM161VSN272MA50S |             | 470         | 20×45                 | 0.15 | 1.45                                               | EKMM201VSN471MN45S |
|             | 3,300       | 35×60                 | 0.15 | 4.63                                               | EKMM161VSN332MA60S |             | 470         | 22×35                 | 0.15 | 1.50                                               | EKMM201VSN471MP35S |
| 180         | 150         | 20×20                 | 0.15 | 0.62                                               | EKMM181VSN151MN20S |             | 470         | 25.4×30               | 0.15 | 1.50                                               | EKMM201VSN471MQ30S |
|             | 180         | 20×25                 | 0.15 | 0.77                                               | EKMM181VSN181MN25S |             | 470         | 30×25                 | 0.15 | 1.50                                               | EKMM201VSN471MR25S |
|             | 180         | 22×20                 | 0.15 | 0.80                                               | EKMM181VSN181MP20S |             | 470         | 35×20                 | 0.15 | 1.41                                               | EKMM201VSN471MA20S |
|             | 220         | 20×25                 | 0.15 | 1.00                                               | EKMM181VSN221MN25S |             | 560         | 20×50                 | 0.15 | 1.58                                               | EKMM201VSN561MN50S |
|             | 220         | 25.4×20               | 0.15 | 0.90                                               | EKMM181VSN221MQ20S |             | 560         | 22×40                 | 0.15 | 1.67                                               | EKMM201VSN561MP40S |
|             | 270         | 20×30                 | 0.15 | 1.10                                               | EKMM181VSN271MN30S |             | 560         | 25.4×30               | 0.15 | 1.67                                               | EKMM201VSN561MQ30S |
|             | 270         | 22×25                 | 0.15 | 1.00                                               | EKMM181VSN271MP25S |             | 560         | 30×25                 | 0.15 | 1.67                                               | EKMM201VSN561MR25S |
|             | 270         | 25.4×20               | 0.15 | 0.95                                               | EKMM181VSN271MQ20S |             | 680         | 22×45                 | 0.15 | 1.78                                               | EKMM201VSN681MP45S |
|             | 330         | 20×30                 | 0.15 | 1.20                                               | EKMM181VSN331MN30S |             | 680         | 25.4×35               | 0.15 | 1.78                                               | EKMM201VSN681MQ35S |
|             | 330         | 22×25                 | 0.15 | 1.20                                               | EKMM181VSN331MP25S |             | 680         | 30×30                 | 0.15 | 1.78                                               | EKMM201VSN681MR30S |
|             | 330         | 25.4×25               | 0.15 | 1.16                                               | EKMM181VSN331MQ25S |             | 680         | 35×25                 | 0.15 | 1.78                                               | EKMM201VSN681MA25S |
|             | 330         | 30×20                 | 0.15 | 1.15                                               | EKMM181VSN331MR20S |             | 820         | 25.4×45               | 0.15 | 2.04                                               | EKMM201VSN821MQ45S |
|             | 390         | 20×35                 | 0.15 | 1.30                                               | EKMM181VSN391MN35S |             | 820         | 30×30                 | 0.15 | 2.04                                               | EKMM201VSN821MR30S |
|             | 390         | 22×30                 | 0.15 | 1.35                                               | EKMM181VSN391MP30S |             | 820         | 35×25                 | 0.15 | 2.04                                               | EKMM201VSN821MA25S |
|             | 390         | 25.4×25               | 0.15 | 1.35                                               | EKMM181VSN391MQ25S |             | 1,000       | 25.4×50               | 0.15 | 2.30                                               | EKMM201VSN102MQ50S |
|             | 390         | 30×20                 | 0.15 | 1.20                                               | EKMM181VSN391MR20S |             | 1,000       | 30×35                 | 0.15 | 2.30                                               | EKMM201VSN102MR35S |
|             | 470         | 20×40                 | 0.15 | 1.40                                               | EKMM181VSN471MN40S |             | 1,000       | 35×30                 | 0.15 | 2.30                                               | EKMM201VSN102MA30S |
|             | 470         | 22×35                 | 0.15 | 1.50                                               | EKMM181VSN471MP35S |             | 1,200       | 25.4×60               | 0.15 | 2.66                                               | EKMM201VSN122MQ60S |
|             | 470         | 25.4×30               | 0.15 | 1.50                                               | EKMM181VSN471MQ30S |             | 1,200       | 30×40                 | 0.15 | 2.65                                               | EKMM201VSN122MR40S |
|             | 470         | 30×25                 | 0.15 | 1.50                                               | EKMM181VSN471MR25S |             | 1,200       | 35×35                 | 0.15 | 2.65                                               | EKMM201VSN122MA35S |
|             | 470         | 35×20                 | 0.15 | 1.36                                               | EKMM181VSN471MA20S |             | 1,500       | 30×50                 | 0.15 | 3.08                                               | EKMM201VSN152MR50S |

## KMM Series

## ◆ STANDARD RATINGS

| WV<br>(Vdc) | Cap<br>(μF) | Case size<br>φD×L(mm) | tanδ | Rated ripple<br>current<br>(Arms/<br>105°C, 120Hz) | Part No.           | WV<br>(Vdc) | Cap<br>(μF) | Case size<br>φD×L(mm) | tanδ | Rated ripple<br>current<br>(Arms/<br>105°C, 120Hz) | Part No.           |
|-------------|-------------|-----------------------|------|----------------------------------------------------|--------------------|-------------|-------------|-----------------------|------|----------------------------------------------------|--------------------|
| 200         | 1,500       | 35×40                 | 0.15 | 3.08                                               | EKMM201VSN152MA40S | 250         | 330         | 30×25                 | 0.15 | 1.30                                               | EKMM251VSN331MR25S |
|             | 1,800       | 30×60                 | 0.15 | 3.49                                               | EKMM201VSN182MR60S |             | 330         | 35×20                 | 0.15 | 1.16                                               | EKMM251VSN331MA20S |
|             | 1,800       | 35×45                 | 0.15 | 3.48                                               | EKMM201VSN182MA45S |             | 390         | 20×50                 | 0.15 | 1.45                                               | EKMM251VSN391MN50S |
|             | 2,200       | 35×50                 | 0.15 | 3.78                                               | EKMM201VSN222MA50S |             | 390         | 22×40                 | 0.15 | 1.49                                               | EKMM251VSN391MP40S |
| 220         | 120         | 20×20                 | 0.15 | 0.56                                               | EKMM221VSN121MN20S |             | 390         | 25.4×35               | 0.15 | 1.49                                               | EKMM251VSN391MQ35S |
|             | 150         | 20×25                 | 0.15 | 0.73                                               | EKMM221VSN151MN25S |             | 390         | 30×25                 | 0.15 | 1.49                                               | EKMM251VSN391MR25S |
|             | 150         | 22×20                 | 0.15 | 0.67                                               | EKMM221VSN151MP20S |             | 470         | 22×45                 | 0.15 | 1.65                                               | EKMM251VSN471MP45S |
|             | 180         | 20×25                 | 0.15 | 0.90                                               | EKMM221VSN181MN25S |             | 470         | 25.4×35               | 0.15 | 1.65                                               | EKMM251VSN471MQ35S |
|             | 180         | 25.4×20               | 0.15 | 0.76                                               | EKMM221VSN181MQ20S |             | 470         | 30×30                 | 0.15 | 1.65                                               | EKMM251VSN471MR30S |
|             | 220         | 20×30                 | 0.15 | 1.00                                               | EKMM221VSN221MN30S |             | 470         | 35×25                 | 0.15 | 1.65                                               | EKMM251VSN471MA25S |
|             | 220         | 22×25                 | 0.15 | 1.00                                               | EKMM221VSN221MP25S |             | 560         | 22×50                 | 0.15 | 1.67                                               | EKMM251VSN561MP50S |
|             | 220         | 25.4×20               | 0.15 | 0.84                                               | EKMM221VSN221MQ20S |             | 560         | 25.4×40               | 0.15 | 1.80                                               | EKMM251VSN561MQ40S |
|             | 270         | 20×35                 | 0.15 | 1.15                                               | EKMM221VSN271MN35S |             | 560         | 30×30                 | 0.15 | 1.80                                               | EKMM251VSN561MR30S |
|             | 270         | 22×30                 | 0.15 | 1.15                                               | EKMM221VSN271MP30S |             | 560         | 35×25                 | 0.15 | 1.80                                               | EKMM251VSN561MA25S |
|             | 270         | 25.4×25               | 0.15 | 1.08                                               | EKMM221VSN271MQ25S |             | 680         | 25.4×50               | 0.15 | 2.00                                               | EKMM251VSN681MQ50S |
|             | 270         | 30×20                 | 0.15 | 0.98                                               | EKMM221VSN271MR20S |             | 680         | 30×35                 | 0.15 | 2.00                                               | EKMM251VSN681MR35S |
|             | 330         | 20×40                 | 0.15 | 1.25                                               | EKMM221VSN331MN40S |             | 680         | 35×30                 | 0.15 | 2.00                                               | EKMM251VSN681MA30S |
|             | 330         | 22×35                 | 0.15 | 1.25                                               | EKMM221VSN331MP35S |             | 820         | 25.4×60               | 0.15 | 2.20                                               | EKMM251VSN821MQ60S |
|             | 330         | 25.4×25               | 0.15 | 1.25                                               | EKMM221VSN331MQ25S |             | 820         | 30×40                 | 0.15 | 2.30                                               | EKMM251VSN821MR40S |
|             | 330         | 35×20                 | 0.15 | 1.13                                               | EKMM221VSN331MA20S |             | 820         | 35×35                 | 0.15 | 2.30                                               | EKMM251VSN821MA35S |
|             | 390         | 20×45                 | 0.15 | 1.40                                               | EKMM221VSN391MN45S |             | 1,000       | 30×50                 | 0.15 | 2.47                                               | EKMM251VSN102MR50S |
|             | 390         | 22×35                 | 0.15 | 1.40                                               | EKMM221VSN391MP35S |             | 1,000       | 35×40                 | 0.15 | 2.47                                               | EKMM251VSN102MA40S |
|             | 390         | 25.4×30               | 0.15 | 1.40                                               | EKMM221VSN391MQ30S |             | 1,200       | 30×60                 | 0.15 | 2.85                                               | EKMM251VSN122MR60S |
|             | 390         | 30×25                 | 0.15 | 1.36                                               | EKMM221VSN391MR25S |             | 1,200       | 35×45                 | 0.15 | 2.60                                               | EKMM251VSN122MA45S |
|             | 390         | 35×20                 | 0.15 | 1.23                                               | EKMM221VSN391MA20S |             | 1,500       | 35×50                 | 0.15 | 3.00                                               | EKMM251VSN152MA50S |
|             | 470         | 20×50                 | 0.15 | 1.51                                               | EKMM221VSN471MN50S |             | 1,800       | 35×60                 | 0.15 | 3.42                                               | EKMM251VSN182MA60S |
|             | 470         | 22×40                 | 0.15 | 1.51                                               | EKMM221VSN471MP40S | 315         | 56          | 20×20                 | 0.15 | 0.38                                               | EKMM3B1VSN560MN20S |
|             | 470         | 25.4×35               | 0.15 | 1.54                                               | EKMM221VSN471MQ35S |             | 68          | 20×25                 | 0.15 | 0.47                                               | EKMM3B1VSN680MN25S |
|             | 470         | 30×25                 | 0.15 | 1.50                                               | EKMM221VSN471MR25S |             | 68          | 22×20                 | 0.15 | 0.45                                               | EKMM3B1VSN680MP20S |
|             | 560         | 22×45                 | 0.15 | 1.70                                               | EKMM221VSN561MP45S |             | 82          | 20×25                 | 0.15 | 0.64                                               | EKMM3B1VSN820MN25S |
|             | 560         | 25.4×40               | 0.15 | 1.72                                               | EKMM221VSN561MQ40S |             | 82          | 22×20                 | 0.15 | 0.47                                               | EKMM3B1VSN820MP20S |
|             | 560         | 30×30                 | 0.15 | 1.70                                               | EKMM221VSN561MR30S |             | 100         | 20×30                 | 0.15 | 0.69                                               | EKMM3B1VSN101MN30S |
|             | 560         | 35×25                 | 0.15 | 1.71                                               | EKMM221VSN561MA25S |             | 100         | 22×25                 | 0.15 | 0.61                                               | EKMM3B1VSN101MP25S |
|             | 680         | 25.4×45               | 0.15 | 1.94                                               | EKMM221VSN681MQ45S |             | 100         | 25.4×20               | 0.15 | 0.56                                               | EKMM3B1VSN101MQ20S |
|             | 680         | 30×35                 | 0.15 | 1.93                                               | EKMM221VSN681MR35S |             | 120         | 20×30                 | 0.15 | 0.75                                               | EKMM3B1VSN121MN30S |
|             | 680         | 35×25                 | 0.15 | 1.89                                               | EKMM221VSN681MA25S |             | 120         | 22×25                 | 0.15 | 0.75                                               | EKMM3B1VSN121MP25S |
|             | 820         | 25.4×50               | 0.15 | 2.18                                               | EKMM221VSN821MQ50S |             | 120         | 25.4×20               | 0.15 | 0.62                                               | EKMM3B1VSN121MQ20S |
|             | 820         | 30×40                 | 0.15 | 2.19                                               | EKMM221VSN821MR40S |             | 120         | 30×20                 | 0.15 | 0.65                                               | EKMM3B1VSN121MR20S |
|             | 820         | 35×30                 | 0.15 | 2.16                                               | EKMM221VSN821MA30S |             | 150         | 20×35                 | 0.15 | 0.82                                               | EKMM3B1VSN151MN35S |
|             | 1,000       | 25.4×60               | 0.15 | 2.54                                               | EKMM221VSN102MQ60S |             | 150         | 22×30                 | 0.15 | 0.82                                               | EKMM3B1VSN151MP30S |
|             | 1,000       | 30×45                 | 0.15 | 2.50                                               | EKMM221VSN102MR45S |             | 150         | 25.4×25               | 0.15 | 0.82                                               | EKMM3B1VSN151MQ25S |
|             | 1,000       | 35×35                 | 0.15 | 2.44                                               | EKMM221VSN102MA35S |             | 150         | 30×20                 | 0.15 | 0.70                                               | EKMM3B1VSN151MR20S |
|             | 1,200       | 30×50                 | 0.15 | 2.81                                               | EKMM221VSN122MR50S |             | 150         | 35×20                 | 0.15 | 0.76                                               | EKMM3B1VSN151MA20S |
|             | 1,200       | 35×40                 | 0.15 | 2.79                                               | EKMM221VSN122MA40S |             | 180         | 20×40                 | 0.15 | 0.90                                               | EKMM3B1VSN181MN40S |
|             | 1,500       | 30×60                 | 0.15 | 3.30                                               | EKMM221VSN152MR60S |             | 180         | 22×35                 | 0.15 | 0.92                                               | EKMM3B1VSN181MP35S |
|             | 1,500       | 35×45                 | 0.15 | 3.22                                               | EKMM221VSN152MA45S |             | 180         | 25.4×25               | 0.15 | 0.92                                               | EKMM3B1VSN181MQ25S |
|             | 1,800       | 35×50                 | 0.15 | 3.63                                               | EKMM221VSN182MA50S |             | 180         | 30×25                 | 0.15 | 0.90                                               | EKMM3B1VSN181MR25S |
|             | 2,200       | 35×60                 | 0.15 | 4.23                                               | EKMM221VSN222MA60S |             | 180         | 35×20                 | 0.15 | 0.85                                               | EKMM3B1VSN181MA20S |
| 250         | 100         | 20×20                 | 0.15 | 0.51                                               | EKMM251VSN101MN20S |             | 220         | 20×50                 | 0.15 | 1.00                                               | EKMM3B1VSN221MN50S |
|             | 120         | 20×25                 | 0.15 | 0.58                                               | EKMM251VSN121MN25S |             | 220         | 22×40                 | 0.15 | 1.04                                               | EKMM3B1VSN221MP40S |
|             | 120         | 22×20                 | 0.15 | 0.60                                               | EKMM251VSN121MP20S |             | 220         | 25.4×30               | 0.15 | 1.04                                               | EKMM3B1VSN221MQ30S |
|             | 150         | 20×25                 | 0.15 | 0.79                                               | EKMM251VSN151MN25S |             | 220         | 30×25                 | 0.15 | 1.04                                               | EKMM3B1VSN221MR25S |
|             | 150         | 25.4×20               | 0.15 | 0.74                                               | EKMM251VSN151MQ20S |             | 220         | 35×20                 | 0.15 | 0.90                                               | EKMM3B1VSN221MA20S |
|             | 180         | 20×30                 | 0.15 | 0.90                                               | EKMM251VSN181MN30S |             | 270         | 22×45                 | 0.15 | 1.16                                               | EKMM3B1VSN271MP45S |
|             | 180         | 22×25                 | 0.15 | 0.78                                               | EKMM251VSN181MP25S |             | 270         | 25.4×35               | 0.15 | 1.16                                               | EKMM3B1VSN271MQ35S |
|             | 180         | 25.4×20               | 0.15 | 0.75                                               | EKMM251VSN181MQ20S |             | 270         | 30×25                 | 0.15 | 1.16                                               | EKMM3B1VSN271MR25S |
|             | 220         | 20×30                 | 0.15 | 1.00                                               | EKMM251VSN221MN30S |             | 270         | 35×25                 | 0.15 | 1.15                                               | EKMM3B1VSN271MA25S |
|             | 220         | 22×25                 | 0.15 | 1.00                                               | EKMM251VSN221MP25S |             | 330         | 22×50                 | 0.15 | 1.33                                               | EKMM3B1VSN331MP50S |
|             | 220         | 25.4×25               | 0.15 | 0.95                                               | EKMM251VSN221MQ25S |             | 330         | 25.4×40               | 0.15 | 1.33                                               | EKMM3B1VSN331MQ40S |
|             | 220         | 30×20                 | 0.15 | 0.95                                               | EKMM251VSN221MR20S |             | 330         | 30×30                 | 0.15 | 1.33                                               | EKMM3B1VSN331MR30S |
|             | 270         | 20×35                 | 0.15 | 1.10                                               | EKMM251VSN271MN35S |             | 330         | 35×25                 | 0.15 | 1.33                                               | EKMM3B1VSN331MA25S |
|             | 270         | 22×30                 | 0.15 | 1.18                                               | EKMM251VSN271MP30S |             | 390         | 25.4×45               | 0.15 | 1.47                                               | EKMM3B1VSN391MQ45S |
|             | 270         | 25.4×25               | 0.15 | 1.18                                               | EKMM251VSN271MQ25S |             | 390         | 30×35                 | 0.15 | 1.47                                               | EKMM3B1VSN391MR35S |
|             | 270         | 30×20                 | 0.15 | 1.00                                               | EKMM251VSN271MR20S |             | 390         | 35×30                 | 0.15 | 1.47                                               | EKMM3B1VSN391MA30S |
|             | 330         | 20×40                 | 0.15 | 1.20                                               | EKMM251VSN331MN40S |             | 470         | 25.4×50               | 0.15 | 1.70                                               | EKMM3B1VSN471MQ50S |
|             | 330         | 22×35                 | 0.15 | 1.30                                               | EKMM251VSN331MP35S |             | 470         | 30×40                 | 0.15 | 1.70                                               | EKMM3B1VSN471MR40S |
|             | 330         | 25.4×30               | 0.15 | 1.30                                               | EKMM251VSN331MQ30S |             | 470         | 35×30                 | 0.15 | 1.70                                               | EKMM3B1VSN471MA30S |

## KMM Series

## ◆STANDARD RATINGS

| WV<br>(Vdc) | Cap<br>(μF) | Case size<br>φD×L(mm) | tanδ | Rated ripple<br>current<br>(Arms/<br>105°C, 120Hz) | Part No.           | WV<br>(Vdc) | Cap<br>(μF) | Case size<br>φD×L(mm) | tanδ | Rated ripple<br>current<br>(Arms/<br>105°C, 120Hz) | Part No.           |
|-------------|-------------|-----------------------|------|----------------------------------------------------|--------------------|-------------|-------------|-----------------------|------|----------------------------------------------------|--------------------|
| 315         | 560         | 30×45                 | 0.15 | 2.05                                               | EKMM3B1VSN561MR45S | 400         | 100         | 30×20                 | 0.15 | 0.60                                               | EKMM401VSN101MR20S |
|             | 560         | 35×35                 | 0.15 | 2.05                                               | EKMM3B1VSN561MA35S |             | 120         | 20×40                 | 0.15 | 0.75                                               | EKMM401VSN121MN40S |
|             | 680         | 30×50                 | 0.15 | 2.17                                               | EKMM3B1VSN681MR50S |             | 120         | 22×35                 | 0.15 | 0.75                                               | EKMM401VSN121MP35S |
|             | 680         | 35×40                 | 0.15 | 2.17                                               | EKMM3B1VSN681MA40S |             | 120         | 25.4×25               | 0.15 | 0.75                                               | EKMM401VSN121MQ25S |
|             | 820         | 35×45                 | 0.15 | 2.20                                               | EKMM3B1VSN821MA45S |             | 120         | 30×25                 | 0.15 | 0.73                                               | EKMM401VSN121MR25S |
|             | 1,000       | 35×60                 | 0.15 | 2.55                                               | EKMM3B1VSN102MA60S |             | 120         | 35×20                 | 0.15 | 0.75                                               | EKMM401VSN121MA20S |
| 350         | 47          | 20×20                 | 0.15 | 0.35                                               | EKMM351VSN470MN20S |             | 150         | 20×45                 | 0.15 | 0.83                                               | EKMM401VSN151MN45S |
|             | 56          | 20×25                 | 0.15 | 0.43                                               | EKMM351VSN560MN25S |             | 150         | 22×40                 | 0.15 | 0.88                                               | EKMM401VSN151MP40S |
|             | 56          | 22×20                 | 0.15 | 0.41                                               | EKMM351VSN560MP20S |             | 150         | 25.4×30               | 0.15 | 0.88                                               | EKMM401VSN151MQ30S |
|             | 68          | 20×25                 | 0.15 | 0.47                                               | EKMM351VSN680MN25S |             | 150         | 30×25                 | 0.15 | 0.88                                               | EKMM401VSN151MR25S |
|             | 68          | 25.4×20               | 0.15 | 0.46                                               | EKMM351VSN680MQ20S |             | 150         | 35×20                 | 0.15 | 0.80                                               | EKMM401VSN151MA20S |
|             | 82          | 20×30                 | 0.15 | 0.54                                               | EKMM351VSN820MN30S |             | 180         | 22×45                 | 0.15 | 0.98                                               | EKMM401VSN181MP45S |
|             | 82          | 22×25                 | 0.15 | 0.55                                               | EKMM351VSN820MP25S |             | 180         | 25.4×35               | 0.15 | 0.98                                               | EKMM401VSN181MQ35S |
|             | 82          | 25.4×20               | 0.15 | 0.51                                               | EKMM351VSN820MQ20S |             | 180         | 30×30                 | 0.15 | 0.98                                               | EKMM401VSN181MR30S |
|             | 100         | 20×30                 | 0.15 | 0.60                                               | EKMM351VSN101MN30S |             | 180         | 35×25                 | 0.15 | 0.98                                               | EKMM401VSN181MA25S |
|             | 100         | 22×25                 | 0.15 | 0.69                                               | EKMM351VSN101MP25S |             | 220         | 22×50                 | 0.15 | 1.10                                               | EKMM401VSN221MP50S |
|             | 100         | 30×20                 | 0.15 | 0.60                                               | EKMM351VSN101MR20S |             | 220         | 25.4×40               | 0.15 | 1.10                                               | EKMM401VSN221MQ40S |
|             | 120         | 20×35                 | 0.15 | 0.68                                               | EKMM351VSN121MN35S |             | 220         | 30×30                 | 0.15 | 1.10                                               | EKMM401VSN221MR30S |
|             | 120         | 22×30                 | 0.15 | 0.75                                               | EKMM351VSN121MP30S |             | 220         | 35×25                 | 0.15 | 1.10                                               | EKMM401VSN221MA25S |
|             | 120         | 25.4×25               | 0.15 | 0.75                                               | EKMM351VSN121MQ25S |             | 270         | 25.4×45               | 0.15 | 1.22                                               | EKMM401VSN271MQ45S |
|             | 120         | 30×20                 | 0.15 | 0.65                                               | EKMM351VSN121MR20S |             | 270         | 30×35                 | 0.15 | 1.22                                               | EKMM401VSN271MR35S |
|             | 150         | 20×40                 | 0.15 | 0.78                                               | EKMM351VSN151MN40S |             | 270         | 35×30                 | 0.15 | 1.22                                               | EKMM401VSN271MA30S |
|             | 150         | 22×35                 | 0.15 | 0.82                                               | EKMM351VSN151MP35S |             | 330         | 25.4×50               | 0.15 | 1.44                                               | EKMM401VSN331MQ50S |
|             | 150         | 25.4×30               | 0.15 | 0.83                                               | EKMM351VSN151MQ30S |             | 330         | 30×40                 | 0.15 | 1.44                                               | EKMM401VSN331MR40S |
|             | 150         | 30×25                 | 0.15 | 0.82                                               | EKMM351VSN151MR25S |             | 330         | 35×30                 | 0.15 | 1.44                                               | EKMM401VSN331MA30S |
|             | 150         | 35×20                 | 0.15 | 0.76                                               | EKMM351VSN151MA20S |             | 390         | 25.4×60               | 0.15 | 1.51                                               | EKMM401VSN391MQ60S |
|             | 180         | 20×45                 | 0.15 | 0.87                                               | EKMM351VSN181MN45S |             | 390         | 30×45                 | 0.15 | 1.60                                               | EKMM401VSN391MR45S |
|             | 180         | 22×40                 | 0.15 | 0.92                                               | EKMM351VSN181MP40S |             | 390         | 35×35                 | 0.15 | 1.60                                               | EKMM401VSN391MA35S |
|             | 180         | 25.4×30               | 0.15 | 0.92                                               | EKMM351VSN181MQ30S |             | 470         | 30×50                 | 0.15 | 1.90                                               | EKMM401VSN471MR50S |
|             | 180         | 30×25                 | 0.15 | 0.90                                               | EKMM351VSN181MR25S |             | 470         | 35×40                 | 0.15 | 1.90                                               | EKMM401VSN471MA40S |
|             | 220         | 20×50                 | 0.15 | 1.00                                               | EKMM351VSN221MN50S |             | 560         | 30×60                 | 0.15 | 2.10                                               | EKMM401VSN561MR60S |
|             | 220         | 22×45                 | 0.15 | 1.05                                               | EKMM351VSN221MP45S |             | 560         | 35×45                 | 0.15 | 2.12                                               | EKMM401VSN561MA45S |
|             | 220         | 25.4×35               | 0.15 | 1.04                                               | EKMM351VSN221MQ35S |             | 680         | 35×60                 | 0.15 | 2.27                                               | EKMM401VSN681MA60S |
|             | 220         | 30×30                 | 0.15 | 1.02                                               | EKMM351VSN221MR30S | 420         | 39          | 20×20                 | 0.20 | 0.32                                               | EKMM421VSN390MN20S |
|             | 220         | 35×25                 | 0.15 | 1.04                                               | EKMM351VSN221MA25S |             | 47          | 20×25                 | 0.20 | 0.39                                               | EKMM421VSN470MN25S |
|             | 270         | 22×50                 | 0.15 | 1.16                                               | EKMM351VSN271MP50S |             | 47          | 22×20                 | 0.20 | 0.37                                               | EKMM421VSN470MP20S |
|             | 270         | 25.4×40               | 0.15 | 1.18                                               | EKMM351VSN271MQ40S |             | 56          | 20×25                 | 0.20 | 0.51                                               | EKMM421VSN560MN25S |
|             | 270         | 30×30                 | 0.15 | 1.17                                               | EKMM351VSN271MR30S |             | 56          | 25.4×20               | 0.20 | 0.42                                               | EKMM421VSN560MQ20S |
|             | 270         | 35×25                 | 0.15 | 1.20                                               | EKMM351VSN271MA25S |             | 68          | 20×30                 | 0.20 | 0.56                                               | EKMM421VSN680MN30S |
|             | 330         | 25.4×45               | 0.15 | 1.29                                               | EKMM351VSN331MQ45S |             | 68          | 22×25                 | 0.20 | 0.50                                               | EKMM421VSN680MP25S |
|             | 330         | 30×35                 | 0.15 | 1.34                                               | EKMM351VSN331MR35S |             | 68          | 25.4×20               | 0.20 | 0.46                                               | EKMM421VSN680MQ20S |
|             | 330         | 35×30                 | 0.15 | 1.22                                               | EKMM351VSN331MA30S |             | 82          | 20×35                 | 0.20 | 0.64                                               | EKMM421VSN820MN35S |
|             | 390         | 25.4×50               | 0.15 | 1.51                                               | EKMM351VSN391MQ50S |             | 82          | 22×25                 | 0.20 | 0.64                                               | EKMM421VSN820MP25S |
|             | 390         | 30×40                 | 0.15 | 1.51                                               | EKMM351VSN391MR40S |             | 82          | 25.4×25               | 0.20 | 0.58                                               | EKMM421VSN820MQ25S |
|             | 390         | 35×35                 | 0.15 | 1.47                                               | EKMM351VSN391MA35S |             | 82          | 30×20                 | 0.20 | 0.53                                               | EKMM421VSN820MR20S |
|             | 470         | 25.4×60               | 0.15 | 1.66                                               | EKMM351VSN471MQ60S |             | 100         | 20×35                 | 0.20 | 0.70                                               | EKMM421VSN101MN35S |
|             | 470         | 30×45                 | 0.15 | 1.65                                               | EKMM351VSN471MR45S |             | 100         | 22×30                 | 0.20 | 0.70                                               | EKMM421VSN101MP30S |
|             | 470         | 35×35                 | 0.15 | 1.69                                               | EKMM351VSN471MA35S |             | 100         | 25.4×25               | 0.20 | 0.70                                               | EKMM421VSN101MQ25S |
|             | 560         | 30×50                 | 0.15 | 1.85                                               | EKMM351VSN561MR50S |             | 100         | 30×20                 | 0.20 | 0.59                                               | EKMM421VSN101MR20S |
|             | 560         | 35×40                 | 0.15 | 1.90                                               | EKMM351VSN561MA40S |             | 120         | 20×40                 | 0.20 | 0.75                                               | EKMM421VSN121MN40S |
|             | 680         | 30×60                 | 0.15 | 2.15                                               | EKMM351VSN681MR60S |             | 120         | 22×35                 | 0.20 | 0.75                                               | EKMM421VSN121MP35S |
|             | 680         | 35×50                 | 0.15 | 1.99                                               | EKMM351VSN681MA50S |             | 120         | 25.4×30               | 0.20 | 0.75                                               | EKMM421VSN121MQ30S |
|             | 820         | 35×60                 | 0.15 | 2.31                                               | EKMM351VSN821MA60S |             | 120         | 30×25                 | 0.20 | 0.73                                               | EKMM421VSN121MR25S |
| 400         | 39          | 20×20                 | 0.15 | 0.32                                               | EKMM401VSN390MN20S |             | 120         | 35×20                 | 0.20 | 0.67                                               | EKMM421VSN121MA20S |
|             | 47          | 20×25                 | 0.15 | 0.39                                               | EKMM401VSN470MN25S |             | 150         | 20×50                 | 0.20 | 0.88                                               | EKMM421VSN151MN50S |
|             | 47          | 22×20                 | 0.15 | 0.37                                               | EKMM401VSN470MP20S |             | 150         | 22×40                 | 0.20 | 0.88                                               | EKMM421VSN151MP40S |
|             | 56          | 20×25                 | 0.15 | 0.51                                               | EKMM401VSN560MN25S |             | 150         | 25.4×35               | 0.20 | 0.88                                               | EKMM421VSN151MQ35S |
|             | 56          | 25.4×20               | 0.15 | 0.42                                               | EKMM401VSN560MQ20S |             | 150         | 30×25                 | 0.20 | 0.88                                               | EKMM421VSN151MR25S |
|             | 68          | 20×30                 | 0.15 | 0.56                                               | EKMM401VSN680MN30S |             | 180         | 22×45                 | 0.20 | 0.95                                               | EKMM421VSN181MP45S |
|             | 68          | 22×25                 | 0.15 | 0.50                                               | EKMM401VSN680MP25S |             | 180         | 25.4×35               | 0.20 | 0.95                                               | EKMM421VSN181MQ35S |
|             | 68          | 25.4×20               | 0.15 | 0.46                                               | EKMM401VSN680MQ20S |             | 180         | 30×30                 | 0.20 | 0.95                                               | EKMM421VSN181MR30S |
|             | 82          | 20×30                 | 0.15 | 0.64                                               | EKMM401VSN820MN30S |             | 180         | 35×25                 | 0.20 | 0.94                                               | EKMM421VSN181MA25S |
|             | 82          | 22×25                 | 0.15 | 0.64                                               | EKMM401VSN820MP25S |             | 220         | 22×50                 | 0.20 | 1.10                                               | EKMM421VSN221MP50S |
|             | 82          | 30×20                 | 0.15 | 0.55                                               | EKMM401VSN820MR20S |             | 220         | 25.4×45               | 0.20 | 1.10                                               | EKMM421VSN221MQ45S |
|             | 100         | 20×35                 | 0.15 | 0.70                                               | EKMM401VSN101MN35S |             | 220         | 30×35                 | 0.20 | 1.10                                               | EKMM421VSN221MR35S |
|             | 100         | 22×30                 | 0.15 | 0.70                                               | EKMM401VSN101MP30S |             | 220         | 35×25                 | 0.20 | 1.10                                               | EKMM421VSN221MA25S |
|             | 100         | 25.4×25               | 0.15 | 0.70                                               | EKMM401VSN101MQ25S |             | 270         | 25.4×50               | 0.20 | 1.22                                               | EKMM421VSN271MQ50S |

# KMM Series

## ◆STANDARD RATINGS

| WV<br>(V <sub>dc</sub> ) | Cap<br>(μF) | Case size<br>φD×L(mm) | tanδ | Rated ripple<br>current<br>(Arms/<br>105°C,120Hz) | Part No.           | WV<br>(V <sub>dc</sub> ) | Cap<br>(μF) | Case size<br>φD×L(mm) | tanδ | Rated ripple<br>current<br>(Arms/<br>105°C,120Hz) | Part No.           |
|--------------------------|-------------|-----------------------|------|---------------------------------------------------|--------------------|--------------------------|-------------|-----------------------|------|---------------------------------------------------|--------------------|
| 420                      | 270         | 30×40                 | 0.20 | 1.22                                              | EKMM421VSN271MR40S | 450                      | 120         | 20×50                 | 0.20 | 0.75                                              | EKMM451VSN121MN50S |
|                          | 270         | 35×30                 | 0.20 | 1.22                                              | EKMM421VSN271MA30S |                          | 120         | 22×40                 | 0.20 | 0.80                                              | EKMM451VSN121MP40S |
|                          | 330         | 25.4×60               | 0.20 | 1.41                                              | EKMM421VSN331MQ60S |                          | 120         | 25.4×30               | 0.20 | 0.80                                              | EKMM451VSN121MQ30S |
|                          | 330         | 30×45                 | 0.20 | 1.45                                              | EKMM421VSN331MR45S |                          | 120         | 30×25                 | 0.20 | 0.80                                              | EKMM451VSN121MR25S |
|                          | 330         | 35×35                 | 0.20 | 1.45                                              | EKMM421VSN331MA35S |                          | 120         | 35×25                 | 0.20 | 0.73                                              | EKMM451VSN121MA25S |
|                          | 390         | 30×50                 | 0.20 | 1.55                                              | EKMM421VSN391MR50S |                          | 150         | 22×45                 | 0.20 | 0.88                                              | EKMM451VSN151MP45S |
|                          | 390         | 35×40                 | 0.20 | 1.55                                              | EKMM421VSN391MA40S |                          | 150         | 25.4×35               | 0.20 | 0.88                                              | EKMM451VSN151MQ35S |
|                          | 470         | 30×60                 | 0.20 | 1.79                                              | EKMM421VSN471MR60S |                          | 150         | 30×30                 | 0.20 | 0.88                                              | EKMM451VSN151MR30S |
|                          | 470         | 35×45                 | 0.20 | 1.90                                              | EKMM421VSN471MA45S |                          | 150         | 35×25                 | 0.20 | 0.75                                              | EKMM451VSN151MA25S |
|                          | 560         | 35×50                 | 0.20 | 2.15                                              | EKMM421VSN561MA50S |                          | 180         | 22×50                 | 0.20 | 1.00                                              | EKMM451VSN181MP50S |
| 450                      | 680         | 35×60                 | 0.20 | 2.27                                              | EKMM421VSN681MA60S |                          | 180         | 25.4×40               | 0.20 | 1.00                                              | EKMM451VSN181MQ40S |
|                          | 39          | 20×25                 | 0.20 | 0.34                                              | EKMM451VSN390MN25S |                          | 180         | 30×30                 | 0.20 | 1.00                                              | EKMM451VSN181MR30S |
|                          | 47          | 20×25                 | 0.20 | 0.39                                              | EKMM451VSN470MN25S |                          | 220         | 25.4×45               | 0.20 | 1.12                                              | EKMM451VSN221MQ45S |
|                          | 56          | 20×30                 | 0.20 | 0.51                                              | EKMM451VSN560MN30S |                          | 220         | 30×35                 | 0.20 | 1.12                                              | EKMM451VSN221MR35S |
|                          | 56          | 22×25                 | 0.20 | 0.40                                              | EKMM451VSN560MP25S |                          | 220         | 35×30                 | 0.20 | 1.12                                              | EKMM451VSN221MA30S |
|                          | 68          | 20×35                 | 0.20 | 0.56                                              | EKMM451VSN680MN35S |                          | 270         | 25.4×60               | 0.20 | 1.18                                              | EKMM451VSN271MQ60S |
|                          | 68          | 22×30                 | 0.20 | 0.53                                              | EKMM451VSN680MP30S |                          | 270         | 30×40                 | 0.20 | 1.28                                              | EKMM451VSN271MR40S |
|                          | 68          | 25.4×25               | 0.20 | 0.50                                              | EKMM451VSN680MQ25S |                          | 270         | 35×35                 | 0.20 | 1.28                                              | EKMM451VSN271MA35S |
|                          | 82          | 20×35                 | 0.20 | 0.64                                              | EKMM451VSN820MN35S |                          | 330         | 30×50                 | 0.20 | 1.45                                              | EKMM451VSN331MR50S |
|                          | 82          | 22×30                 | 0.20 | 0.64                                              | EKMM451VSN820MP30S |                          | 330         | 35×40                 | 0.20 | 1.45                                              | EKMM451VSN331MA40S |
|                          | 82          | 25.4×25               | 0.20 | 0.64                                              | EKMM451VSN820MQ25S |                          | 390         | 30×60                 | 0.20 | 1.51                                              | EKMM451VSN391MR60S |
|                          | 100         | 20×45                 | 0.20 | 0.69                                              | EKMM451VSN101MN45S |                          | 390         | 35×40                 | 0.20 | 1.55                                              | EKMM451VSN391MA40S |
|                          | 100         | 22×35                 | 0.20 | 0.69                                              | EKMM451VSN101MP35S |                          | 470         | 35×50                 | 0.20 | 1.85                                              | EKMM451VSN471MA50S |
|                          | 100         | 25.4×30               | 0.20 | 0.69                                              | EKMM451VSN101MQ30S |                          | 560         | 35×60                 | 0.20 | 1.91                                              | EKMM451VSN561MA60S |
|                          | 100         | 30×25                 | 0.20 | 0.64                                              | EKMM451VSN101MR25S |                          |             |                       |      |                                                   |                    |

## ◆RATED RIPPLE CURRENT MULTIPLIERS

### ●Frequency Multipliers

| Frequency (Hz)            | 50   | 120  | 300  | 1k   | 10k  | 50k  |
|---------------------------|------|------|------|------|------|------|
| 160 to 250V <sub>dc</sub> | 0.81 | 1.00 | 1.17 | 1.32 | 1.45 | 1.50 |
| 315 to 450V <sub>dc</sub> | 0.77 | 1.00 | 1.16 | 1.30 | 1.41 | 1.43 |

The endurance of capacitors is reduced with internal heating produced by ripple current at the rate of halving the lifetime with every 5°C rise. When long life performance is required in actual use, the rms ripple current has to be reduced.





**Стандарт  
Электрон  
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

**Наши контакты:**

**Телефон:** +7 812 627 14 35

**Электронная почта:** [sales@st-electron.ru](mailto:sales@st-electron.ru)

**Адрес:** 198099, Санкт-Петербург,  
Промышленная ул, дом № 19, литера Н,  
помещение 100-Н Офис 331