



LOC	DIST	REVISIONS					
-	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
			AI	REVISED PER ECO-11-004587	11MAR2011	RK	HMR




2106091-1
SHOWN



— DIM P
CENTER OF
GRAVITY

1. MATERIALS AND FINISH:
 -HOUSING: LCP, COLOR: NATURAL
 -CONTACTS: COPPER ALLOY, FINISH: Sn OVER Ni
 -HOLD DOWNS: BRASS, FINISH: Sn OVER Ni
2. MUST COMPLY WITH DIRECTIVE 2002/95/EC (ROHS)
3. THIS PRODUCT HAS NOT COMPLETED VALIDATION TESTING
4. PACKAGED IN TAPE AND REEL PER EIA-481 SPECIFICATIONS.
 DIAMETER OF REEL TO BE 330.0mm




2106091-2


2106091-3

2106091-4


2106091-5



SCALE 4:1




- 3.35
TYP




MINI-CT INTERFACE


2.99	7.10	12.00	15.11	11.50	6	2106091-5
2.97	6.35	10.50	13.61	10.00	5	2106091-4
2.94	5.60	9.00	12.11	8.50	4	2106091-3
2.90	4.85	7.50	10.61	7.00	3	2106091-2
2.79	4.10	6.00	9.11	5.50	2	2106091-1
DIM P	DIM N	DIM M	DIM F	DIM E	POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 14MAR2008 CHK C. DAILY M. MOSTOLLER		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±0.2 2 PLC ±0.13 3 PLC ±. 4 PLC ±. ANGLES ±3° FINISH		NAME ASSEMBLY, THRU BOARD INVERTED SMT CONNECTOR -	
MATERIAL 		PRODUCT SPEC 108-2376 APPLICATION SPEC 114-13245 WEIGHT -		SIZE A2	CAGE CODE 00779
		CUSTOMER DRAWING		DRAWING NO C-2106091	RESTRICTED TO -
				SCALE 2:1	SHEET 1 OF 3
				REV A1	

LOC	DIST	REVISIONS					
-	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-





RECOMMENDED PCB LAYOUT
EVEN NUMBER POSITIONS SHOWN
SCALE 10:1




RECOMMENDED PCB LAYOUT
ODD NUMBER POSITIONS SHOWN
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.DAILY 14MAR2008	 TE Connectivity			
DIMENSIONS: mm		CHK M.MOSTOLLER 14MAR2008				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	NAME ASSEMBLY, THRU BOARD INVERTED SMT CONNECTOR			
0 PLC ± 1 PLC ±0.2 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ±3°		PRODUCT SPEC -	SIZE A2			
MATERIAL -		APPLICATION SPEC -	CAGE CODE 00779			
		WEIGHT -	DRAWING NO 2106091			
		CUSTOMER DRAWING	RESTRICTED TO -			
			SCALE 2:1 SHEET 2 OF 3 REV A1			

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-		-	SEE SHEET 1	-	-	-



SECTION Z-Z
SCALE 4:1



2106091-1 SHOWN IN POCKET TAPE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. DAILY 14MAR2008	TE Connectivity			
DIMENSIONS:		CHK M. MOSTOLLER 14MAR2008				
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD -	NAME ASSEMBLY, THRU BOARD INVERTED SMT CONNECTOR			
	0 PLC ±	PRODUCT SPEC	SIZE			
	1 PLC ±0.2	-	CAGE CODE			
	2 PLC ±0.13	APPLICATION SPEC	DRAWING NO			
	3 PLC ±	-	RESTRICTED TO			
MATERIAL	4 PLC ±	WEIGHT	A2100779 C-2106091			
-	ANGLES ±3°	CUSTOMER DRAWING	SCALE 2:1 SHEET 3 OF 3 REV A1			
	FINISH					



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331