



1. HOUSING HAS RAST 5 COMPLIANT KEYING, LATCHING, AND POLARIZATION.
TAB IS 6.3 x 0.8 (.250 x .032) ACCORDING TO DIN 46244.
2. POSSIBLE TIE MATING CONNECTOR FAMILIES INCLUDE
STANDARD TIMER RAST 5, MULTIFITTING, MULTIFITTING MKII,
AND MONO-SHAPE TAB CONNECTORS.
3. SEE SHEET 2 FOR AVAILABLE CONFIGURATIONS .
4. MATERIAL: HOUSING, PA6 NYLON, UL 94V-2, .
CONTACT, BRASS, 0.8 mm THICK.
5. FINISH: CONTACTS, 3.8 μ m MIN TIN OVER 1.3 μ m MIN NICKEL.
6. PCB TABS INSERTED IN A STAGGERED PATTERN BEGINNING WITH
POSITION 1.
7. SELECTED HOLES MAY BE 1.05+.05/-0.00 DIA [.041+.002/-0.01 DIA]
FOR IMPROVED (PRESS-FIT) RETENTION TO P.C.B. PRIOR TO SOLDERING.
8. DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER
9. PRODUCT QUALIFICATION PER 108-2183
10. GW T (GLOW WIRE TEST) 750°C WITHOUT FLAME
NOTE TO CUSTOMER TESTING PENDING, THE SHROUD USED ON THESE ASSEMBLIES
PASSED THIS REQUIREMENT ON P/N 521971, VDE REG - NR 6718
11. PRELIMINARY - NOT FOR PRODUCTION



PCB LAYOUT - COMPONENT SIDE


PCB 1.5 ± 0.14 [.059 ± 0.006] THICK

SCALE 4:1


47.3	45.3	9
42.3	40.3	8
37.3	35.3	7
32.3	30.3	6
27.3	25.3	5
22.3	20.3	4
17.3	15.3	3
12.3	10.3	2
B	A	NO. OF POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.					
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		TE Connectivity	
				NAME ASSEMBLY, DIN, RAST 5 HEADER, RIGHT ANGLE, GW T	
MATERIAL - 4 10		TO FRANCHES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ±0.25[.010] 3 PLC ± 4 PLC ± ANGLES ± 4° FINISH - 5		DWG NO. RAGHAVENDRA 30MAR2010 CHKD. JEFF RUTH 30MAR2010 APP'D. RAY LONDON 30MAR2010 PRODUCT SPEC 108-2183 APPLICATION SPEC	
		WEIGHT -		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
				A1 00779 C-1969352 -	
CUSTOMER DRAWING				SCALE 4:1 SHEET 1 OF 2 REV A1	


LOC		DIST		REVISONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-		SEE SHEET 1		-	-	-	




1969352-2




1969352-4



1969352-8



5-1969352-2



2-1969352-5

1-2,7-8	2d,3c,6d,7c	--	8	08-D	1969352-8
1-2,2-3	1c,3d,4c,5d	4b,5a	5	-	2-1969352-5
1-2,3-4	3c,4d	1b	4	04-A	1969352-4
1-2	1c	1b,2b	2	02-I	5-1969352-2
1-2	1c,2d	1b,2a	2	02-A	1969352-2
LATCH W INDOWS	KEYING	POLAR.	NO. OF POS.	RAST 5 DESIG.	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RAGHAVENDRA 30MAR2010	 TE Connectivity		
DIMENSIONS: mm[INCHES]		CHK JEFF RUTH 30MAR2010			
	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±.025(.010) 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±2° FINISH	APVD RAY LONDON 30MAR2010	NAME ASSEMBLY, DIN, RAST 5 HEADER, RIGHT ANGLE, GW T		
		PRODUCT SPEC	SIZE		
		108-2183	CAGE CODE		
MATERIAL		APPLICATION SPEC	DRAWING NO		
		-	RESTRICTED TO		
		WEIGHT	A 1 00779 C=1969352		
		CUSTOMER DRAWING	SCALE		
			3:1		
			SHEET		
			2		
			OF		
			2		
			REV		
			A1		



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331