

AMPHENOL PART NUMBER CONFIGURATION

U78 - L 1 1 2 6 - 0 0 X X 1

CONNECTOR PLATING

- 1 = 30 U" MIN. GOLD ON MATING AREA
150-300 U" TIN/LEAD ON TERMINATION
- 4 = 15 U" MIN. GOLD ON MATING AREA
150-300 U" TIN/LEAD ON TERMINATION

CAGE PLATING

- 1 = TIN PLATING
- 2 = NICKEL PLATING

MATERIAL:

CAGE:
COPPER ALLOY

PLATING:
SEE AMPHENOL PART NUMBER
CONFIGURATION FOR OPTIONS.


CONNECTOR:

PLASTIC HOUSING:
HIGH TEMPERATURE RESISTANT NYLON
FLAMMABILITY RATING UL94V-0.

CONTACTS:
PHOSPHOR BRONZE
PLATING OPTION:
SEE AMPHENOL PART NUMBER
CONFIGURATION FOR OPTIONS.

PACKAGING:
TRAY PACKAGING.

TEMPERATURE RANGE:
-40°C TO +85°C



REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
A		PROPOSAL	2005/08/30	
B		UPDATED	APR28/08	
C		UPDATED	OCT27/09	


THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION
MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING
PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

DRAWN	J.SI	DATE	2005/08/31
DESIGNED	J.SI	DATE	2005/08/31
CHECKED	X		
DWG. APPRD.			
ENG. REL. NO.			
REF.	X		
DIMENSIONS ARE IN	INCHES (mm)	CODE ID. NO.	03554
Amphenol Canada Corp.			
TITLE SFP STACKED LOW PROFILE COMBO WITH PRESS FIT PINS (CONNECTOR AND CAGE)			
DWG	A	DRAWING NO.	P-U78-L1126-00XX1
SCALE	2:1	WT.	
SURF.		SHEET	1 OF 5

REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
A		PROPOSAL	2005/08/30	
B		UPDATED	APR28/08	
C		UPDATED	OCT27/08	

THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.




THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

DRAWN	J.SI	DATE	2005/08/30
DESIGNED	J.SI	DATE	2005/08/30
CHECKED	X		
DWG. APPRD.			
ENG. REL. NO.			
REF.	X		
DIMENSIONS ARE IN	INCHES (mm)	CODE ID. NO.	03554
Amphenol Canada Corp.			
TITLE SFP STACKED LOW PROFILE COMBO WITH PRESS FIT PINS (CONNECTOR AND CAGE)			
DWG	A	DRAWING NO.	P-U78-L1126-00XX1
SCALE	2:1	WT.	
SURF.			
SHEET	2	OF	5

REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
A		PROPOSAL	2005/08/30	
B		UPDATED	APR28/08	
C		UPDATED	OCT27/08	

THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.



DETAIL A (SCALE 5:1)

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

DRAWN	J.SI	DATE	2005/08/30	Amphenol Canada Corp.	
DESIGNED	J.SI	DATE	2005/08/30		
CHECKED	X		X		
DWG. APPRD.				TITLE SFP STACKED LOW PROFILE COMBO WITH PRESS FIT PINS (CONNECTOR AND CAGE)	
ENG. REL. NO.					
REF.	X			DWG	REV.
DIMENSIONS ARE IN	INCHES (mm)	CODE ID. NO.	03554	A	C
SCALE	2:1	WT.		DRAWING NO.	P-U78-L1126-00XX1
		SURF.			
					SHEET 3 OF 5

E		F		
REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
A		PROPOSAL	2005/08/30	
B		UPDATED	APR28/08	
C		UPDATED	OCT27/08	

[illegible]

	DRAWN	J.SI	DATE	2005/08/30			
	DESIGNED	J.SI	DATE	2005/08/30			
	CHECKED	X					
	DWG. APPRD.						
	ENG. REL. NO.						
	REF.	X					
	DIMENSIONS ARE IN	CODE ID. NO.					
	INCHES [mm]	03554					


Amphenol Canada Corp.

TITLE SFP STACKED LOW PROFILE COMB WITH PRESS FIT PINS (CONNECTOR AND CAGE)			
DWG	A	DRAWING NO. P-U78-L1126-00XX1	REV. C
SCALE	2:1	WT. -----	SURF. -----
SHEET 4 OF 5			

A horizontal number line with six points labeled A, B, C, D, E, and F. The points are evenly spaced along the line.

REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
A		PROPOSAL	2005/08/30	
B		UPDATED	APR28/08	
C		UPDATED	OCT27/08	

THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.



TOP VIEW OF BOARD

BOTTOM VIEW OF BOARD

RECOMMENDED LAYOUT DETAIL
MATING TRANSCEIVER PCB

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

DRAWN	J.SI	DATE	2005/08/30	Amphenol Canada Corp.	
DESIGNED	J.SI	DATE	2005/08/30		
CHECKED	X		X		
DWG. APPRD.				TITLE SFP STACKED LOW PROFILE COMBO WITH PRESS FIT PINS (CONNECTOR AND CAGE)	
ENG. REL. NO.					
REF.	X			DWG	DRAWING NO.
DIMENSIONS ARE IN	INCHES	CODE ID. NO.	03554	A	P-U78-L1126-00XX1
SCALE	2:1	WT.		SURF.	
					SHEET 5 OF 5



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331