G4, Bottom Pin Mount LEDs

Features:


- Designed as an ideal replacement for halogen G4 lamp
- Super bright SMD5050 LEDs as the light source
- Operating voltage range 10 to 30 V
- No mercury
- No UV, IR or other deleterious radiation
- Consumes as low as 1.3 W power
- Rated life up to 40,000 hours

Applications:

- Marine
- Automotive
- Backlighting
- Light source in fixtures

G4, Side Mount Pins, 6 LEDs, SMD5050, Small PCB





Dimensions : Millimetres

Specifications:

Cool White (MCG46BSB30DCW)

Fits Socket	: G4 / GU4
Dimensions	: 23 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 0.9 W
LED Emitting Colour	: Cool white
CCT / Colour	: 6,000 to 7,000 K
LED Type / Quantity	: 6 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 165 Lumens


Warm White (MCG46BSB30DWW)

Fits Socket	: G4 / GU4
Dimensions	: 23 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 1.2 W
LED Emitting Colour	: Warm white
CCT / Colour	: 2,800 to 3,200 K
LED Type / Quantity	: 6 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 140 Lumens

This G4 replacement LED lamp works in popular dome G4-based light fixtures. Choose warm white for interiors and cool white for exterior applications

G4 Bottom Pin Mount, 10 LEDs, SMD5050





Dimensions : Millimetres

G4, Bottom Pin Mount LEDs

Specifications:

Cool White (MCG410BSB30DCW)

Fits Socket	: G4 / GU4
Dimensions	: 30 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 2.2 W
LED Emitting Colour	: Cool white
CCT / Colour	: 6,000 to 7,000 K
LED Type / Quantity	: 10 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 165 Lumens


Warm White (MCG410BSB30DWW)

Fits Socket	: G4 / GU4
Dimensions	: 30 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 1.54 W
LED Emitting Colour	: Warm white
CCT / Colour	: 2,800 to 3,200 K
LED Type / Quantity	: 10 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 140 Lumens

This G4 replacement LED lamp works in popular dome G4-based light fixtures. Choose warm white for interiors and cool white for exterior applications

G4, Bottom Pin Mount, 15 LEDs, SMD5050, Large PCB





Dimensions : Millimetres

Specifications:

Cool White (MCG415BSB30DCW)

Fits Socket	: G4
Dimensions	: 44.3 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 3 W
LED Emitting Colour	: Cool white
CCT / Colour	: 6,000 to 7,000 K
LED Type / Quantity	: 15 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 240 Lumens

Warm White (MCG415BSB30DWW)

Fits Socket	: G4
Dimensions	: 44.3 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 3 W
LED Emitting Colour	: Warm white
CCT / Colour	: 2,800 to 3,200 K
LED Type / Quantity	: 15 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 197 Lumens

This G4 replacement LED lamp works in popular dome G4-based light fixtures. Choose warm white for interiors and cool white for exterior applications

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург, Промышленная ул, дом № 19, литера Н, помещение 100-Н Офис 331