

Description: Vehicular Multiband Antenna with Magnetic Mount

Series: ARMADILLO

PART NUMBER: ARMXXXXXMM



Features:

- Low profile, only 1.8" tall
- Up to 6-lead Configuration
 - LTE(2x) MIMO
 - WiFi(3x) MIMO-|2.4/5.x GHz
 - GPS/GNSS (1x)
- Frequency of Operation:
 - 698-960MHz,1710-2690MHz
 - 2400-2500MHz,5150-5925MHz
 - 1559-1606MHz

Applications:

- Telematics, Navigation
- First Responders(Police, Fire, Ambulance/EMS)
- Energy, Utility, Construction
- Fleet Management
- DSRC(Dedicated Short Range Communications)
- Available Configurations:
 - Black, White
 - Magnetic mount
 - For direct mount seep/N: ARMXXXXDM



Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: Vehicular Multiband Antenna with Magnetic Mount

Series: ARMADILLO

PART NUMBER: ARMXXXXXMM

This document covers all product variants of the following product family

Product	Total Cable Leads	LTE Cable Leads	WiFi Cable Leads	GPS Cable Leads	Housing Color	Mounting
ARM62311MM	6	2	3	1	Black	
ARM62312MM	6	2	3	1	vviiite	Magnetic Mount;
ARM52211MM	5	2	2	1	Black	Pull force: 100N, 22lbf min. (Tested on 3mm thick
ARM52212MM	5	2	2	1	White	
ARM42111MM	4	2	1	1	Black	steel plate.)
ARM42112MM	4	2	1	1	White	

Product Numbering

Vehicular Multiband Antenna with Direct Mount

(Part Number)

umber)	ARM X X X X	X	MN Ø
	Product ID: ARMADILLO		
۲	Total Number of Cable leads		
۲	Total Number of LTE Cable Leads		
۲	Total Number of WiFi Cable Leads		
۲	Total Number of GPS Cable Leads		
۲	The Color of the Plastic Housing 1=Black; 2= White		
@	Mounting: Magnetic Mount		

	ARMXXXXXMM	CABLE	CABLE LENGTH	CONNECTOR
1	LTE-1 Cable Assy			SMA Male
2	WiFi-1 Cable Assy	LMR-195 * 5101		RP-SMA Male
3	WiFi-3 Cable Assy	LIVIR-195	5181 mm / 204" /	RP-SMA Male
4	WiFi-2 Cable Assy			RP-SMA Male
5	GPS Cable Assy	LMR-100 *	17 FT	SMA Male
6	LTE-2 Cable Assy	LMR-195 *		SMA Male

____Issue: 1

* or equivalent

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





Description: Vehicular Multiband Antenna with Magnetic Mount

Series: ARMADILLO

PART NUMBER: ARMXXXXXMM

ELECTRICAL SPECIFICATIONS			
Frequency	698-960MHz, 1710-2690MHz		
	2400-2500MHz, 5150-5925MHz		
Nominal Impedance	50 Ω		
VSWR*			
698-960MHz	<2.5		
1710-2690MHz	<2.5		
2400-2500MHz	<2.5		
5150-5925MHz	<2.5		
Isolation*			
698-960MHz, 1710-2690MHz	-8dB		
2400-2500MHz, 5150-5925MHz	-12dB		
Radiation Pattern	Omni		
Average Peak Gain**			
698-960MHz	4.6dBi		
1710-2690MHz	5dBi		
2400-2500MHz	4.1dBi		
5150-5925MHz	6.3dBi		
Polarization	Vertical		

*Test on 500mm ground plane with 17ft(5.2m) LMR195 cable **Test on 500mm ground plane with 1ft(304.8) LMR195 cable

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



3



Series: ARMADILLO

Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM

ELECTRICAL SPECIFICATIONS

GPS Antenna	
Frequency	1561.098±2.046MHz/ 1575.42±1.023MHz/ 1602.5625±4MHz
Nominal Impedance	50 Ω
VSWR	<2
Gain (Radiating Element)	1 dBic±1 dB
Gain (LNA Gain)	30 dB± 2 dB
Polarization	RHCP
Out of Band Rejection	
698 MHz	>70 dB
960 MHz	>65 dB
1710 MHz	>60 dB
2170 MHz	>65 dB
2400 MHz	>65 dB
2700 MHz	>65 dB
Noise Figure	<2.4 dB
Operating Voltage	3.3 – 5 Vdc
Current Consumption	<15mA

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



4



Series: ARMADILLO

Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM

MECHANICAL SPECIFICATIONS

Overall Length Weight Antenna Color / Material Connector type Cable type Cable length 202.3mm X 88.5mm X 45mm 1.1 Kg Black or White Refer to Page 2 Refer to Page 2 Refer to Page 2

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature Storage Temperature Ingress Protection RoHS Compliant -40 ~ +85° C -40 ~ +85° C IP67 Yes

OTHER SPECIFICATIONS

Total cable assembly loss for 5.2m (17') LMR-195 @850MHz	2.1dB
Total cable assembly loss for 5.2m (17') LMR-100 @1575MHz	5.9dB
Total cable assembly loss for 5.2m (17') LMR-195 @1930MHz	3.2dB
Total cable assembly loss for 5.2m (17') LMR-195 @2450MHz	3.6dB
Total cable assembly loss for 5.2m (17') LMR-195 @2500MHz	3.7dB
Total cable assembly loss for 5.2m (17') LMR-195 @5350MHz	5.5dB

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



5




Description: Vehicular Multiband Antenna with Magnetic Mount

Series: ARMADILLO

PART NUMBER: ARMXXXXXMM

MECHANICAL DRAWING



Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



6




Description: Vehicular Multiband Antenna with Magnetic Mount

Series: ARMADILLO

PART NUMBER: ARMXXXXXMM

MECHANICAL DRAWING



Issue: 1

or equivalent

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

KOHS COMPLIANT

7




Series: ARMADILLO

Description: Vehicular Multiband Antenna with Magnetic Mount PART NUMBER: ARMXXXXMM

TEST SETUP

Antenna tested on a Φ 500mm ground plane.



Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



8



Description: Vehicular Multiband Antenna with Magnetic Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXXMM

VSWR (LTE) 3.0 2.8 2.6 2.4 2.2 VSWR 2.0 ARM62311MM 1.8 S11 ARM62311MM 1.6 S22 1.4 1.2 1.0 600 1100 1600 2100 2600 Frequency(MHz)

CHARTS

Isolation (LTE)



Note : Antenna tested with 5m cable on 500mm (dia) ground plane

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

9




Description: Vehicular Multiband Antenna with Magnetic Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXXMM

CHARTS Radiation Efficiency (LTE)



Peak Gain (LTE)



Note : Antenna tested with 1ft(304.8mm) cable on 500mm (dia) ground plane

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 10




Description: Vehicular Multiband Antenna with Magnetic Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXXMM

CHARTS VSWR (WIFI)



Isolation (WIFI)



Note : Antenna tested with 5m cable on 500mm (dia) ground plane

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: Vehicular Multiband Antenna with Magnetic Mount

Series: ARMADILLO


PART NUMBER: ARMXXXXXMM

CHARTS





Peak Gain (WIFI)



Note : Antenna tested with 1ft(304.8mm) cable on 500mm (dia) ground plane

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

12




Description: Vehicular Multiband Antenna with Magnetic Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXXMM

CHARTS



LTE1 XY plane radiation pattern



LTE2 XY plane radiation pattern

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: Vehicular Multiband Antenna with Magnetic Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXXMM

CHARTS



LTE1 ZX plane radiation pattern



LTE2 ZX plane radiation pattern

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



14




Description: Vehicular Multiband Antenna with Magnetic Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXXMM

CHARTS



LTE1 YZ plane radiation pattern



LTE2 YZ plane radiation pattern

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



15




Description: Vehicular Multiband Antenna with Magnetic Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXXMM

CHARTS



LTE1 XY plane radiation pattern



LTE2 XY plane radiation pattern

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: Vehicular Multiband Antenna with Magnetic Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXXMM

CHARTS



LTE1 ZX plane radiation pattern



LTE2 ZX plane radiation pattern

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



17




Series: ARMADILLO

TECHNICAL DATA SHEET


Description: Vehicular Multiband Antenna with Magnetic Mount

PART NUMBER: ARMXXXXXMM

CHARTS



LTE1 YZ plane radiation pattern



LTE2 YZ plane radiation pattern

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: Vehicular Multiband Antenna with Magnetic Mount

Series: ARMADILLO


PART NUMBER: ARMXXXXXMM

CHARTS



WiFi1 XY plane radiation pattern

WiFi2 XY plane radiation pattern



WiFi3 XY plane radiation pattern

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



19




Description: Vehicular Multiband Antenna with Magnetic Mount

Series: ARMADILLO


PART NUMBER: ARMXXXXXMM

CHARTS



WiFi1 ZX plane radiation pattern

WiFi2 ZX plane radiation pattern



WiFi3 ZX plane radiation pattern

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: Vehicular Multiband Antenna with Magnetic Mount

Series: ARMADILLO


PART NUMBER: ARMXXXXXMM

CHARTS



WiFi1 YZ plane radiation pattern

WiFi2 YZ plane radiation pattern



WiFi3 YZ plane radiation pattern

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



21




Description: Vehicular Multiband Antenna with Magnetic Mount

Series: ARMADILLO


PART NUMBER: ARMXXXXXMM

CHARTS



WiFi1 XY plane radiation pattern

WiFi2 XY plane radiation pattern



WiFi3 XY plane radiation pattern

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



22




Description: Vehicular Multiband Antenna with Magnetic Mount

Series: ARMADILLO


PART NUMBER: ARMXXXXXMM

CHARTS



WiFi1 ZX plane radiation pattern

WiFi2 ZX plane radiation pattern



WiFi3 ZX plane radiation pattern

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



23




Description: Vehicular Multiband Antenna with Magnetic Mount

Series: ARMADILLO


PART NUMBER: ARMXXXXXMM

CHARTS



WiFi1 YZ plane radiation pattern

WiFi2 YZ plane radiation pattern



WiFi3 YZ plane radiation pattern

Issue: 1842

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



24



Series: ARMADILLO

Description: Vehicular Multiband Antenna with Magnetic Mount PART NUMBER: ARMXXXXXMM

PACKAGING

Each antennas packed in Bubble Bag

- 6 bags of antennas (Total 6pcs) packed in a cardboard box
- 1 label on each box with quantity, part number, date code.

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



25



Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию.

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России, а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научноисследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург, Промышленная ул, дом № 19, литера Н, помещение 100-Н Офис 331