


2.54mm Crimp Housing

Wire to Board



**RoHS
Compliant**




Specifications:

Current Rating	: 3A AC/DC
Voltage Rating	: 250V AC/DC
Maximum Contact Resistance	: 20mΩ
Minimum Insulation Resistance	: 1,000MΩ
Withstanding Voltage	: 1,000V AC/Minute
Operating Temperature Range	: -40°C to +105°C

Material and Finish:

Insulator	: Nylon 66
Insulator Colour	: Beige
Contact	: Brass
Plating	: Tin Plated

2.54mm Crimp Housing



Dimensions : Millimetres

2.54mm Crimp Housing


Wire to Board



Specifications:

Material	: Contact Brass
Finish	: Tin Plated
Application Wires	: 22 to 26AWG

Accessories - Crimp Pin



Dimensions : Millimetres

Part Number Table

Description	No. of Position	A	B	Part Number
Crimp Housing, 2.54mm, 2Way	2	2.54	5.6	MC34481
Crimp Housing, 2.54mm, 3Way	3	5.08	8.1	MC34483
Crimp Housing, 2.54mm, 4Way	4	7.62	10.7	MC34485
Crimp Housing, 2.54mm, 5Way	5	10.16	13.2	MC34503
Crimp Housing, 2.54mm, 6Way	6	12.7	15.8	MC34487
Crimp Housing, 2.54mm, 8Way	8	17.78	20.9	MC34489
Crimp Housing, 2.54mm, 10Way	10	22.86	25.9	MC34491
Crimp Housing, 2.54mm, 12Way	12	27.94	31	MC34529
Contact, Crimp, Plug, 26-22AWG (Cut)	-	-	-	2218T

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331