










13	12	11	10	9	8	7	6	5	4	3	2	1				
MAT'L NO.	INTERNAL THREAD	DIM. "A"	MATERIAL / PLATING		NOTES: 1. PARTS ARE PACKAGED IN POLY BAGS CONSISTING OF 40 PIECES. 2. INTERNAL AND EXTERNAL THREADS TO WITHSTAND A MINIMUM APPLIED TORQUE OF 5 lbf in/5.76 kgf cm.											
74962-1000	4-40 UNC-2B	.338 / 8.60	STAINLESS STEEL 303													
74962-2000	M3x0.5 CLASS 6H	.338 / 8.60														
74962-3000	4-40 UNC-2B	.378 / 9.60	STAINLESS STEEL 303													
74962-4000	M3x0.5 CLASS 6H	.378 / 9.60														
74962-0005	4-40 UNC-2B	.421 / 10.69	STAINLESS STEEL 303													
74962-0006	M3x0.5 CLASS 6H	.421 / 10.69														
  																
INITIAL RELEASE EC NO: UCP2015-0921 DRWN: TIBARRA 2014/08/01 CHKD: MPOFF 2014/08/29 APPR: SMILLER 2014/09/04 A DESCRIPTION REV QUALITY SYMBOLS ▽=0 ▽=0 ▽=0 GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE IN/MM DRAWN BY TIBARRA DATE 2014/08/01 CHECKED BY MPOFF DATE 2014/08/29 APPROVED BY SMILLER DATE 2014/09/04 MATERIAL NO. SEE TABLE SIZE C SCALE 10:1 DESIGN UNITS INCH THIRD ANGLE PROJECTION TITLE TDP 3/16" HEX JACKPOST molex SD-74962-1000 DOCUMENT NO. SHEET NO. 1 OF 1 <tr><td>12</td><td>11</td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr>					12	11	10	9	8	7	6	5	4	3	2	1
12	11	10	9	8	7	6	5	4	3	2	1					

13	12	11	10	9	8	7	6	5	4	3	2	1																														
MAT'L NO.		INTERNAL THREAD	EXTERNAL THREAD	DIM. "A"	MATERIAL / PLATING			NOTES: 1. PARTS ARE PACKAGED IN POLY BAGS CONSISTING OF 40 PIECES. 2. INTERNAL AND EXTERNAL THREADS TO WITHSTAND A MINIMUM APPLIED TORQUE OF 5 lbf in/5.76 kgf cm. 3. NYLOK® TORQUE PATCH LOCATED TO THE LEFT OF THE FIRST OR SECOND FULL THREADS AND COVERS 3 THREADS MINIMUM.																																		
74962-1110		4-40 UNC-2B	4-40 UNC-2A	.338 / 8.60			STAINLESS STEEL 303 / NYLON TORQUE PATCH																																			
  																																										
MOD NOTE 3 EC NO: UCP2016-1139 DRWN: TIBARRA 2015/09/14 CHKD: MCAN 2015/09/14 APPR: SMILLER 2015/09/17 B QUALITY SYMBOLS ▽=0 ▽=0 ▽=0 DESCRIPTION REV GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± .---</td><td>± .---</td></tr><tr><td>3 PLACES</td><td>± .---</td><td>± .010</td></tr><tr><td>2 PLACES</td><td>± 0.25</td><td>± .---</td></tr><tr><td>1 PLACE</td><td>± .---</td><td>± .---</td></tr><tr><td>0 PLACE</td><td>±</td><td>±</td></tr></table> ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE IN/MM <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>TIBARRA</td><td>2015/07/09</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>DMORGAN</td><td>2017/07/09</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>SMILLER</td><td>2015/08/14</td></tr></table> MATERIAL NO. SEE TABLE SIZE C SCALE 10:1 DESIGN UNITS INCH THIRD ANGLE PROJECTION TITLE TDP 3/16" HEX JACKPOST WITH TORQUE PATCH molex DOCUMENT NO. SD-74962-1110 SHEET NO. 1 OF 1														mm	INCH	4 PLACES	± .---	± .---	3 PLACES	± .---	± .010	2 PLACES	± 0.25	± .---	1 PLACE	± .---	± .---	0 PLACE	±	±	DRAWN BY	DATE	TIBARRA	2015/07/09	CHECKED BY	DATE	DMORGAN	2017/07/09	APPROVED BY	DATE	SMILLER	2015/08/14
	mm	INCH																																								
4 PLACES	± .---	± .---																																								
3 PLACES	± .---	± .010																																								
2 PLACES	± 0.25	± .---																																								
1 PLACE	± .---	± .---																																								
0 PLACE	±	±																																								
DRAWN BY	DATE																																									
TIBARRA	2015/07/09																																									
CHECKED BY	DATE																																									
DMORGAN	2017/07/09																																									
APPROVED BY	DATE																																									
SMILLER	2015/08/14																																									
12	11	10	9	8	7	6	5	4	3	2	1																															

tb_frame_C_P_AM_T
Rev. G 2012/01/11



MOD NOTE 3 EC NO: UCP2016-1139 DRWN: TIBARRA 2015/09/14 CHKD: MCAN 2015/09/14 APPR: SMILLER 2015/09/17 B	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 10:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY TIBARRA	DATE 2015/07/09	TITLE TDP 3/16" HEX JACKPOST WITH TORQUE PATCH				
			4 PLACES	± ---	± ---	CHECKED BY DMORGAN	DATE 2017/07/09					
			3 PLACES	± ---	± .010	APPROVED BY	DATE	molex				
			2 PLACES	± 0.25	± ---	SMILLER	2015/08/14					
			1 PLACE	± ---	± ---	MATERIAL NO.	DOCUMENT NO.					SHEET NO. 1 OF 1
			0 PLACE	±	±	SEE TABLE		SD-74962-1110				
			ANGULAR ±1/2°			SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331