



General ordering data

Order No.	1328360000
Part designation	BLA AH 20 GR.2 OR
Version	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 20, orange
EAN	4008190056797
Qty.	10 pc(s).

Approvals

Approvals institutes



Classifications

ETIM 2.0	NK
ETIM 3.0	EC001284
eClass 4.1	NK
eClass 5.0	NK
eClass 5.1	NK

Similar products

Order No.	Part designation	Version
-----------	------------------	---------

1781580000	B2L 3.5-AH 10 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 10, black
1781590000	B2L 3.5-AH 12 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 12, black
1781600000	B2L 3.5-AH 14 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 14, black
1781610000	B2L 3.5-AH 16 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 16, black
1781620000	B2L 3.5-AH 18 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 18, black
1781630000	B2L 3.5-AH 20 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 20, black
1781640000	B2L 3.5-AH 22 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 22, black
1781650000	B2L 3.5-AH 24 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 24, black
1781660000	B2L 3.5-AH 26 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 26, black
1781670000	B2L 3.5-AH 28 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 28, black
1781680000	B2L 3.5-AH 30 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 30, black
1781690000	B2L 3.5-AH 32 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 32, black
1781700000	B2L 3.5-AH 34 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 34, black
1781710000	B2L 3.5-AH 36 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 36, black
1781560000	B2L 3.5-AH 6 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 6, black
1781570000	B2L 3.5-AH 8 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch) 2-row, No. of poles: 8, black
1005280000	BCZ 3.81 AH03	PCB-component accessories
1005290000	BCZ 3.81 AH04	PCB-component accessories
1005300000	BCZ 3.81 AH05	PCB-component accessories
1005310000	BCZ 3.81 AH06	PCB-component accessories
1005320000	BCZ 3.81 AH07	PCB-component accessories
1005330000	BCZ 3.81 AH08	PCB-component accessories
1005340000	BCZ 3.81 AH09	PCB-component accessories
1005350000	BCZ 3.81 AH10	PCB-component accessories
1005360000	BCZ 3.81 AH11	PCB-component accessories
1005370000	BCZ 3.81 AH12	PCB-component accessories
1005380000	BCZ 3.81 AH13	PCB-component accessories
1005390000	BCZ 3.81 AH14	PCB-component accessories
1005400000	BCZ 3.81 AH15	PCB-component accessories
1005410000	BCZ 3.81 AH16	PCB-component accessories
1745650000	BL 3.5 AH 10 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch), No. of poles: 10, black
1745660000	BL 3.5 AH 11 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch), No. of poles: 11, black
1745670000	BL 3.5 AH 12 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch), No. of poles: 12, black

1745680000	BL 3.5 AH 13 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch), No. of poles: 13, black
1745690000	BL 3.5 AH 14 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch), No. of poles: 14, black
1745700000	BL 3.5 AH 15 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch), No. of poles: 15, black
1745710000	BL 3.5 AH 16 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch), No. of poles: 16, black
1745580000	BL 3.5 AH 3 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch), No. of poles: 3, black
1745590000	BL 3.5 AH 4 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch), No. of poles: 4, black
1745600000	BL 3.5 AH 5 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch), No. of poles: 5, black
1745610000	BL 3.5 AH 6 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch), No. of poles: 6, black
1745620000	BL 3.5 AH 7 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch), No. of poles: 7, black
1745630000	BL 3.5 AH 8 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch), No. of poles: 8, black
1745640000	BL 3.5 AH 9 SW	PCB-component accessories, Cover hood, System pitch 3.50 mm (0.138 inch), No. of poles: 9, black
1327360000	BLA AH 10 GR.1 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 10, orange
1327460000	BLA AH 11 GR.1 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 11, orange
1327560000	BLA AH 12 GR.1 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 12, orange
1327660000	BLA AH 13 GR.2 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 13, orange
1327760000	BLA AH 14 GR.2 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 14, orange
1327860000	BLA AH 15 GR.2 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 15, orange
1327960000	BLA AH 16 GR.2 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 16, orange
1328060000	BLA AH 17 GR.2 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 17, orange
1328160000	BLA AH 18 GR.2 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 18, orange
1328260000	BLA AH 19 GR.2 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 19, orange
1328460000	BLA AH 21 GR.2 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 21, orange
1328560000	BLA AH 22 GR.2 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 22, orange
1328660000	BLA AH 23 GR.2 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 23, orange
1328760000	BLA AH 24 GR.2 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 24, orange
1326760000	BLA AH 4 GR.1 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 4, orange

1326860000	BLA AH 5 GR.1 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 5, orange
1326960000	BLA AH 6 GR.1 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 6, orange
1327060000	BLA AH 7 GR.1 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 7, orange
1327160000	BLA AH 8 GR.1 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 8, orange
1327260000	BLA AH 9 GR.1 OR	PCB-component accessories, Cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 9, orange
1340410000	BLA AHZH	PCB-component accessories, Help for pulling cover hood, System pitch 5.08 mm (0.200 inch) - SLA/BLA, black
1705280000	BLZ AH 10 SW	PCB-component accessories, Cover hood, System pitch 5.00 / 5.08 mm (0.197 / 0.200 inch), No. of poles: 10, black
1705290000	BLZ AH 11 SW	PCB-component accessories, Cover hood, System pitch 5.00 / 5.08 mm (0.197 / 0.200 inch), No. of poles: 11, black
1705300000	BLZ AH 12 SW	PCB-component accessories, Cover hood, System pitch 5.00 / 5.08 mm (0.197 / 0.200 inch), No. of poles: 12, black
1705210000	BLZ AH 4 SW	PCB-component accessories, Cover hood, System pitch 5.00 / 5.08 mm (0.197 / 0.200 inch), No. of poles: 4, black
1705220000	BLZ AH 5 SW	PCB-component accessories, Cover hood, System pitch 5.00 / 5.08 mm (0.197 / 0.200 inch), No. of poles: 5, black
1705230000	BLZ AH 6 SW	PCB-component accessories, Cover hood, System pitch 5.00 / 5.08 mm (0.197 / 0.200 inch), No. of poles: 6, black
1705240000	BLZ AH 7 SW	PCB-component accessories, Cover hood, System pitch 5.00 / 5.08 mm (0.197 / 0.200 inch), No. of poles: 7, black
1705250000	BLZ AH 8 GR1 SW	PCB-component accessories, Cover hood, System pitch 5.00 / 5.08 mm (0.197 / 0.200 inch), No. of poles: 8, black
1705260000	BLZ AH 8 GR2 SW	PCB-component accessories, Cover hood, System pitch 5.00 / 5.08 mm (0.197 / 0.200 inch), No. of poles: 8, black
1705270000	BLZ AH 9 SW	PCB-component accessories, Cover hood, System pitch 5.00 / 5.08 mm (0.197 / 0.200 inch), No. of poles: 9, black



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331