




1. FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7519.
2. SWITCH SHOWN IN OPEN POSITION.
3. ALL CHARACTERS AND ROCKERS ARE WHITE, HOUSING IS BLACK.
4. STAMPING WILL VARY ON 2 AND 3 POSITION TOPS DUE TO SPACE RESTRICTIONS.

5 STRIPPABLE TRANSPARENT SEAL, SEE FIG 6.

△ .315 DIMENSION APPLIES AT TERMINAL TIPS.
 △ TERMINALS ARE $.300^{+.010}_{-.000}$ AT MOUNTING SURFACE.


 NO POSITION MARKING.

 NO PART NO. MARKING.


 STRIPPABLE TAPE SEAL, SEE FIGURE 8.



FIG 1



CONTACT ARRANGEMENT



2-6	FIG 2	FIG 3A& 7		1.08	10	6-435802-3
	FIG 1	FIG 3B		.88	8	3-435802-8
	FIG 2			.58	5	3-435802-1
	FIG 2			.88	8	3-435802-0
	FIG 2			.48	4	2-435802-9
2-0	FIG 1			.28	2	2-435802-8
2-3	FIG 1			.28	2	2-435802-7
ETE	FIG 2			1.08	10	2-435802-6
ETE	FIG 2	FIG 4		.88	8	2-435802-5
ETE	FIG 2			.88	8	2-435802-4
ETE	FIG 2	FIG 3A& 5		.48	4	2-435802-3
0-2	FIG 2	FIG 3A		1.28	12	2-435802-2
	FIG 2			1.18	11	2-435802-1
	FIG 2			1.08	10	2-435802-0
	FIG 2			.98	9	1-435802-9
	FIG 2			.78	7	1-435802-8
	FIG 2			.68	6	1-435802-7
	FIG 2			.58	5	1-435802-6
	FIG 2			.48	4	1-435802-5
	FIG 2			.38	3	1-435802-4
FIG 1	FIG 3B		.28	2	1-435802-3	
N	FIG 2			1.28	12	1-435802-2
	FIG 1	FIG 3B		.28	2	1-435802-0
	FIG 2	FIG 3A		.88	8	435802-9
	FIG 2			1.08	10	435802-8
	FIG 2			.98	9	435802-7
	FIG 2			.78	7	435802-6
	FIG 2			.68	6	435802-5
	FIG 2			.58	5	435802-4
	FIG 2			.48	4	435802-3
	FIG 2		FIG 3A		.38	3
	FIG 2	FIG 3A		.88	8	435802-1

435802-1 SHOWN




FIG 2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TALLEY	9-19-89	 AMP Incorporated Harrisburg, PA 17105-3608	
		CHK R. MILLER	9-19-89		
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME SWITCH ASSY, DIP, TYPE "C", 7000 SERIES, SPST, SIDE ACTUATED	
		APVD H. LEITER			
0 PLC ±.005 1 PLC ±. 2 PLC ±. 3 PLC ±.005 4 PLC ±. ANGLES ±.		PRODUCT SPEC - APPLICATION SPEC -			
MATERIAL HOUSING & ROCKERS, POLYESTER CONTACTS; BERYLLIUM COPPER		FINISH CONTACTS; PLATED .00030 MIN GOLD IN CONTACT AREA OVER .000050 MIN NICKEL			
		WEIGHT -		SIZE A2	
				CAGE CODE 00779	
				DRAWING NO C- 435802	
				RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 4:1	
				SHEET 1 OF 2	
				REV AL	

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
AG	1			SEE SHEET 1	-	-

D




FIG 3A




FIG 3B




FIG 4






FIG 5

C



PROTECTIVE SEAL

FIG 6



B





FIG 7



PROTECTIVE SEAL




FIG 8

$\pm .010 \pm .010$

$\pm .005 \pm .010$ TYP

A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TALLEY 9-19-89	AMP AMP Incorporated Harrisburg, PA 17105-3608			
DIMENSIONS: INCHES		CHK R. MILLER 9-19-89				
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME H. LEITER 9-19-89			
	0 PLC ±-		PRODUCT SPEC			
	1 PLC ±-		APPLICATION SPEC			
	2 PLC ±-		WEIGHT -			
MATERIAL SEE SHEET 1		FINISH SEE SHEET 1	SIZE A2			
			CAGE CODE 00779			
			DRAWING NO C- 435802			
			RESTRICTED TO -			
			SCALE 4:1			
			SHEET 2 OF 2			
			REV AL			
			CUSTOMER DRAWING			

D

C

B

A



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331