


|             |   |                          |   |   |   |   |   |   |   |
|-------------|---|--------------------------|---|---|---|---|---|---|---|
| 10          | 9 | 8                        | 7 | 6 | 5 | 4 | 3 | 2 | 1 |
| PART NUMBER |   | DESCRIPTION              |   |   |   |   |   |   |   |
| 180260-0000 |   | CITIZEN L-330 LED HOLDER |   |   |   |   |   |   |   |





- NOTES:
- 1) MATERIALS:
    - a. CAPS: NATURAL COLOR PA66 NYLON 25% GF UL94V-0
    - b. HOUSING: NATURAL COLOR PA66 NYLON 25% GF UL94V-0
  - 2) WIRE TRAP TERMINALS: COPPER ALLOY
    - a. FINISH: GOLD OVER NICKEL
  - 3) THIS PRODUCT IS ELV AND ROHS COMPLIANT
  - 4) APPLICABLE WIRE GAUGE - 18 OR 20 AWG
    - a. SOLID WIRE IS RECOMMENDED
    - b. IF STRANDED WIRE IS USED, PRE-TINNED IS RECOMMENDED
    - c. 1 cm STRIP LENGTH IS RECOMMENDED
  - 5) MOUNT HOLDER USING M3 OR 4-40 SCREWS (2), 0.8 NEWTON METERS MAX TORQUE
  - 6) FOR CITIZEN L-330 LED HOLDER OUTER MOUNT VERSION REFER TO SALES DRAWING SD-180260-002
  - 7) UL RECOGNIZED TO UL496
    - c-UL RECOGNIZED TO CSA-C22.2 NO. 43 (2008)
    - RATED 600V
    - UL FILE NUMBER: E345583, UL-OLFB2

|                                                                                                                    |                                                     |                                       |                                                                                                                               |                            |                            |                    |                                   |                        |                          |  |
|--------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------|--------------------|-----------------------------------|------------------------|--------------------------|--|
| ENTER DESCRIPTION<br>EC NO: SSL2012-0008<br>DRAWN BY JAKLIC 2011/08/02<br>CHKD:<br>APPR:DMCGOWAN 2011/08/05<br>REV | QUALITY SYMBOLS<br><br>FA=0<br><br>FG=0<br><br>FP=0 | GENERAL TOLERANCES (UNLESS SPECIFIED) |                                                                                                                               | DIMENSION STYLE<br>MM ONLY |                            | SCALE<br>2:1       | DESIGN UNITS<br>METRIC            | THIRD ANGLE PROJECTION |                          |  |
|                                                                                                                    |                                                     |                                       | mm                                                                                                                            | INCH                       | DRAWN BY<br>FJAKLIC        | DATE<br>2011/04/12 | TITLE<br>CITIZEN L-330 LED HOLDER |                        |                          |  |
|                                                                                                                    |                                                     | 4 PLACES                              | ± ---                                                                                                                         | ± ---                      | CHECKED BY                 | DATE               |                                   |                        |                          |  |
|                                                                                                                    |                                                     | 3 PLACES                              | ± ---                                                                                                                         | ± ---                      | APPROVED BY<br>DMCGOWAN    |                    | DATE<br>2011/05/03                |                        | molex MOLEX INCORPORATED |  |
|                                                                                                                    |                                                     | 2 PLACES                              | ± 0.13                                                                                                                        | ± ---                      |                            |                    |                                   |                        |                          |  |
|                                                                                                                    |                                                     | 1 PLACE                               | ± 0.25                                                                                                                        | ± ---                      | MATERIAL NO.<br>1802600000 |                    | DOCUMENT NO.<br>SD-180260-001     |                        | SHEET NO.<br>1 OF 2      |  |
| ANGULAR ±1/2°                                                                                                      |                                                     |                                       |                                                                                                                               |                            |                            |                    |                                   |                        |                          |  |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                         |                                                     |                                       | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                            |                            |                    |                                   |                        |                          |  |

10 9 8 7 6 5 4 3 2 1

WIRE TRAP CAPS ARE REMOVED FROM FRONT VIEW FOR CLARITY


SEE DETAIL 1



VIEW OF TWO-WAY WIRE TRAP

WIRE TRAPS WILL ACCOMODATE  
EITHER 18 OR 20 GAUGE WIRE

DETAIL 1 SCALE 4:1



RECOMMENDED MOUNTING DIMENSIONS

|                                                                                                           |                                         |                                                                                                                                                                                                                                                                                                                          |                                                            |        |                            |                            |                                                                                                                                  |                                                                                                          |                                                                                                                 |                     |  |  |
|-----------------------------------------------------------------------------------------------------------|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|--------|----------------------------|----------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|---------------------|--|--|
| ENTER DESCRIPTION<br>EC NO: SSL2012-0008<br>DRAWN BY: JAKLIC<br>CHKD: JAKLIC<br>APPR: DMCGOWAN<br>REV: B1 | DESCRIPTION<br>2011/08/02<br>2011/08/05 | QUALITY SYMBOLS<br><div>=0</div> <div>=0</div> <div>=0</div> | GENERAL TOLERANCES (UNLESS SPECIFIED)                      |        | DIMENSION STYLE<br>MM ONLY |                            | SCALE<br>2:1                                                                                                                     | DESIGN UNITS<br>METRIC                                                                                   |  THIRD ANGLE<br>PROJECTION |                     |  |  |
|                                                                                                           |                                         |                                                                                                                                                                                                                                                                                                                          |                                                            | mm     | INCH                       | DRAWN BY<br>FJAKLIC        | DATE<br>2011/04/12                                                                                                               | TITLE<br>CITIZEN L-330<br>LED HOLDER                                                                     |                                                                                                                 |                     |  |  |
|                                                                                                           |                                         |                                                                                                                                                                                                                                                                                                                          | 4 PLACES                                                   | ± ---  | ± ---                      | CHECKED BY                 | DATE                                                                                                                             |                                                                                                          |                                                                                                                 |                     |  |  |
|                                                                                                           |                                         |                                                                                                                                                                                                                                                                                                                          | 3 PLACES                                                   | ± ---  | ± ---                      |                            |                                                                                                                                  |                                                                                                          |                                                                                                                 |                     |  |  |
|                                                                                                           |                                         |                                                                                                                                                                                                                                                                                                                          | 2 PLACES                                                   | ± 0.13 | ± ---                      |                            |                                                                                                                                  |                                                                                                          |                                                                                                                 |                     |  |  |
|                                                                                                           |                                         |                                                                                                                                                                                                                                                                                                                          | 1 PLACE                                                    | ± 0.25 | ± ---                      |                            |                                                                                                                                  |                                                                                                          |                                                                                                                 |                     |  |  |
|                                                                                                           |                                         |                                                                                                                                                                                                                                                                                                                          | ANGULAR ±1/2°                                              |        |                            | APPROVED BY<br>DMCGOWAN    | DATE<br>2011/05/03                                                                                                               |  MOLEX INCORPORATED |                                                                                                                 |                     |  |  |
|                                                                                                           |                                         |                                                                                                                                                                                                                                                                                                                          | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |        |                            | MATERIAL NO.<br>1802600000 | DOCUMENT NO.<br>SD-180260-001                                                                                                    |                                                                                                          |                                                                                                                 | SHEET NO.<br>2 OF 2 |  |  |
|                                                                                                           |                                         |                                                                                                                                                                                                                                                                                                                          |                                                            |        |                            | SIZE<br>B                  | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                                                                                                          |                                                                                                                 |                     |  |  |



**Стандарт  
Электрон  
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

**Наши контакты:**

**Телефон:** +7 812 627 14 35

**Электронная почта:** [sales@st-electron.ru](mailto:sales@st-electron.ru)

**Адрес:** 198099, Санкт-Петербург,  
Промышленная ул, дом № 19, литера Н,  
помещение 100-Н Офис 331