

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED PER ECR-15-008747	12JUN2015	RS	JL

VIEW A

7

NOTES:

1. MATERIAL: GLASS FILLED PBT, COLOR: BLACK

2. MUST COMPLY WITH DIRECTIVE 2002/95/EC (ROHS)

3 ALL POLARIZATION KEYS SHOWN FOR REF ONLY.

4 CIRCUIT I.D.

5 CIRCUITS "L2" AND "L3" ARE BLOCKED TO PREVENT CONTACT INSTALLATION.

6 TE PART NUMBER

7 TE LOGO

24.0
WRENCH FLATS

5.6

5

3

5

Ø 12.9

4

6

4

16.3

5.0

15.7

VIEW A

"PE" CIRCUIT

THREAD GAP ALIGNS WITH "PE" CIRCUIT

E	FREE HANGING PIN. SEALED NECTOR M, 5 POSN	2213228-5
D	FREE HANGING PIN. SEALED NECTOR M, 5 POSN	2213228-4
C	FREE HANGING PIN. SEALED NECTOR M, 5 POSN	2213228-3
B	FREE HANGING PIN. SEALED NECTOR M, 5 POSN	2213228-2
A	FREE HANGING PIN. SEALED NECTOR M, 5 POSN	2213228-1
POLARIZATION TYPE		DESCRIPTION
		PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±0.2

2 PLC ±0.13

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH -

MATERIAL

NOTE 1

-

DWN J. SHAFFER 16JAN2014

CHK M. LUKSIC 16JAN2014

APVD M. LUKSIC 16JAN2014

PRODUCT SPEC 108-133014

APPLICATION SPEC 114-32111

WEIGHT -

Customer Drawing

TE Connectivity

NAME

FREE HANGING PIN HOUSING:
SEALED NECTOR M-LINE, 5 POSN

-

SIZE A2

CAGE CODE -

DRAWING NO C-2213228

RESTRICTED TO -

SCALE 1:1






SHEET 1 OF 2


REV A

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 20	BY -	ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

POLARIZATION TYPES

POLARIZATION TYPE "A"	POLARIZATION TYPE "B"	POLARIZATION TYPE "C"
		
PN: 2213228-1	PN: 2213228-2	PN: 2213228-3
POLARIZATION TYPE "D"	POLARIZATION TYPE "E"	
		
PN: 2213228-4	PN: 2213228-5	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 16 JAN 2014	 TE Connectivity																		
		CHK M. LUKSIC 16 JAN 2014																			
DIMENSIONS: mm		APVD M. LUKSIC 16 JAN 2014	NAME FREE HANGING PIN HOUSING: SEALED NECTOR M-LINE, 5 POSN -																		
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC 108-133014		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO									
		0 PLC ±-		APPLICATION SPEC 114-32111		A2		-		C=2213228		-									
		1 PLC ±0.2		WEIGHT		-															
		2 PLC ±0.13																			
		3 PLC ±-																			
4 PLC ±-																					
ANGLES		±-																			
MATERIAL		FINISH																			
NOTE 1		-																			
-		-																			
				Customer Drawing						SCALE		1:1		SHEET		2 OF 2		REV		A	



**Стандарт
Электрон
Связь**

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург,
Промышленная ул, дом № 19, литера Н,
помещение 100-Н Офис 331